

# Dihydrolusitanine

**Inchi:** InChI=1S/C12H22N2O/c1-10(15)13-9-11-5-4-8-14-7-3-2-6-12(11)14/h11-12H,2-9H2,1H3  
**InchiKey:** UMTHZDQDXDKDED-UHFFFAOYSA-N  
**Formula:** C12H22N2O  
**SMILES:** CC(=O)NCC1CCCN2CCCCC12  
**Mol. weight [g/mol]:** 210.32

## Physical Properties

Property code	Value	Unit	Source
log10ws	-2.04		Crippen Method
logp	1.387		Crippen Method
mcvol	179.750	ml/mol	McGowan Method
rinpol	1780.00		NIST Webbook

## Sources

**Crippen Method:** <http://pubs.acs.org/doi/abs/10.1021/ci9903071>  
**Crippen Method:** [https://www.chemeo.com/doc/models/crippen\\_log10ws](https://www.chemeo.com/doc/models/crippen_log10ws)  
**McGowan Method:** <http://link.springer.com/article/10.1007/BF02311772>  
**NIST Webbook:** <http://webbook.nist.gov/cgi/cbook.cgi?ID=R261206&Units=SI>

## Legend

**log10ws:** Log10 of Water solubility in mol/l  
**logp:** Octanol/Water partition coefficient  
**mcvol:** McGowan's characteristic volume  
**rinpol:** Non-polar retention indices

Latest version available from:

<https://www.chemeo.com/cid/18-591-6/Dihydrolusitanine.pdf>

Generated by Cheméo on 2024-04-26 06:53:45.576079695 +0000 UTC m=+16403674.496657007.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.