

# m-Fluoroanisole

<b>Other names:</b>	3-fluoroanisole 3-fluoromethoxybenzene Benzene, 1-fluoro-3-methoxy-anisole, m-fluoro-
<b>Inchi:</b>	InChI=1S/C7H7FO/c1-9-7-4-2-3-6(8)5-7/h2-5H,1H3
<b>InchiKey:</b>	MFJNOXOAIFNSBX-UHFFFAOYSA-N
<b>Formula:</b>	C7H7FO
<b>SMILES:</b>	COc1ccccc(F)c1
<b>Mol. weight [g/mol]:</b>	126.13
<b>CAS:</b>	456-49-5

## Physical Properties

Property code	Value	Unit	Source
affp	825.00	kJ/mol	NIST Webbook
basg	795.00	kJ/mol	NIST Webbook
gf	-188.97	kJ/mol	Joback Method
hf	-291.08	kJ/mol	Joback Method
hfus	11.81	kJ/mol	Joback Method
hvap	48.10 ± 1.10	kJ/mol	NIST Webbook
ie	8.41 ± 0.06	eV	NIST Webbook
ie	8.70 ± 0.10	eV	NIST Webbook
log10ws	-1.92		Crippen Method
logp	1.834		Crippen Method
mcvol	93.370	ml/mol	McGowan Method
pc	3736.23	kPa	Joback Method
rinpol	908.50		NIST Webbook
rinpol	925.00		NIST Webbook
rinpol	908.50		NIST Webbook
tb	412.91	K	Joback Method
tc	613.45	K	Joback Method
tf	230.41	K	Joback Method
vc	0.355	m3/kmol	Joback Method

# Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	169.33	J/mol×K	412.91	Joback Method
cpg	179.27	J/mol×K	446.33	Joback Method
cpg	188.77	J/mol×K	479.76	Joback Method
cpg	197.84	J/mol×K	513.18	Joback Method
cpg	206.49	J/mol×K	546.61	Joback Method
cpg	214.72	J/mol×K	580.03	Joback Method
cpg	222.53	J/mol×K	613.45	Joback Method
hvapt	48.10	kJ/mol	298.15	Experimental and computational study on the molecular energetics of the three monofluoroanisole isomers

# Pressure Dependent Properties

Property code	Value	Unit	Pressure [kPa]	Source
tbrp	431.00	K	99.10	NIST Webbook
tbrp	431.20	K	99.10	NIST Webbook

# Sources

Experimental and computational study on the molecular energetics of the three monofluoroanisole isomers: <https://www.doi.org/10.1016/j.jct.2008.09.012>

[https://en.wikipedia.org/wiki/Joback\\_method](https://en.wikipedia.org/wiki/Joback_method)

McGowan Method: <http://link.springer.com/article/10.1007/BF02311772>

NIST Webbook: <http://webbook.nist.gov/cgi/cbook.cgi?ID=C456495&Units=SI>

Crippen Method: <http://pubs.acs.org/doi/abs/10.1021/ci990307l>

Crippen Method: [https://www.chemeo.com/doc/models/crippen\\_log10ws](https://www.chemeo.com/doc/models/crippen_log10ws)

# Legend

<b>affp:</b>	Proton affinity
<b>basg:</b>	Gas basicity
<b>cpg:</b>	Ideal gas heat capacity
<b>gf:</b>	Standard Gibbs free energy of formation
<b>hf:</b>	Enthalpy of formation at standard conditions
<b>hfus:</b>	Enthalpy of fusion at standard conditions
<b>hvap:</b>	Enthalpy of vaporization at standard conditions
<b>hvapt:</b>	Enthalpy of vaporization at a given temperature
<b>ie:</b>	Ionization energy
<b>log10ws:</b>	Log10 of Water solubility in mol/l
<b>logp:</b>	Octanol/Water partition coefficient
<b>mcvol:</b>	McGowan's characteristic volume
<b>pc:</b>	Critical Pressure
<b>rinpol:</b>	Non-polar retention indices
<b>tb:</b>	Normal Boiling Point Temperature
<b>tbrp:</b>	Boiling point at reduced pressure
<b>tc:</b>	Critical Temperature
<b>tf:</b>	Normal melting (fusion) point
<b>vc:</b>	Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/18-731-0/m-Fluoroanisole.pdf>

Generated by Cheméo on 2024-04-09 10:46:41.227920806 +0000 UTC m=+14948850.148498121.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.