

2-Chlorobenzoic acid, heptyl ester

Other names:	Heptyl 2-chlorobenzoate Benzoic acid, 2-chloro, heptyl ester
Inchi:	InChI=1S/C14H19ClO2/c1-2-3-4-5-8-11-17-14(16)12-9-6-7-10-13(12)15/h6-7,9-10H,2-5,
InchiKey:	AZDUVJGZVLGFLA-UHFFFAOYSA-N
Formula:	C14H19ClO2
SMILES:	CCCCCCCOC(=O)c1cccc1Cl
Mol. weight [g/mol]:	254.75
CAS:	10276-86-5

Physical Properties

Property code	Value	Unit	Source
gf	-76.07	kJ/mol	Joback Method
hf	-367.77	kJ/mol	Joback Method
hfus	32.65	kJ/mol	Joback Method
hvap	63.24	kJ/mol	Joback Method
log10ws	-4.91		Crippen Method
logp	4.467		Crippen Method
mcvol	204.040	ml/mol	McGowan Method
pc	1998.33	kPa	Joback Method
rinpol	1826.00		NIST Webbook
rinpol	1816.00		NIST Webbook
rinpol	1826.00		NIST Webbook
rinpol	1836.00		NIST Webbook
rinpol	1841.00		NIST Webbook
rinpol	1818.00		NIST Webbook
rinpol	1831.00		NIST Webbook
rinpol	1861.90		NIST Webbook
rinpol	1861.90		NIST Webbook
ripol	2452.00		NIST Webbook
ripol	2446.00		NIST Webbook
ripol	2425.00		NIST Webbook
ripol	2459.00		NIST Webbook
ripol	2475.00		NIST Webbook
ripol	2452.00		NIST Webbook
ripol	2438.00		NIST Webbook
tb	665.10	K	Joback Method
tc	869.77	K	Joback Method

tf	388.56	K	Joback Method
vc	0.784	m ³ /kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	522.84	J/mol×K	665.10	Joback Method
cpg	537.98	J/mol×K	699.21	Joback Method
cpg	552.23	J/mol×K	733.32	Joback Method
cpg	565.61	J/mol×K	767.43	Joback Method
cpg	578.16	J/mol×K	801.55	Joback Method
cpg	589.90	J/mol×K	835.66	Joback Method
cpg	600.85	J/mol×K	869.77	Joback Method
dvisc	0.0013958	Paxs	388.56	Joback Method
dvisc	0.0007761	Paxs	434.65	Joback Method
dvisc	0.0004830	Paxs	480.74	Joback Method
dvisc	0.0003266	Paxs	526.83	Joback Method
dvisc	0.0002352	Paxs	572.92	Joback Method
dvisc	0.0001778	Paxs	619.01	Joback Method
dvisc	0.0001398	Paxs	665.10	Joback Method

Sources

McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=C10276865&Units=SI
Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci990307l
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws
Joback Method:	https://en.wikipedia.org/wiki/Joback_method

Legend

cpg:	Ideal gas heat capacity
dvisc:	Dynamic viscosity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions

h_{vap}:	Enthalpy of vaporization at standard conditions
log₁₀w_s:	Log ₁₀ of Water solubility in mol/l
log_p:	Octanol/Water partition coefficient
m_{cvol}:	McGowan's characteristic volume
p_c:	Critical Pressure
r_{inpol}:	Non-polar retention indices
r_{ipol}:	Polar retention indices
t_b:	Normal Boiling Point Temperature
t_c:	Critical Temperature
t_f:	Normal melting (fusion) point
v_c:	Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/19-961-4/2-Chlorobenzoic-acid-heptyl-ester.pdf>

Generated by Cheméo on 2025-12-19 23:38:48.455399732 +0000 UTC m=+5935725.985440395.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.