

Benzenemethanol, «alpha»-methyl-, (R)-

Other names:	(S)-(-)-1-phenylethanol Benzenemethanol, «alpha»,-methyl- Benzenemethanol, «alpha»-methyl-, («alpha»R)- Benzenemethanol, Å«alphaÅ»,-methyl- Benzenemethanol, Å«alphaÅ»-methyl-, (Å«alphaÅ»R)-
Inchi:	InChI=1S/C8H10O/c1-7(9)8-5-3-2-4-6-8/h2-7,9H,1H3/t7-/m0/s1
InchiKey:	WAPNOHKVXSQRPX-ZETCQYMHSA-N
Formula:	C8H10O
SMILES:	CC(O)c1ccccc1
Mol. weight [g/mol]:	122.16
CAS:	1517-69-7

Physical Properties

Property code	Value	Unit	Source
gf	-10.37	kJ/mol	Joback Method
hf	-129.43	kJ/mol	Joback Method
hfus	11.08	kJ/mol	Joback Method
hvap	51.97	kJ/mol	Joback Method
log10ws	-2.00		Crippen Method
logp	1.740		Crippen Method
mcvol	105.690	ml/mol	McGowan Method
pc	4135.61	kPa	Joback Method
tb	476.20	K	NIST Webbook
tc	702.73	K	Joback Method
tf	252.16	K	Joback Method
vc	0.389	m3/kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	223.82	J/molxK	500.86	Joback Method
cpg	234.83	J/molxK	534.50	Joback Method
cpg	245.20	J/molxK	568.15	Joback Method
cpg	254.95	J/molxK	601.79	Joback Method

cpg	264.10	J/molxK	635.44	Joback Method
cpg	272.69	J/molxK	669.08	Joback Method
cpg	280.74	J/molxK	702.73	Joback Method
dvisc	0.0382650	Paxs	252.16	Joback Method
dvisc	0.0077399	Paxs	293.61	Joback Method
dvisc	0.0023249	Paxs	335.06	Joback Method
dvisc	0.0009101	Paxs	376.51	Joback Method
dvisc	0.0004291	Paxs	417.96	Joback Method
dvisc	0.0002317	Paxs	459.41	Joback Method
dvisc	0.0001385	Paxs	500.86	Joback Method
rhol	1012.30	kg/m3	298.15	Enthalpic changes on mixing two couples of S- and R-enantiomers of benzyl-(1-phenyl-ethyl)-amine, 1-phenylethylamine, 1-phenyl-ethanol, butyric acid oxiranylmethyl ester, 4-methyl-[1,3]dioxolan-2-one, 2-chloro-methyloxirane and 3-hydroxyisobutyric acid methyl ester at T = 298.15 K

Pressure Dependent Properties

Property code	Value	Unit	Pressure [kPa]	Source
tbrp	371.20	K	2.70	NIST Webbook

Sources

NIST Webbook:

<http://webbook.nist.gov/cgi/cbook.cgi?ID=C1517697&Units=SI>

Crippen Method:

<http://pubs.acs.org/doi/abs/10.1021/ci990307I>

Crippen Method:

https://www.chemeo.com/doc/models/crippen_log10ws

Enthalpic changes on mixing two couples of S- and R-enantiomers of benzyl-(1-phenyl-ethyl)-amine, 1-phenylethylamine, 1-phenyl-ethanol, butyric acid oxiranylmethyl ester, 4-methyl-[1,3]dioxolan-2-one, 2-chloro-methyloxirane and 3-hydroxyisobutyric acid methyl ester at T = 298.15 K:

<https://www.doi.org/10.1016/j.jct.2005.10.019>

https://en.wikipedia.org/wiki/Joback_method

<http://link.springer.com/article/10.1007/BF02311772>

Legend

cpg:	Ideal gas heat capacity
dvisc:	Dynamic viscosity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
rho:	Liquid Density
tb:	Normal Boiling Point Temperature
tbrp:	Boiling point at reduced pressure
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/20-620-0/Benzenemethanol-alpha-methyl-R.pdf>

Generated by Cheméo on 2024-04-18 03:14:38.499845845 +0000 UTC m=+15699327.420423156.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.