D-Fructose

Other names: D-(-)-fructose
levulose
Inchi: InChI=1S/C6H12O6/c7-2-6(11)5(10)4(9)3(8)1-12-6/h3-5,7-11H,1-2H2
InchiKey: LKDRXBCSQODPBY-UHFFFAOYSA-N
Formula: C6H12O6
SMILES: OCC1(O)OCC(O)C(O)C1O
Mol. weight [g/mol]: 180.16
CAS: 6347-01-9

Physical Properties

Property code	Value	Unit	Source
chs	-2809.80	kJ/mol	NIST Webbook
gf	-774.75	kJ/mol	Joback Method
hf	-1051.78	kJ/mol	Joback Method
hfus	28.46	kJ/mol	Joback Method
hvap	115.21	kJ/mol	Joback Method
log10ws	1.42		Crippen Method
logp	-3.220		Crippen Method
mcvol	119.760	ml/mol	McGowan Method
pc	7037.97	kPa	Joback Method
tb	830.31	K	Joback Method
tc	1017.85	K	Joback Method
tf	506.61	K	Joback Method
vc	0.415	m3/kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	409.17	J/mol×K	830.31	Joback Method
cpg	417.53	J/mol×K	861.57	Joback Method
cpg	425.78	J/mol×K	892.82	Joback Method
cpg	434.00	J/mol×K	924.08	Joback Method
cpg	442.23	J/mol×K	955.34	Joback Method
cpg	450.53	J/mol×K	986.59	Joback Method

cpg	458.97	J/mol×K	1017.85	Joback Method
cps	92.31	J/mol×K	150.00	Apparent heat capacity measurements and thermodynamic functions of d(-)-fructose by standard and temperature-modulated calorimetry
cps	223.60	J/mol×K	293.15	Temperature dependence of the heat capacities in the solid state of 18 mono-, di-, and poly-saccharides
cps	227.70	J/mol×K	298.15	Temperature dependence of the heat capacities in the solid state of 18 mono-, di-, and poly-saccharides
cps	233.30	J/mol×K	303.15	Temperature dependence of the heat capacities in the solid state of 18 mono-, di-, and poly-saccharides
cps	236.90	J/mol×K	308.15	Temperature dependence of the heat capacities in the solid state of 18 mono-, di-, and poly-saccharides
cps	242.40	J/mol×K	313.15	Temperature dependence of the heat capacities in the solid state of 18 mono-, di-, and poly-saccharides
cps	247.30	J/mol×K	318.15	Temperature dependence of the heat capacities in the solid state of 18 mono-, di-, and poly-saccharides
cps	251.50	J/mol×K	323.15	Temperature dependence of the heat capacities in the solid state of 18 mono-, di-, and poly-saccharides

cps	251.80	J/mol×K	328.15	Temperature dependence of the heat capacities in the solid state of 18 mono-, di-, and poly-saccharides
cps	255.10	J/mol×K	333.15	Temperature dependence of the heat capacities in the solid state of 18 mono-, di-, and poly-saccharides
cps	259.60	J/mol×K	338.15	Temperature dependence of the heat capacities in the solid state of 18 mono-, di-, and poly-saccharides
cps	260.90	J/mol×K	343.15	Temperature dependence of the heat capacities in the solid state of 18 mono-, di-, and poly-saccharides
cps	266.40	J/mol×K	348.15	Temperature dependence of the heat capacities in the solid state of 18 mono-, di-, and poly-saccharides
cps	275.30	J/mol×K	353.15	Temperature dependence of the heat capacities in the solid state of 18 mono-, di-, and poly-saccharides
cps	290.40	J/mol×K	358.15	Temperature dependence of the heat capacities in the solid state of 18 mono-, di-, and poly-saccharides
cps	6.23	J/mol×K	15.00	Apparent heat capacity measurements and thermodynamic functions of d(-)-fructose by standard and temperature-modulated calorimetry

cps	9.95	J/mol×K	20.00	Apparent heat capacity measurements and thermodynamic functions of d(-)-fructose by standard and temperature-modulated calorimetry
cps	13.13	J/mol×K	25.00	Apparent heat capacity measurements and thermodynamic functions of d(-)-fructose by standard and temperature-modulated calorimetry
cps	15.91	J/mol×K	30.00	Apparent heat capacity measurements and thermodynamic functions of d(-)-fructose by standard and temperature-modulated calorimetry
cps	18.49	J/mol×K	35.00	Apparent heat capacity measurements and thermodynamic functions of d(-)-fructose by standard and temperature-modulated calorimetry
cps	20.98	J/mol×K	40.00	Apparent heat capacity measurements and thermodynamic functions of d(-)-fructose by standard and temperature-modulated calorimetry
cps	23.44	J/mol×K	45.00	Apparent heat capacity measurements and thermodynamic functions of d(-)-fructose by standard and temperature-modulated calorimetry

cps	25.91	J/mol×K	50.00	Apparent heat capacity measurements and thermodynamic functions of d(-)-fructose by standard and temperature-modulated calorimetry
cps	54.01	J/mol×K	100.00	Apparent heat capacity measurements and thermodynamic functions of d(-)-fructose by standard and temperature-modulated calorimetry
cps	220.30	J/mol×K	288.15	Temperature dependence of the heat capacities in the solid state of 18 mono-, di-, and poly-saccharides
cps	134.39	J/mol×K	200.00	Apparent heat capacity measurements and thermodynamic functions of d(-)-fructose by standard and temperature-modulated calorimetry
cps	175.41	J/mol×K	250.00	Apparent heat capacity measurements and thermodynamic functions of d(-)-fructose by standard and temperature-modulated calorimetry
cps	214.57	J/mol×K	300.00	Apparent heat capacity measurements and thermodynamic functions of d(-)-fructose by standard and temperature-modulated calorimetry

cps	251.78	J/mol×K	350.00	Apparent heat capacity measurements and thermodynamic functions of d(-)-fructose by standard and temperature-modulated calorimetry
cps	265.80	J/mol×K	370.00	Apparent heat capacity measurements and thermodynamic functions of d(-)-fructose by standard and temperature-modulated calorimetry
cps	2.81	J/mol×K	14.06	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	3.13	J/mol×K	14.48	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	3.38	J/mol×K	14.92	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	3.63	J/mol×K	15.36	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	3.92	J/mol×K	15.81	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	4.22	J/mol×K	16.27	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	4.66	J/mol×K	16.77	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	5.05	J/mol×K	17.29	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	5.33	J/mol×K	17.75	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	5.75	J/mol×K	18.24	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	6.19	J/mol×K	18.76	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	6.58	J/mol×K	19.31	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	7.07	J/mol×K	19.89	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	7.63	J/mol×K	20.47	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	8.08	J/mol×K	21.03	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	8.51	J/mol×K	21.55	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	9.02	J/mol×K	22.09	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	9.57	J/mol×K	22.64	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	10.10	J/mol×K	23.22	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	

cps	10.61	J/mol×K	23.84	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	11.21	J/mol×K	24.41	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	11.67	J/mol×K	24.96	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	12.67	J/mol×K	25.84	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	13.50	J/mol×K	26.71	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	

cps	14.07	J/mol×K	27.31	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	14.91	J/mol×K	28.19	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	15.70	J/mol×K	29.03	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	16.16	J/mol×K	29.58	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	16.84	J/mol×K	30.14	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	

cps	17.43	J/mol×K	30.73	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	18.05	J/mol×K	31.35	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	18.53	J/mol×K	31.98	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	19.19	J/mol×K	32.62	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	19.89	J/mol×K	33.28	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	

cps	20.59	J/mol×K	33.96	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	21.26	J/mol×K	34.65	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	21.95	J/mol×K	35.36	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	22.67	J/mol×K	36.07	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	23.42	J/mol×K	36.78	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	

cps	24.11	J/mol×K	37.50	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	24.83	J/mol×K	38.21	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	25.52	J/mol×K	38.91	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	26.21	J/mol×K	39.60	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	26.89	J/mol×K	40.28	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	

cps	27.59	J/mol×K	40.99	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	28.30	J/mol×K	41.73	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	29.02	J/mol×K	42.48	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	29.78	J/mol×K	43.26	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	30.54	J/mol×K	44.03	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	31.29	J/mol×K	44.80	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	32.07	J/mol×K	45.60	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	32.85	J/mol×K	46.41	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	33.62	J/mol×K	47.23	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	34.43	J/mol×K	48.05	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	

cps	35.18	J/mol×K	48.87	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	35.98	J/mol×K	49.66	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	36.72	J/mol×K	50.46	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	37.50	J/mol×K	51.30	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	38.33	J/mol×K	52.17	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	

cps	39.16	J/mol×K	53.08	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	40.03	J/mol×K	54.00	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	40.88	J/mol×K	54.92	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	41.75	J/mol×K	55.87	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	42.65	J/mol×K	56.84	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	

cps	43.54	J/mol×K	57.80	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	44.39	J/mol×K	58.75	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	45.25	J/mol×K	59.68	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	46.09	J/mol×K	60.61	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	46.94	J/mol×K	61.55	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	47.76	J/mol×K	62.48	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	48.61	J/mol×K	63.40	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	49.43	J/mol×K	64.31	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	50.22	J/mol×K	65.22	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	51.08	J/mol×K	66.18	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	51.94	J/mol×K	67.16	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	52.90	J/mol×K	68.22	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	53.88	J/mol×K	69.33	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	54.83	J/mol×K	70.43	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	55.79	J/mol×K	71.50	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	

cps	56.77	J/mol×K	72.63	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	57.78	J/mol×K	73.81	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	58.80	J/mol×K	74.97	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	59.77	J/mol×K	76.11	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	60.74	J/mol×K	77.23	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	61.72	J/mol×K	78.40	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	62.76	J/mol×K	79.61	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	63.77	J/mol×K	80.81	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	64.80	J/mol×K	81.98	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	65.76	J/mol×K	83.14	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	

cps	66.77	J/mol×K	84.34	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	67.84	J/mol×K	85.59	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	68.83	J/mol×K	86.82	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	69.88	J/mol×K	88.03	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	70.89	J/mol×K	89.22	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	

cps	71.89	J/mol×K	90.46	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	72.99	J/mol×K	91.74	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	73.99	J/mol×K	93.00	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	75.03	J/mol×K	94.24	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	76.03	J/mol×K	95.47	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	

cps	77.10	J/mol×K	96.74	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	78.13	J/mol×K	98.05	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	79.20	J/mol×K	99.34	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	80.23	J/mol×K	100.61	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	81.25	J/mol×K	101.88	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	

cps	82.30	J/mol×K	103.17	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	83.38	J/mol×K	104.51	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	84.42	J/mol×K	105.83	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	85.50	J/mol×K	107.14	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	86.51	J/mol×K	108.44	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	87.55	J/mol×K	109.77	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	88.69	J/mol×K	111.13	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	89.72	J/mol×K	112.49	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	90.79	J/mol×K	113.83	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	91.82	J/mol×K	115.15	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	

cps	92.94	J/mol×K	116.54	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	94.07	J/mol×K	118.00	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	95.21	J/mol×K	119.43	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	96.29	J/mol×K	120.86	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	97.42	J/mol×K	122.27	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	98.53	J/mol×K	123.72	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	99.73	J/mol×K	125.19	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	100.86	J/mol×K	126.66	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	101.99	J/mol×K	128.15	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	103.12	J/mol×K	129.65	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	

cps	104.32	J/mol×K	131.18	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	105.56	J/mol×K	132.78	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	106.79	J/mol×K	134.41	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	107.97	J/mol×K	136.01	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	109.25	J/mol×K	137.61	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	110.50	J/mol×K	139.24	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	111.75	J/mol×K	140.90	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	112.96	J/mol×K	142.55	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	114.21	J/mol×K	144.18	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	115.47	J/mol×K	145.81	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	

cps	116.73	J/mol×K	147.46	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	117.96	J/mol×K	149.19	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	119.30	J/mol×K	150.94	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	120.61	J/mol×K	152.67	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	121.92	J/mol×K	154.39	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	123.22	J/mol×K	156.15	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	124.55	J/mol×K	157.94	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	125.90	J/mol×K	159.71	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	127.16	J/mol×K	161.48	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	128.53	J/mol×K	163.23	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	

cps	129.85	J/mol×K	165.01	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	131.22	J/mol×K	166.83	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	132.53	J/mol×K	168.63	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	133.87	J/mol×K	170.42	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	135.21	J/mol×K	172.26	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	136.66	J/mol×K	174.19	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	138.12	J/mol×K	176.16	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	139.54	J/mol×K	178.11	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	140.98	J/mol×K	180.05	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	142.44	J/mol×K	181.97	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	

cps	143.86	J/mol×K	183.93	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	145.37	J/mol×K	185.92	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	146.78	J/mol×K	187.90	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	148.24	J/mol×K	189.86	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	149.62	J/mol×K	191.82	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	151.13	J/mol×K	193.80	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	152.65	J/mol×K	195.89	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	154.23	J/mol×K	198.03	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	155.79	J/mol×K	200.16	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	157.38	J/mol×K	202.27	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	158.97	J/mol×K	204.41	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	160.59	J/mol×K	206.59	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	162.27	J/mol×K	208.75	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	163.79	J/mol×K	210.91	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	165.43	J/mol×K	213.05	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	

cps	166.88	J/mol×K	215.22	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	168.61	J/mol×K	217.41	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	170.28	J/mol×K	219.60	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	172.01	J/mol×K	221.78	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	173.59	J/mol×K	223.94	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	

cps	175.10	J/mol×K	226.14	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	176.89	J/mol×K	228.44	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	178.65	J/mol×K	230.80	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	180.52	J/mol×K	233.16	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	182.33	J/mol×K	235.50	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	184.07	J/mol×K	237.87	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	185.87	J/mol×K	240.27	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	187.70	J/mol×K	242.65	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	189.43	J/mol×K	245.03	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	191.32	J/mol×K	247.39	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	

cps	193.01	J/mol×K	249.78	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	194.95	J/mol×K	252.20	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	196.74	J/mol×K	254.60	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	198.58	J/mol×K	257.00	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	200.50	J/mol×K	259.38	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	202.31	J/mol×K	261.79	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	204.15	J/mol×K	264.29	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	206.25	J/mol×K	266.82	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	208.09	J/mol×K	269.35	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	210.03	J/mol×K	271.87	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	

cps	211.71	J/mol×K	274.41	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	213.84	J/mol×K	276.98	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	215.75	J/mol×K	279.54	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	217.72	J/mol×K	282.08	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	219.77	J/mol×K	284.61	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	221.78	J/mol×K	287.17	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	223.86	J/mol×K	289.76	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	225.93	J/mol×K	292.33	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	227.98	J/mol×K	294.92	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	230.08	J/mol×K	297.52	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	232.18	J/mol×K	300.15	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	234.38	J/mol×K	302.81	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	236.46	J/mol×K	305.45	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	238.40	J/mol×K	308.08	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	240.73	J/mol×K	310.70	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	242.98	J/mol×K	313.34	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	244.99	J/mol×K	316.00	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	247.19	J/mol×K	318.66	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	249.35	J/mol×K	321.30	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	
cps	251.32	J/mol×K	323.93	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose	

cps	253.53	J/mol×K	326.58	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	255.90	J/mol×K	329.26	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

Sources

Solubility and solution thermodynamics of glucose and fructose in three asymmetrical dicationic ionic liquids from 323.15 K to 353.15 K:	https://www.doi.org/10.1016/j.jct.2019.105879
Fructose solubility in mixed (ethanol + water) solvent: experimental data and comparison among different thermodynamic models:	https://www.doi.org/10.1021/je400471m
Thermodynamic Study of Some Amino Acids, 2-Aminopropanoic Acid, 2-Amino-3-methylbutanoic Acid, 2-Amino-4-methylpentanoic Acid, and 2-Amino-3-phenylpropanoic Acid in Aqueous Saccharide Solutions at Different Temperatures: Volumetric and Ultrasonic Study:	https://www.doi.org/10.1021/je100857s
Osmotic properties of carbohydrate aqueous solutions:	https://www.doi.org/10.1016/j.fluid.2016.02.030
Apparent heat capacity measurements and thermodynamic functions of D(-)-fructose by standard and temperature-modulated calorimetry:	https://www.doi.org/10.1016/j.jct.2012.07.003
Volumetric studies on saccharides in aqueous magnesium chloride solutions at T = (288.15 to 318.15) K:	https://www.doi.org/10.1016/j.jct.2012.02.016
Fruit Sugar-based Deep Eutectic Solvents and their Physical Properties:	https://www.doi.org/10.1016/j.tca.2012.04.030
Volumetric and Acoustic Properties of Aqueous Carbohydrate Polymer Solutions:	https://www.doi.org/10.1021/acs.jced.6b00232
Binary Mutual Diffusion Coefficients of Aqueous Solutions of Sucrose, Lactose, Glucose, and Fructose in the Temperature Range from (298.15 to 328.15) K:	https://www.doi.org/10.1021/je0602061
Investigation of the Thermodynamic Properties in Aqueous Solutions Containing d-Fructose and Some Imidazolium Based Ionic Liquids at Different Temperatures:	https://www.doi.org/10.1021/acs.jced.8b00958
Evaluation of the effect of ionic liquids as salting-out agents on the solubility of carbohydrates in aqueous solutions:	https://www.doi.org/10.1016/j.fluid.2017.12.006
Conductivity in MnSO4-saccharide-water solutions at 298.15 K:	https://www.doi.org/10.1016/j.fluid.2013.05.006
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=C6347019&Units=SI
Studies on volumetric properties of some saccharides in aqueous potassium chloride solutions over temperature range (288.15 to 318.15) K:	https://www.doi.org/10.1016/j.jct.2008.11.009
Isopiestic determination of water activity and vapour pressure for ternary (ionic liquid, 1-hexyl-4-methyl pyridinium bromide + d-fructose or sucrose + water) systems and corresponding binary ionic liquid solutions at 298.15 K:	https://www.doi.org/10.1016/j.jct.2017.08.023
Thermochemical behavior of 18-crown-6 in aqueous solutions of some monosaccharides:	https://www.doi.org/10.1016/j.tca.2006.02.011
Measurement and Correlation of Liquid Liquid Equilibria for the Ternary Systems of Water + d-Fructose + 1-Butanol, Water + d-Glucose + 1-Butanol, and Water + d-Galactose + 1-Butanol at (288.2, 298.2, 308.2, and 318.2) K:	https://www.doi.org/10.1021/acs.jced.7b00302
Salting-out Effect of Ionic Liquid, 1-Butyl-3-methylimidazolium Chloride on Aqueous Sucrose + 2-Butanol: Liquid-Liquid Equilibrium Study:	https://www.doi.org/10.1021/acs.jced.7b00682
Volumetric and viscometric study of the ternary (DL-alanine + d(-)-fructose + water) system at different temperatures and atmospheric pressure:	https://www.doi.org/10.1016/j.jct.2018.06.008
Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose:	https://www.doi.org/10.1016/j.jct.2018.11.014
Study of interactions of D(+)-glucose and D(-)-fructose with trilithium citrate in aqueous medium through volumetric and ultrasonic properties over the temperature range T = (288.15-318.15) K:	https://www.doi.org/10.1016/j.jct.2016.11.010
Study of solute-solute and solute-solvent interactions of N-acetyl glycine in aqueous D-fructose solutions at different temperatures:	https://www.doi.org/10.1016/j.tca.2015.03.015
Vapour-liquid equilibria for (water + ethanol + fructose): Experimental data and thermodynamic modelling:	https://www.doi.org/10.1016/j.jct.2017.07.021

Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws
Studies on the interactions behaviour of polyhydroxy solutes D(+)-glucose and D(-)-fructose in aqueous triammonium citrate solutions over temperature range T = (288.15-318.15) K:	https://www.doi.org/10.1016/j.jct.2017.12.003
Thermophysical Properties and Solubility of Different Sugar Derived [illegible]	https://www.doi.org/10.1021/acs.jced.7b00184
Extractions of Alkaloids Codeine and Caffeine with [Bmim][BF4]/Carbohydrate Aqueous Biphasic Systems as a Novel Class of Liquid-Liquid Extraction Systems:	https://www.doi.org/10.1021/acs.jced.8b00678
Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci990307l
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
Temperature dependence of the heat capacities in the solid state of 18 mono-, di-, and poly-saccharides:	https://www.doi.org/10.1016/j.jct.2008.08.007
Volumetric and Viscometric Studies on Saccharide-Disodium Tetraborate (Borax) Interactions in Aqueous Solutions:	https://www.doi.org/10.1021/je400264a
Influence of fructose on the diffusion of potassium hydrogen phosphate in aqueous solutions at 25 degC:	https://www.doi.org/10.1016/j.jct.2016.06.003
Aqueous biphasic systems composed of ionic liquid and fructose:	https://www.doi.org/10.1016/j.fluid.2007.01.027
Application of the Eotvos and Guggenheim empirical rules for predicting the density and surface tension of ionic liquids analogues:	https://www.doi.org/10.1016/j.tca.2013.10.017
Boiling point of aqueous d-glucose and d-fructose solutions: Experimental determination and modeling with group-contribution method:	https://www.doi.org/10.1016/j.fluid.2010.08.018
Partial molar volumes, expansibilities and compressibilities of glycylglycine in aqueous sucrose and fructose solutions between 283.15 to 308.15 K:	https://www.doi.org/10.1016/j.tca.2010.11.013
Effect of fruit and milk sugars on solute-solvent interactions of diphenhydramine hydrochloride drug in aqueous solutions in viewpoint of volumetric and transport properties:	https://www.doi.org/10.1016/j.jct.2017.12.013
Viscosity of Multicomponent Solutions of Simple and Complex Sugars in Water:	https://www.doi.org/10.1021/je700062x
Effect of sodium acetate on the volumetric behaviour of some mono-, di-, and tri-saccharides in aqueous solutions over temperature range (288.15 to 318.15) K:	https://www.doi.org/10.1016/j.jct.2009.07.015
Thermodynamic studies on the phase equilibria of ternary {ionic liquid 1-butyl-3-methylimidazolium chloride + D-fructose or sucrose + water} systems at 298.15 K and atmospheric pressure:	https://www.doi.org/10.1016/j.fluid.2016.12.024
Solubility of glucose, xylose, fructose and galactose in ionic liquids: Experimental and theoretical studies using a continuum solvation model:	https://www.doi.org/10.1016/j.fluid.2015.03.020
Efficient separation of curcumin using [illegible] carbohydrates (sorbitol, fructose) aqueous two-phase system:	https://www.doi.org/10.1016/j.fluid.2019.06.015
Investigations on the temperature dependent volumetric and ultrasonic properties of structural isomers of D(+)-glucose and D(-)-fructose in aqueous tripotassium citrate:	https://www.doi.org/10.1016/j.jct.2019.06.023
Densities and Speeds of Sound of D(+)-Glucose, D(-)-Fructose [illegible] Solutions at Different Temperatures:	https://www.doi.org/10.1021/acs.jced.5b00933
Measurements and Correlation of Water Activity in Aqueous Solutions [illegible]	https://www.doi.org/10.1021/acs.jced.9b00694
Thermodynamic investigation of choline chloride based ionic liquids analogues:	https://www.doi.org/10.1016/j.fluid.2014.08.017
Viscosities of Some Saccharides in Aqueous Solutions of Phosphate-Based Inorganic Salts:	https://www.doi.org/10.1021/acs.jced.5b00845
[illegible] (D+)-Galactose, (D-)-Fructose, (D+)-Lactose, and Sucrose at 298.15 K: Saccharides and Methyl Glycosides with Lithium Chloride in Aqueous Solutions at (288.15 to 318.15) K:	https://www.doi.org/10.1021/je5001523
Density of Mixtures Containing Sugars and Ionic Liquids: Experimental Data and PC-SAFT Modeling:	https://www.doi.org/10.1021/je500079y
Molar Heat Capacity of Selected Type III Deep Eutectic Solvents :	https://www.doi.org/10.1021/acs.jced.5b00989
Novel phase diagrams of aqueous two-phase systems based on tetrabutylammonium bromide + carbohydrates + water: equilibrium data and partitioning experiments:	https://www.doi.org/10.1016/j.fluid.2016.11.001
Volumetric and Transport Behavior of Different Carbohydrates in Aqueous Urea Mixtures at Different Temperatures :	https://www.doi.org/10.1021/je2000099
Joback Method:	https://en.wikipedia.org/wiki/Joback_method
Solubility of monosaccharides in ionic liquids - Experimental data and modeling:	https://www.doi.org/10.1016/j.fluid.2011.10.011

Legend

chs:	Standard solid enthalpy of combustion
cpg:	Ideal gas heat capacity
cps:	Solid phase heat capacity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions

log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume