

D-Fructose

Other names:	D-(-)-fructose levulose
Inchi:	InChI=1S/C6H12O6/c7-2-6(11)5(10)4(9)3(8)1-12-6/h3-5,7-11H,1-2H2
InchiKey:	LKDRXBCSQODPBY-UHFFFAOYSA-N
Formula:	C6H12O6
SMILES:	OCC1(O)OCC(O)C(O)C1O
Mol. weight [g/mol]:	180.16
CAS:	6347-01-9

Physical Properties

Property code	Value	Unit	Source
chs	-2809.80	kJ/mol	NIST Webbook
gf	-774.75	kJ/mol	Joback Method
hf	-1051.78	kJ/mol	Joback Method
hfus	28.46	kJ/mol	Joback Method
hvap	115.21	kJ/mol	Joback Method
log10ws	1.42		Crippen Method
logp	-3.220		Crippen Method
mcvol	119.760	ml/mol	McGowan Method
pc	7037.97	kPa	Joback Method
tb	830.31	K	Joback Method
tc	1017.85	K	Joback Method
tf	506.61	K	Joback Method
vc	0.415	m3/kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	458.97	J/molxK	1017.85	Joback Method
cpg	450.53	J/molxK	986.59	Joback Method
cpg	442.23	J/molxK	955.34	Joback Method
cpg	434.00	J/molxK	924.08	Joback Method
cpg	425.78	J/molxK	892.82	Joback Method
cpg	417.53	J/molxK	861.57	Joback Method

cpg	409.17	J/mol×K	830.31	Joback Method
cps	220.30	J/mol×K	288.15	Temperature dependence of the heat capacities in the solid state of 18 mono-, di-, and poly-saccharides
cps	251.80	J/mol×K	328.15	Temperature dependence of the heat capacities in the solid state of 18 mono-, di-, and poly-saccharides
cps	255.10	J/mol×K	333.15	Temperature dependence of the heat capacities in the solid state of 18 mono-, di-, and poly-saccharides
cps	259.60	J/mol×K	338.15	Temperature dependence of the heat capacities in the solid state of 18 mono-, di-, and poly-saccharides
cps	260.90	J/mol×K	343.15	Temperature dependence of the heat capacities in the solid state of 18 mono-, di-, and poly-saccharides
cps	266.40	J/mol×K	348.15	Temperature dependence of the heat capacities in the solid state of 18 mono-, di-, and poly-saccharides
cps	275.30	J/mol×K	353.15	Temperature dependence of the heat capacities in the solid state of 18 mono-, di-, and poly-saccharides
cps	290.40	J/mol×K	358.15	Temperature dependence of the heat capacities in the solid state of 18 mono-, di-, and poly-saccharides

cps	6.23	J/mol×K	15.00	Apparent heat capacity measurements and thermodynamic functions of d(-)-fructose by standard and temperature-modulated calorimetry
cps	9.95	J/mol×K	20.00	Apparent heat capacity measurements and thermodynamic functions of d(-)-fructose by standard and temperature-modulated calorimetry
cps	13.13	J/mol×K	25.00	Apparent heat capacity measurements and thermodynamic functions of d(-)-fructose by standard and temperature-modulated calorimetry
cps	15.91	J/mol×K	30.00	Apparent heat capacity measurements and thermodynamic functions of d(-)-fructose by standard and temperature-modulated calorimetry
cps	18.49	J/mol×K	35.00	Apparent heat capacity measurements and thermodynamic functions of d(-)-fructose by standard and temperature-modulated calorimetry
cps	20.98	J/mol×K	40.00	Apparent heat capacity measurements and thermodynamic functions of d(-)-fructose by standard and temperature-modulated calorimetry

cps	23.44	J/molxK	45.00	Apparent heat capacity measurements and thermodynamic functions of d(-)-fructose by standard and temperature-modulated calorimetry
cps	25.91	J/molxK	50.00	Apparent heat capacity measurements and thermodynamic functions of d(-)-fructose by standard and temperature-modulated calorimetry
cps	54.01	J/molxK	100.00	Apparent heat capacity measurements and thermodynamic functions of d(-)-fructose by standard and temperature-modulated calorimetry
cps	92.31	J/molxK	150.00	Apparent heat capacity measurements and thermodynamic functions of d(-)-fructose by standard and temperature-modulated calorimetry
cps	134.39	J/molxK	200.00	Apparent heat capacity measurements and thermodynamic functions of d(-)-fructose by standard and temperature-modulated calorimetry
cps	175.41	J/molxK	250.00	Apparent heat capacity measurements and thermodynamic functions of d(-)-fructose by standard and temperature-modulated calorimetry

cps	214.57	J/mol×K	300.00	Apparent heat capacity measurements and thermodynamic functions of d(-)-fructose by standard and temperature-modulated calorimetry
cps	251.78	J/mol×K	350.00	Apparent heat capacity measurements and thermodynamic functions of d(-)-fructose by standard and temperature-modulated calorimetry
cps	265.80	J/mol×K	370.00	Apparent heat capacity measurements and thermodynamic functions of d(-)-fructose by standard and temperature-modulated calorimetry
cps	2.81	J/mol×K	14.06	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	3.13	J/mol×K	14.48	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	3.38	J/mol×K	14.92	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	3.63	J/molxK	15.36	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	3.92	J/molxK	15.81	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	4.22	J/molxK	16.27	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	4.66	J/molxK	16.77	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	5.05	J/molxK	17.29	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	5.33	J/molxK	17.75	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	5.75	J/molxK	18.24	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	6.19	J/molxK	18.76	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	6.58	J/molxK	19.31	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	7.07	J/molxK	19.89	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	7.63	J/molxK	20.47	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	8.08	J/molxK	21.03	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	8.51	J/molxK	21.55	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	9.02	J/molxK	22.09	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	9.57	J/molxK	22.64	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	10.10	J/mol×K	23.22	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	10.61	J/mol×K	23.84	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	11.21	J/mol×K	24.41	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	11.67	J/mol×K	24.96	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	12.67	J/mol×K	25.84	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	13.50	J/molxK	26.71	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	14.07	J/molxK	27.31	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	14.91	J/molxK	28.19	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	15.70	J/molxK	29.03	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	16.16	J/molxK	29.58	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	16.84	J/mol×K	30.14	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	17.43	J/mol×K	30.73	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	18.05	J/mol×K	31.35	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	18.53	J/mol×K	31.98	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	19.19	J/mol×K	32.62	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	19.89	J/mol×K	33.28	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	20.59	J/mol×K	33.96	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	21.26	J/mol×K	34.65	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	21.95	J/mol×K	35.36	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	22.67	J/mol×K	36.07	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	23.42	J/molxK	36.78	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	24.11	J/molxK	37.50	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	24.83	J/molxK	38.21	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	25.52	J/molxK	38.91	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	26.21	J/molxK	39.60	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	26.89	J/molxK	40.28	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	27.59	J/molxK	40.99	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	28.30	J/molxK	41.73	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	29.02	J/molxK	42.48	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	29.78	J/molxK	43.26	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	30.54	J/mol×K	44.03	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	31.29	J/mol×K	44.80	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	32.07	J/mol×K	45.60	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	32.85	J/mol×K	46.41	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	33.62	J/mol×K	47.23	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	34.43	J/mol×K	48.05	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	35.18	J/mol×K	48.87	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	35.98	J/mol×K	49.66	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	36.72	J/mol×K	50.46	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	37.50	J/mol×K	51.30	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	38.33	J/mol×K	52.17	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	39.16	J/mol×K	53.08	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	40.03	J/mol×K	54.00	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	40.88	J/mol×K	54.92	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	41.75	J/mol×K	55.87	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	42.65	J/mol×K	56.84	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	43.54	J/mol×K	57.80	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	44.39	J/mol×K	58.75	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	45.25	J/mol×K	59.68	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	46.09	J/mol×K	60.61	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	46.94	J/mol×K	61.55	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	47.76	J/mol×K	62.48	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	48.61	J/mol×K	63.40	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	49.43	J/mol×K	64.31	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	50.22	J/mol×K	65.22	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	51.08	J/mol×K	66.18	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	51.94	J/mol×K	67.16	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	52.90	J/mol×K	68.22	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	53.88	J/mol×K	69.33	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	54.83	J/mol×K	70.43	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	55.79	J/mol×K	71.50	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	56.77	J/mol×K	72.63	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	57.78	J/mol×K	73.81	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	58.80	J/mol×K	74.97	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	59.77	J/mol×K	76.11	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	60.74	J/molxK	77.23	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	61.72	J/molxK	78.40	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	62.76	J/molxK	79.61	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	63.77	J/molxK	80.81	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	64.80	J/molxK	81.98	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	65.76	J/mol×K	83.14	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	66.77	J/mol×K	84.34	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	67.84	J/mol×K	85.59	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	68.83	J/mol×K	86.82	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	69.88	J/mol×K	88.03	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	70.89	J/molxK	89.22	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	71.89	J/molxK	90.46	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	72.99	J/molxK	91.74	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	73.99	J/molxK	93.00	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	75.03	J/molxK	94.24	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	76.03	J/mol×K	95.47	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	77.10	J/mol×K	96.74	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	78.13	J/mol×K	98.05	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	79.20	J/mol×K	99.34	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	80.23	J/mol×K	100.61	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	81.25	J/molxK	101.88	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	82.30	J/molxK	103.17	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	83.38	J/molxK	104.51	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	84.42	J/molxK	105.83	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	85.50	J/molxK	107.14	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	86.51	J/mol×K	108.44	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	87.55	J/mol×K	109.77	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	88.69	J/mol×K	111.13	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	89.72	J/mol×K	112.49	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	90.79	J/mol×K	113.83	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	91.82	J/molxK	115.15	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	92.94	J/molxK	116.54	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	94.07	J/molxK	118.00	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	95.21	J/molxK	119.43	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	96.29	J/molxK	120.86	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	97.42	J/mol×K	122.27	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	98.53	J/mol×K	123.72	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	99.73	J/mol×K	125.19	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	100.86	J/mol×K	126.66	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	101.99	J/mol×K	128.15	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	103.12	J/molxK	129.65	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	104.32	J/molxK	131.18	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	105.56	J/molxK	132.78	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	106.79	J/molxK	134.41	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	107.97	J/molxK	136.01	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	109.25	J/molxK	137.61	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	110.50	J/molxK	139.24	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	111.75	J/molxK	140.90	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	112.96	J/molxK	142.55	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	114.21	J/molxK	144.18	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	115.47	J/molxK	145.81	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	116.73	J/molxK	147.46	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	117.96	J/molxK	149.19	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	119.30	J/molxK	150.94	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	120.61	J/molxK	152.67	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	121.92	J/mol×K	154.39	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	123.22	J/mol×K	156.15	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	124.55	J/mol×K	157.94	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	125.90	J/mol×K	159.71	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	127.16	J/mol×K	161.48	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	128.53	J/mol×K	163.23	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	129.85	J/mol×K	165.01	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	131.22	J/mol×K	166.83	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	132.53	J/mol×K	168.63	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	133.87	J/mol×K	170.42	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	135.21	J/mol×K	172.26	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	136.66	J/mol×K	174.19	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	138.12	J/mol×K	176.16	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	139.54	J/mol×K	178.11	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	140.98	J/mol×K	180.05	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	142.44	J/molxK	181.97	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	143.86	J/molxK	183.93	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	145.37	J/molxK	185.92	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	146.78	J/molxK	187.90	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	148.24	J/molxK	189.86	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	149.62	J/mol×K	191.82	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	151.13	J/mol×K	193.80	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	152.65	J/mol×K	195.89	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	154.23	J/mol×K	198.03	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	155.79	J/mol×K	200.16	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	157.38	J/mol×K	202.27	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	158.97	J/mol×K	204.41	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	160.59	J/mol×K	206.59	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	162.27	J/mol×K	208.75	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	163.79	J/mol×K	210.91	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	165.43	J/molxK	213.05	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	166.88	J/molxK	215.22	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	168.61	J/molxK	217.41	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	170.28	J/molxK	219.60	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	172.01	J/molxK	221.78	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	173.59	J/mol×K	223.94	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	175.10	J/mol×K	226.14	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	176.89	J/mol×K	228.44	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	178.65	J/mol×K	230.80	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	180.52	J/mol×K	233.16	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	182.33	J/mol×K	235.50	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	184.07	J/mol×K	237.87	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	185.87	J/mol×K	240.27	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	187.70	J/mol×K	242.65	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	189.43	J/mol×K	245.03	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	191.32	J/mol×K	247.39	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	193.01	J/mol×K	249.78	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	194.95	J/mol×K	252.20	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	196.74	J/mol×K	254.60	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	198.58	J/mol×K	257.00	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	200.50	J/mol×K	259.38	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	202.31	J/mol×K	261.79	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	204.15	J/mol×K	264.29	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	251.50	J/mol×K	323.15	Temperature dependence of the heat capacities in the solid state of 18 mono-, di-, and poly-saccharides
cps	208.09	J/mol×K	269.35	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	210.03	J/mol×K	271.87	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	211.71	J/mol×K	274.41	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	213.84	J/mol×K	276.98	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	215.75	J/mol×K	279.54	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	217.72	J/mol×K	282.08	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	219.77	J/mol×K	284.61	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	221.78	J/mol×K	287.17	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	223.86	J/mol×K	289.76	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	225.93	J/mol×K	292.33	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	227.98	J/mol×K	294.92	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	230.08	J/mol×K	297.52	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	232.18	J/mol×K	300.15	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	234.38	J/mol×K	302.81	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	236.46	J/mol×K	305.45	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	238.40	J/mol×K	308.08	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	240.73	J/mol×K	310.70	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	242.98	J/mol×K	313.34	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	244.99	J/mol×K	316.00	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	247.19	J/mol×K	318.66	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	249.35	J/mol×K	321.30	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	251.32	J/mol×K	323.93	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

cps	253.53	J/mol×K	326.58	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	255.90	J/mol×K	329.26	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose
cps	247.30	J/mol×K	318.15	Temperature dependence of the heat capacities in the solid state of 18 mono-, di-, and poly-saccharides
cps	242.40	J/mol×K	313.15	Temperature dependence of the heat capacities in the solid state of 18 mono-, di-, and poly-saccharides
cps	236.90	J/mol×K	308.15	Temperature dependence of the heat capacities in the solid state of 18 mono-, di-, and poly-saccharides
cps	233.30	J/mol×K	303.15	Temperature dependence of the heat capacities in the solid state of 18 mono-, di-, and poly-saccharides
cps	227.70	J/mol×K	298.15	Temperature dependence of the heat capacities in the solid state of 18 mono-, di-, and poly-saccharides

cps	223.60	J/molxK	293.15	Temperature dependence of the heat capacities in the solid state of 18 mono-, di-, and poly-saccharides
cps	206.25	J/molxK	266.82	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose

Sources

Studies on the Interactions of Saccharides and Methyl Glycosides with Chloroform in Aqueous Solution: Volumetric Behavior of Some Mono-, Di-, and Poly-saccharides in Aqueous Solution: Temperature Range Dependence of Speeds of Sound of D(+)-Glucose, D(-)-Fructose, and Sucrose: Dependence of the Heat Capacities in the Solid State of 18 Solids: A Thermodynamic Study of 1-Butyl-3-methyl Imidazolium Chloride as a Room Temperature Ionic Liquid and Fructose:apor-Liquid Equilibrium Study of Some Amino Acids, 2-Aminopropanoic Acid, Mannuronic Acid, and Citric Acid: Liquid-Liquid Equilibrium between Acetic Acid and Ethanol: Mutual Diffusion Coefficients of Aqueous Solutions of Sucrose, Lactose, Glucose, and Fructose in the Temperature Range from (298.15 to 328.15) K: Vapor-Liquid Equilibrium for Water + Ethanol: Experimental Data for the Vapor-Liquid Equilibrium of Binary and Ternary Systems: Physical Properties: Investigations on the Temperature Dependent Volumetric and Ultrasonic Viscosity of Multicomponent Solutions of Simple and Complex Sugars in Aqueous Potassium Oxalate Solutions: Novel Phase Diagrams of Aqueous Two-Phase Systems based on Ternary Investigations of D-glucose + D-fructose + D-psicose and D-glucose + D-fructose + D-tagatose: Experimental Method:

<https://www.doi.org/10.1021/je5001523>
<https://www.doi.org/10.1016/j.jct.2009.07.015>
<https://www.doi.org/10.1016/j.fluid.2016.02.030>
<https://www.doi.org/10.1021/acs.jced.5b00933>
<https://www.doi.org/10.1016/j.jct.2008.08.007>
<https://www.doi.org/10.1021/acs.jced.7b00682>
<https://www.doi.org/10.1016/j.fluid.2007.01.027>
<https://www.doi.org/10.1021/je100857s>
<https://www.doi.org/10.1021/acs.jced.7b00302>
<https://www.doi.org/10.1016/j.tca.2006.02.011>
<https://www.doi.org/10.1016/j.tca.2013.10.017>
<https://www.doi.org/10.1016/j.fluid.2011.10.011>
<https://www.doi.org/10.1016/j.jct.2019.105879>
<https://www.doi.org/10.1021/acs.jced.5b00989>
<https://www.doi.org/10.1021/je0602061>
<http://webbook.nist.gov/cgi/cbook.cgi?ID=C6347019&Units=SI>
<https://www.doi.org/10.1016/j.jct.2017.08.023>
<https://www.doi.org/10.1016/j.jct.2017.07.021>
<https://www.doi.org/10.1016/j.tca.2012.04.030>
<https://www.doi.org/10.1016/j.jct.2019.06.023>
<https://www.doi.org/10.1021/je700062x>
https://www.chemeo.com/doc/models/crippen_log10ws
<https://www.doi.org/10.1016/j.fluid.2016.11.001>
<https://www.doi.org/10.1016/j.fluid.2014.08.017>
<http://link.springer.com/article/10.1007/BF02311772>

Volumetric and viscometric study of the ternary (dl-alanine/+d(-)-fructose + water) solution systems: expansibilities and compressibilities of singly glycine fructose and standard fructose solutions between 298.15 to 308.15 K: ketohexose in monosaccharides Monosaccharide-water solutions at 298.15 K: Mixtures Containing Sugars and Ions in Ionic Liquids: Experimental Data for the Solubility of Mixed (ethanol + water) solvent: experimental data and comparison of the thermodynamic behaviour of hydroxylic solutes D(+)-glucose and D(-)-fructose in the phase equilibria of ternary (ionic liquid over temperature) fructose-chloride or D-fructose or sucrose + water) systems at 298.15 K and atmospheric pressure: solvent interactions of binary mixtures of D(+)-glucose and D(-)-fructose with lithium nitrate in ionic liquids: solubility of fructose and glucose solutions in ionic liquids: group contribution of sugar-Derived Molecular Deep Eutectic Solvents: Solubility of glucose, xylose, fructose and galactose in ionic liquids: Experimental and molecular simulation of the thermodynamic model: triethylamine and arginine using tetra-butyl ammonium bromide: solvent interactions of N-acetyl glycerol in ionic liquids: Studies on Saccharide-derived Ionic Liquids: Extraction of Alkaloids Caffeine and Saffron with Ionic Liquids: Acoustic Properties of Binary Sugar-Hydroxylate Polymer Systems: Investigation of the Thermodynamic Properties in Aqueous Solutions of Binary Mixtures of Fructose and D-Glucose in Aqueous Solutions at Different Temperatures: Experimental and Molecular Simulation of the Thermodynamic Properties of Binary Mixtures of Fructose and D-Glucose in Aqueous Solutions at Different Temperatures: Molecular Simulation of the Thermodynamic Properties of Binary Mixtures of Fructose and D-Glucose in Aqueous Solutions at Different Temperatures: Evaluation of the effect of ionic-liquids as a relative humidity on the stability of binary mixtures of fructose and D-glucose in aqueous solutions: potassium hydrogen phosphate in 5 K: molecular simulation of the thermodynamic properties of binary mixtures of fructose and D-glucose in aqueous magnesium chloride solutions at 298.15 K: Thermodynamic Properties of Aqueous Solutions of Phosphate-Based Inorganic Salts:

<https://www.doi.org/10.1016/j.jct.2018.06.008>
<https://www.doi.org/10.1016/j.tca.2010.11.013>
<https://www.doi.org/10.1016/j.jct.2018.11.014>
<https://www.doi.org/10.1016/j.fluid.2013.05.006>
<https://www.doi.org/10.1021/je500079y>
<https://www.doi.org/10.1021/je400471m>
<https://www.doi.org/10.1016/j.jct.2017.12.003>
<https://www.doi.org/10.1016/j.fluid.2016.12.024>
https://en.wikipedia.org/wiki/Joback_method
<https://www.doi.org/10.1016/j.jct.2017.12.013>
<https://www.doi.org/10.1016/j.jct.2016.11.010>
<https://www.doi.org/10.1016/j.fluid.2010.08.018>
<https://www.doi.org/10.1021/acs.jced.7b00184>
<http://pubs.acs.org/doi/abs/10.1021/ci9903071>
<https://www.doi.org/10.1016/j.fluid.2015.03.020>
<https://www.doi.org/10.1016/j.jct.2012.07.003>
<https://www.doi.org/10.1016/j.fluid.2019.06.015>
<https://www.doi.org/10.1016/j.tca.2015.03.015>
<https://www.doi.org/10.1021/je400264a>
<https://www.doi.org/10.1021/acs.jced.8b00678>
<https://www.doi.org/10.1021/acs.jced.6b00232>
<https://www.doi.org/10.1021/acs.jced.8b00958>
<https://www.doi.org/10.1016/j.jct.2008.11.009>
<https://www.doi.org/10.1021/je2000099>
<https://www.doi.org/10.1021/acs.jced.9b00694>
<https://www.doi.org/10.1016/j.fluid.2017.12.006>
<https://www.doi.org/10.1016/j.jct.2016.06.003>
<https://www.doi.org/10.1016/j.jct.2012.02.016>
<https://www.doi.org/10.1021/acs.jced.5b00845>

Legend

chs:	Standard solid enthalpy of combustion
cpg:	Ideal gas heat capacity
cps:	Solid phase heat capacity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
h vap:	Enthalpy of vaporization at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient

mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/20-656-1/D-Fructose.pdf>

Generated by Cheméo on 2024-04-19 01:59:47.309645872 +0000 UTC m=+15781236.230223185.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.