

trans-2-Hexenyl valerate

| | |
|-----------------------------|---|
| Other names: | Pentanoic acid, 2-hexenyl ester, (E)- (2E)-2-Hexenyl pentanoate (E)-2-Hexenyl pentanoate trans-2-Hexenyl pentanoate (E)-hex-2-enyl valerate |
| Inchi: | InChI=1S/C11H20O2/c1-3-5-7-8-10-13-11(12)9-6-4-2/h7-8H,3-6,9-10H2,1-2H3/b8-7+ |
| InchiKey: | WDXAMNXWZLXISB-BQYQJAHWSA-N |
| Formula: | C11H20O2 |
| SMILES: | CCCC=CCOC(=O)CCCC |
| Mol. weight [g/mol]: | 184.28 |
| CAS: | 56922-74-8 |

Physical Properties

| Property code | Value | Unit | Source |
|---------------|---------|---------|----------------|
| gf | -111.96 | kJ/mol | Joback Method |
| hf | -397.95 | kJ/mol | Joback Method |
| hfus | 27.24 | kJ/mol | Joback Method |
| hvap | 49.19 | kJ/mol | Joback Method |
| log10ws | -3.14 | | Crippen Method |
| logp | 3.076 | | Crippen Method |
| mcvol | 168.990 | ml/mol | McGowan Method |
| pc | 2111.94 | kPa | Joback Method |
| rinpol | 1243.00 | | NIST Webbook |
| rinpol | 1243.00 | | NIST Webbook |
| rinpol | 1275.00 | | NIST Webbook |
| rinpol | 1299.00 | | NIST Webbook |
| ripol | 1560.00 | | NIST Webbook |
| tb | 531.53 | K | Joback Method |
| tc | 709.61 | K | Joback Method |
| tf | 280.81 | K | Joback Method |
| vc | 0.655 | m3/kmol | Joback Method |

Temperature Dependent Properties

| Property code | Value | Unit | Temperature [K] | Source |
|---------------|-----------|---------|-----------------|---------------|
| cpg | 397.35 | J/molxK | 531.53 | Joback Method |
| cpg | 411.96 | J/molxK | 561.21 | Joback Method |
| cpg | 425.95 | J/molxK | 590.89 | Joback Method |
| cpg | 439.33 | J/molxK | 620.57 | Joback Method |
| cpg | 452.12 | J/molxK | 650.25 | Joback Method |
| cpg | 464.33 | J/molxK | 679.93 | Joback Method |
| cpg | 475.98 | J/molxK | 709.61 | Joback Method |
| dvisc | 0.0029775 | Paxs | 280.81 | Joback Method |
| dvisc | 0.0013650 | Paxs | 322.60 | Joback Method |
| dvisc | 0.0007484 | Paxs | 364.38 | Joback Method |
| dvisc | 0.0004643 | Paxs | 406.17 | Joback Method |
| dvisc | 0.0003149 | Paxs | 447.96 | Joback Method |
| dvisc | 0.0002282 | Paxs | 489.74 | Joback Method |
| dvisc | 0.0001740 | Paxs | 531.53 | Joback Method |

Sources

| | |
|------------------------|---|
| Crippen Method: | http://pubs.acs.org/doi/abs/10.1021/ci9903071 |
| Crippen Method: | https://www.chemeo.com/doc/models/crippen_log10ws |
| Joback Method: | https://en.wikipedia.org/wiki/Joback_method |
| McGowan Method: | http://link.springer.com/article/10.1007/BF02311772 |
| NIST Webbook: | http://webbook.nist.gov/cgi/cbook.cgi?ID=C56922748&Units=SI |

Legend

| | |
|-----------------|---|
| cpg: | Ideal gas heat capacity |
| dvisc: | Dynamic viscosity |
| gf: | Standard Gibbs free energy of formation |
| hf: | Enthalpy of formation at standard conditions |
| hfus: | Enthalpy of fusion at standard conditions |
| hvap: | Enthalpy of vaporization at standard conditions |
| log10ws: | Log10 of Water solubility in mol/l |
| logp: | Octanol/Water partition coefficient |
| mccvol: | McGowan's characteristic volume |
| pc: | Critical Pressure |
| rinpola: | Non-polar retention indices |
| ripola: | Polar retention indices |

tb: Normal Boiling Point Temperature
tc: Critical Temperature
tf: Normal melting (fusion) point
vc: Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/20-663-3/trans-2-Hexenyl-valerate.pdf>

Generated by Cheméo on 2024-04-25 16:36:57.056609988 +0000 UTC m=+16352265.977187299.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.