

# Heptane, 1,7-dibromo-

|                      |                                                                       |
|----------------------|-----------------------------------------------------------------------|
| Other names:         | 1,7-Dibromoheptane<br>Dibromo-1,7 heptane<br>Heptamethylene dibromide |
| Inchi:               | InChI=1S/C7H14Br2/c8-6-4-2-1-3-5-7-9/h1-7H2                           |
| InchiKey:            | LVWSZGCV EZRFBT-UHFFFAOYSA-N                                          |
| Formula:             | C7H14Br2                                                              |
| SMILES:              | BrCCCCCCCCBr                                                          |
| Mol. weight [g/mol]: | 257.99                                                                |
| CAS:                 | 4549-31-9                                                             |

## Physical Properties

| Property code | Value   | Unit    | Source         |
|---------------|---------|---------|----------------|
| gf            | 36.70   | kJ/mol  | Joback Method  |
| hf            | -135.15 | kJ/mol  | Joback Method  |
| hfus          | 24.46   | kJ/mol  | Joback Method  |
| hvap          | 44.05   | kJ/mol  | Joback Method  |
| log10ws       | -3.62   |         | Crippen Method |
| logp          | 3.727   |         | Crippen Method |
| mcvol         | 144.490 | ml/mol  | McGowan Method |
| pc            | 3257.86 | kPa     | Joback Method  |
| rinpol        | 1420.00 |         | NIST Webbook   |
| rinpol        | 1397.00 |         | NIST Webbook   |
| rinpol        | 1420.00 |         | NIST Webbook   |
| ripol         | 1863.00 |         | NIST Webbook   |
| tb            | 536.20  | K       | NIST Webbook   |
| tb            | 528.20  | K       | NIST Webbook   |
| tb            | 528.00  | K       | NIST Webbook   |
| tc            | 690.76  | K       | Joback Method  |
| tf            | 288.25  | K       | Joback Method  |
| vc            | 0.551   | m3/kmol | Joback Method  |

## Temperature Dependent Properties

| Property code | Value | Unit | Temperature [K] | Source |
|---------------|-------|------|-----------------|--------|
|---------------|-------|------|-----------------|--------|

|       |           |         |        |               |
|-------|-----------|---------|--------|---------------|
| cpg   | 275.23    | J/mol×K | 491.88 | Joback Method |
| cpg   | 286.69    | J/mol×K | 525.03 | Joback Method |
| cpg   | 297.54    | J/mol×K | 558.17 | Joback Method |
| cpg   | 307.81    | J/mol×K | 591.32 | Joback Method |
| cpg   | 317.52    | J/mol×K | 624.46 | Joback Method |
| cpg   | 326.72    | J/mol×K | 657.61 | Joback Method |
| cpg   | 335.42    | J/mol×K | 690.76 | Joback Method |
| dvisc | 0.0030933 | Pa×s    | 288.25 | Joback Method |
| dvisc | 0.0017626 | Pa×s    | 322.19 | Joback Method |
| dvisc | 0.0011180 | Pa×s    | 356.13 | Joback Method |
| dvisc | 0.0007676 | Pa×s    | 390.06 | Joback Method |
| dvisc | 0.0005597 | Pa×s    | 424.00 | Joback Method |
| dvisc | 0.0004277 | Pa×s    | 457.94 | Joback Method |
| dvisc | 0.0003392 | Pa×s    | 491.88 | Joback Method |

## Correlations

| Information                 | Value                         |
|-----------------------------|-------------------------------|
| Property code               | pvap                          |
| Equation                    | $\ln(P_{vp}) = A + B/(T + C)$ |
| Coeff. A                    | 1.37785e+01                   |
| Coeff. B                    | -4.08857e+03                  |
| Coeff. C                    | -8.18600e+01                  |
| Temperature range (K), min. | 384.92                        |
| Temperature range (K), max. | 564.74                        |

## Sources

The Yaws Handbook of Vapor Pressure:  
Crippen Method:

Crippen Method:

Joback Method:

McGowan Method:

NIST Webbook:

<https://www.sciencedirect.com/book/9780128029992/the-yaws-handbook-of-vapor-pressure>

<http://pubs.acs.org/doi/abs/10.1021/ci990307l>

[https://www.chemeo.com/doc/models/crippen\\_log10ws](https://www.chemeo.com/doc/models/crippen_log10ws)

[https://en.wikipedia.org/wiki/Joback\\_method](https://en.wikipedia.org/wiki/Joback_method)

<http://link.springer.com/article/10.1007/BF02311772>

<http://webbook.nist.gov/cgi/cbook.cgi?ID=C4549319&Units=SI>

# Legend

|                 |                                                 |
|-----------------|-------------------------------------------------|
| <b>cpg:</b>     | Ideal gas heat capacity                         |
| <b>dvisc:</b>   | Dynamic viscosity                               |
| <b>gf:</b>      | Standard Gibbs free energy of formation         |
| <b>hf:</b>      | Enthalpy of formation at standard conditions    |
| <b>hfus:</b>    | Enthalpy of fusion at standard conditions       |
| <b>hvap:</b>    | Enthalpy of vaporization at standard conditions |
| <b>log10ws:</b> | Log10 of Water solubility in mol/l              |
| <b>logp:</b>    | Octanol/Water partition coefficient             |
| <b>mcvol:</b>   | McGowan's characteristic volume                 |
| <b>pc:</b>      | Critical Pressure                               |
| <b>pvap:</b>    | Vapor pressure                                  |
| <b>rinpol:</b>  | Non-polar retention indices                     |
| <b>ripol:</b>   | Polar retention indices                         |
| <b>tb:</b>      | Normal Boiling Point Temperature                |
| <b>tc:</b>      | Critical Temperature                            |
| <b>tf:</b>      | Normal melting (fusion) point                   |
| <b>vc:</b>      | Critical Volume                                 |

Latest version available from:

<https://www.cheméo.com/cid/20-925-2/Heptane-1-7-dibromo.pdf>

Generated by Cheméo on 2025-12-05 10:54:52.879271567 +0000 UTC m=+4680290.409312231.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.