

Octanoic acid, 2-chloroethyl ester

Other names:	2-chloroethyl octanoate
Inchi:	InChI=1S/C10H19ClO2/c1-2-3-4-5-6-7-10(12)13-9-8-11/h2-9H2,1H3
InchiKey:	XBVCXCNGNQZCES-UHFFFAOYSA-N
Formula:	C10H19ClO2
SMILES:	CCCCCCCC(=O)OCCCl
Mol. weight [g/mol]:	206.71

Physical Properties

Property code	Value	Unit	Source
gf	-212.53	kJ/mol	Joback Method
hf	-510.27	kJ/mol	Joback Method
hfus	28.64	kJ/mol	Joback Method
hvap	51.39	kJ/mol	Joback Method
log10ws	-3.02		Crippen Method
logp	3.129		Crippen Method
mcvol	171.440	ml/mol	McGowan Method
pc	2125.60	kPa	Joback Method
ripol	1399.00		NIST Webbook
ripol	1400.00		NIST Webbook
ripol	1406.00		NIST Webbook
ripol	1401.00		NIST Webbook
ripol	1401.00		NIST Webbook
ripol	1391.00		NIST Webbook
ripol	1392.00		NIST Webbook
ripol	1391.00		NIST Webbook
ripol	1401.00		NIST Webbook
ripol	1859.00		NIST Webbook
ripol	1869.00		NIST Webbook
ripol	1863.00		NIST Webbook
ripol	1895.00		NIST Webbook
ripol	1884.00		NIST Webbook
ripol	1900.00		NIST Webbook
ripol	1869.00		NIST Webbook
ripol	1876.00		NIST Webbook
tb	541.92	K	Joback Method
tc	719.34	K	Joback Method
tf	304.54	K	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	398.46	J/molxK	541.92	Joback Method
cpg	412.10	J/molxK	571.49	Joback Method
cpg	425.18	J/molxK	601.06	Joback Method
cpg	437.70	J/molxK	630.63	Joback Method
cpg	449.68	J/molxK	660.20	Joback Method
cpg	461.13	J/molxK	689.77	Joback Method
cpg	472.05	J/molxK	719.34	Joback Method
dvisc	0.0028840	Paxs	304.54	Joback Method
dvisc	0.0014664	Paxs	344.10	Joback Method
dvisc	0.0008572	Paxs	383.67	Joback Method
dvisc	0.0005540	Paxs	423.23	Joback Method
dvisc	0.0003858	Paxs	462.79	Joback Method
dvisc	0.0002844	Paxs	502.36	Joback Method
dvisc	0.0002192	Paxs	541.92	Joback Method

Sources

Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci9903071
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws
Joback Method:	https://en.wikipedia.org/wiki/Joback_method
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=U330943&Units=SI

Legend

cpg:	Ideal gas heat capacity
dvisc:	Dynamic viscosity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions

h_{vap}:	Enthalpy of vaporization at standard conditions
log₁₀w_s:	Log10 of Water solubility in mol/l
log_p:	Octanol/Water partition coefficient
m_{cvol}:	McGowan's characteristic volume
p_c:	Critical Pressure
r_{inpol}:	Non-polar retention indices
r_{ipol}:	Polar retention indices
t_b:	Normal Boiling Point Temperature
t_c:	Critical Temperature
t_f:	Normal melting (fusion) point
v_c:	Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/21-507-5/Octanoic-acid-2-chloroethyl-ester.pdf>

Generated by Cheméo on 2024-04-25 18:25:22.761448877 +0000 UTC m=+16358771.682026193.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.