

Resorcinol, bis(tert-butyldimethylsilyl) ether

Other names:	Resorcinol, 2tbdds derivative
Inchi:	InChI=1S/C18H34O2Si2/c1-17(2,3)21(7,8)19-15-12-11-13-16(14-15)20-22(9,10)18(4,5)6
InchiKey:	WUBATDPDOJPGST-UHFFFAOYSA-N
Formula:	C18H34O2Si2
SMILES:	CC(C)(C)[Si](C)(C)Oc1cccc(O[Si](C)(C)C(C)(C)C)c1
Mol. weight [g/mol]:	338.63

Physical Properties

Property code	Value	Unit	Source
log10ws	-2.00		Crippen Method
logp	6.455		Crippen Method
rinpol	1817.10		NIST Webbook

Sources

Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci990307l
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=U352780&Units=SI

Legend

log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
rinpol:	Non-polar retention indices

Latest version available from:

<https://www.chemeo.com/cid/21-605-6/Resorcinol-bis-tert-butyldimethylsilyl-ether.pdf>

Generated by Cheméo on 2025-12-23 02:26:27.094440285 +0000 UTC m=+6204984.624480940.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.