

# Phenanthrene, 3,6-dimethyl-

|                             |   |
|-----------------------------|---|
| <b>Other names:</b>         | 3,6-Dimethylphenanthrene  |
| <b>Inchi:</b>               | InChI=1S/C16H14/c1-11-3-5-13-7-8-14-6-4-12(2)10-16(14)15(13)9-11/h3-10H,1-2H3 |
| <b>InchiKey:</b>            | OMIBPZBOAJFEJS-UHFFFAOYSA-N   |
| <b>Formula:</b>             | C16H14  |
| <b>SMILES:</b>              | <chem>Cc1ccc2ccc3ccc(C)cc3c2c1</chem>   |
| <b>Mol. weight [g/mol]:</b> | 206.28  |
| <b>CAS:</b>                 | 1576-67-6   |

## Physical Properties

| Property code | Value       | Unit   | Source         |
|---------------|-------------|--------|----------------|
| gf            | 380.66      | kJ/mol | Joback Method  |
| hf            | 210.69      | kJ/mol | Joback Method  |
| hfus          | 24.11       | kJ/mol | Joback Method  |
| hvap          | 58.75       | kJ/mol | Joback Method  |
| ie            | 7.60 ± 0.03 | eV     | NIST Webbook   |
| log10ws       | -6.03       |        | Crippen Method |
| logp          | 4.610       |        | Crippen Method |
| mcvol         | 173.620     | ml/mol | McGowan Method |
| pc            | 2555.92     | kPa    | Joback Method  |
| rinpol        | 337.83      |        | NIST Webbook   |
| rinpol        | 1979.00     |        | NIST Webbook   |
| rinpol        | 1983.00     |        | NIST Webbook   |
| rinpol        | 2027.00     |        | NIST Webbook   |
| rinpol        | 2037.00     |        | NIST Webbook   |
| rinpol        | 336.41      |        | NIST Webbook   |
| rinpol        | 337.83      |        | NIST Webbook   |
| rinpol        | 336.46      |        | NIST Webbook   |
| rinpol        | 337.00      |        | NIST Webbook   |
| rinpol        | 336.53      |        | NIST Webbook   |
| rinpol        | 335.40      |        | NIST Webbook   |
| rinpol        | 2008.20     |        | NIST Webbook   |
| rinpol        | 335.46      |        | NIST Webbook   |
| rinpol        | 337.80      |        | NIST Webbook   |
| rinpol        | 340.10      |        | NIST Webbook   |
| rinpol        | 344.90      |        | NIST Webbook   |
| rinpol        | 335.40      |        | NIST Webbook   |
| rinpol        | 336.60      |        | NIST Webbook   |

|        |         |         |               |
|--------|---------|---------|---------------|
| rinpol | 337.83  |         | NIST Webbook  |
| rinpol | 338.65  |         | NIST Webbook  |
| rinpol | 338.60  |         | NIST Webbook  |
| rinpol | 337.83  |         | NIST Webbook  |
| rinpol | 335.46  |         | NIST Webbook  |
| rinpol | 336.60  |         | NIST Webbook  |
| rinpol | 1999.80 |         | NIST Webbook  |
| rinpol | 2037.00 |         | NIST Webbook  |
| rinpol | 2037.00 |         | NIST Webbook  |
| tb     | 636.20  | K       | NIST Webbook  |
| tc     | 889.67  | K       | Joback Method |
| tf     | 399.46  | K       | Joback Method |
| vc     | 0.667   | m3/kmol | Joback Method |

## Temperature Dependent Properties

| Property code | Value     | Unit    | Temperature [K] | Source        |
|---------------|-----------|---------|-----------------|---------------|
| cpg           | 429.69    | J/molxK | 645.06          | Joback Method |
| cpg           | 445.30    | J/molxK | 685.83          | Joback Method |
| cpg           | 459.74    | J/molxK | 726.60          | Joback Method |
| cpg           | 473.15    | J/molxK | 767.36          | Joback Method |
| cpg           | 485.63    | J/molxK | 808.13          | Joback Method |
| cpg           | 497.31    | J/molxK | 848.90          | Joback Method |
| cpg           | 508.31    | J/molxK | 889.67          | Joback Method |
| dvisc         | 0.0012344 | Paxs    | 399.46          | Joback Method |
| dvisc         | 0.0009553 | Paxs    | 440.39          | Joback Method |
| dvisc         | 0.0007722 | Paxs    | 481.33          | Joback Method |
| dvisc         | 0.0006454 | Paxs    | 522.26          | Joback Method |
| dvisc         | 0.0005537 | Paxs    | 563.19          | Joback Method |
| dvisc         | 0.0004850 | Paxs    | 604.13          | Joback Method |
| dvisc         | 0.0004320 | Paxs    | 645.06          | Joback Method |

## Correlations

| Information   | Value                         |
|---------------|-------------------------------|
| Property code | pvap                          |
| Equation      | $\ln(P_{vp}) = A + B/(T + C)$ |
| Coeff. A      | 1.37543e+01                   |

|                             |              |
|-----------------------------|--------------|
| Coeff. B                    | -4.78678e+03 |
| Coeff. C                    | -1.19348e+02 |
| Temperature range (K), min. | 474.80       |
| Temperature range (K), max. | 686.31       |

## Sources

|   |   |
|---|---|
| <b>The Yaws Handbook of Vapor Pressure:</b> | <a href="https://www.sciencedirect.com/book/9780128029992/the-yaws-handbook-of-vapor-pressure">https://www.sciencedirect.com/book/9780128029992/the-yaws-handbook-of-vapor-pressure</a> |
| <b>Crippen Method:</b>                      | <a href="http://pubs.acs.org/doi/abs/10.1021/ci990307l">http://pubs.acs.org/doi/abs/10.1021/ci990307l</a>   |
| <b>Crippen Method:</b>                      | <a href="https://www.chemeo.com/doc/models/crippen_log10ws">https://www.chemeo.com/doc/models/crippen_log10ws</a>   |
| <b>Joback Method:</b>                       | <a href="https://en.wikipedia.org/wiki/Joback_method">https://en.wikipedia.org/wiki/Joback_method</a>   |
| <b>McGowan Method:</b>                      | <a href="http://link.springer.com/article/10.1007/BF02311772">http://link.springer.com/article/10.1007/BF02311772</a>   |
| <b>NIST Webbook:</b>                        | <a href="http://webbook.nist.gov/cgi/cbook.cgi?ID=C1576676&amp;Units=SI">http://webbook.nist.gov/cgi/cbook.cgi?ID=C1576676&amp;Units=SI</a>   |

## Legend

|                 |   |
|-----------------|---|
| <b>cpg:</b>     | Ideal gas heat capacity                         |
| <b>dvisc:</b>   | Dynamic viscosity                               |
| <b>gf:</b>      | Standard Gibbs free energy of formation         |
| <b>hf:</b>      | Enthalpy of formation at standard conditions    |
| <b>hfus:</b>    | Enthalpy of fusion at standard conditions       |
| <b>hvap:</b>    | Enthalpy of vaporization at standard conditions |
| <b>ie:</b>      | Ionization energy                               |
| <b>log10ws:</b> | Log10 of Water solubility in mol/l              |
| <b>logp:</b>    | Octanol/Water partition coefficient             |
| <b>mcvol:</b>   | McGowan's characteristic volume                 |
| <b>pc:</b>      | Critical Pressure                               |
| <b>pvap:</b>    | Vapor pressure                                  |
| <b>rinpol:</b>  | Non-polar retention indices                     |
| <b>tb:</b>      | Normal Boiling Point Temperature                |
| <b>tc:</b>      | Critical Temperature                            |
| <b>tf:</b>      | Normal melting (fusion) point                   |
| <b>vc:</b>      | Critical Volume                                 |

Latest version available from:

<https://www.chemeo.com/cid/22-206-8/Phenanthrene-3-6-dimethyl.pdf>

Generated by Cheméo on 2024-04-24 15:16:19.354766139 +0000 UTC m=+16261028.275343454.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.