

Dimethylmalonic acid, isobutyl 2-methylpent-3-yl ester

| | |
|-----------------------------|--|
| Inchi: | InChI=1S/C15H28O4/c1-8-12(11(4)5)19-14(17)15(6,7)13(16)18-9-10(2)3/h10-12H,8-9H2 |
| InchiKey: | QCQVUQSDIOUXNH-UHFFFAOYSA-N |
| Formula: | C15H28O4 |
| SMILES: | CCC(OC(=O)C(C)(C)C(=O)OCC(C)C)C(C)C |
| Mol. weight [g/mol]: | 272.38 |

Physical Properties

| Property code | Value | Unit | Source |
|---------------|---------|----------------------|----------------|
| gf | -396.90 | kJ/mol | Joback Method |
| hf | -867.12 | kJ/mol | Joback Method |
| hfus | 22.20 | kJ/mol | Joback Method |
| hvap | 64.84 | kJ/mol | Joback Method |
| log10ws | -3.21 | | Crippen Method |
| logp | 3.190 | | Crippen Method |
| mcvol | 237.090 | ml/mol | McGowan Method |
| pc | 1570.96 | kPa | Joback Method |
| rinpol | 1556.00 | | NIST Webbook |
| rinpol | 1556.00 | | NIST Webbook |
| tb | 690.63 | K | Joback Method |
| tc | 880.65 | K | Joback Method |
| tf | 360.55 | K | Joback Method |
| vc | 0.894 | m ³ /kmol | Joback Method |

Temperature Dependent Properties

| Property code | Value | Unit | Temperature [K] | Source |
|---------------|-----------|---------|-----------------|---------------|
| cpg | 681.05 | J/molxK | 690.63 | Joback Method |
| cpg | 758.12 | J/molxK | 848.98 | Joback Method |
| cpg | 744.53 | J/molxK | 817.31 | Joback Method |
| cpg | 730.05 | J/molxK | 785.64 | Joback Method |
| cpg | 714.65 | J/molxK | 753.97 | Joback Method |
| cpg | 698.33 | J/molxK | 722.30 | Joback Method |
| cpg | 770.84 | J/molxK | 880.65 | Joback Method |
| dvisc | 0.0000708 | Paxs | 690.63 | Joback Method |

| | | | | |
|-------|-----------|------|--------|---------------|
| dvisc | 0.0001007 | Paxs | 635.62 | Joback Method |
| dvisc | 0.0001531 | Paxs | 580.60 | Joback Method |
| dvisc | 0.0002543 | Paxs | 525.59 | Joback Method |
| dvisc | 0.0004755 | Paxs | 470.58 | Joback Method |
| dvisc | 0.0010492 | Paxs | 415.56 | Joback Method |
| dvisc | 0.0029478 | Paxs | 360.55 | Joback Method |

Sources

| | |
|------------------------|---|
| Crippen Method: | http://pubs.acs.org/doi/abs/10.1021/ci9903071 |
| Crippen Method: | https://www.chemeo.com/doc/models/crippen_log10ws |
| Joback Method: | https://en.wikipedia.org/wiki/Joback_method |
| McGowan Method: | http://link.springer.com/article/10.1007/BF02311772 |
| NIST Webbook: | http://webbook.nist.gov/cgi/cbook.cgi?ID=U361789&Units=SI |

Legend

| | |
|-----------------|---|
| cpg: | Ideal gas heat capacity |
| dvisc: | Dynamic viscosity |
| gf: | Standard Gibbs free energy of formation |
| hf: | Enthalpy of formation at standard conditions |
| hfus: | Enthalpy of fusion at standard conditions |
| hvap: | Enthalpy of vaporization at standard conditions |
| log10ws: | Log10 of Water solubility in mol/l |
| logp: | Octanol/Water partition coefficient |
| mcvol: | McGowan's characteristic volume |
| pc: | Critical Pressure |
| rinpol: | Non-polar retention indices |
| tb: | Normal Boiling Point Temperature |
| tc: | Critical Temperature |
| tf: | Normal melting (fusion) point |
| vc: | Critical Volume |

Latest version available from:

<https://www.chemeo.com/cid/22-393-1/Dimethylmalonic-acid-isobutyl-2-methylpent-3-yl-ester.pdf>

Generated by Cheméo on 2024-04-24 17:50:37.31967338 +0000 UTC m=+16270286.240250702.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.