

# 1-Hexyl-2-methyl-cis-2-propyl-cyclopropane

|                             |                                                                                   |
|-----------------------------|-----------------------------------------------------------------------------------|
| <b>Inchi:</b>               | InChI=1S/C13H26/c1-4-6-7-8-9-12-11-13(12,3)10-5-2/h12H,4-11H2,1-3H3/t12-,13+/m1/s |
| <b>InchiKey:</b>            | DTINIVGEKVRRTJ-OLZOCXBDSA-N                                                       |
| <b>Formula:</b>             | C13H26                                                                            |
| <b>SMILES:</b>              | CCCCCCC1CC1(C)CCC                                                                 |
| <b>Mol. weight [g/mol]:</b> | 182.35                                                                            |

## Physical Properties

| Property code | Value   | Unit                 | Source         |
|---------------|---------|----------------------|----------------|
| gf            | 106.13  | kJ/mol               | Joback Method  |
| hf            | -243.95 | kJ/mol               | Joback Method  |
| hfus          | 22.33   | kJ/mol               | Joback Method  |
| hvap          | 42.98   | kJ/mol               | Joback Method  |
| log10ws       | -4.68   |                      | Crippen Method |
| logp          | 4.783   |                      | Crippen Method |
| mcvol         | 183.170 | ml/mol               | McGowan Method |
| pc            | 1851.52 | kPa                  | Joback Method  |
| rinsol        | 1214.40 |                      | NIST Webbook   |
| tb            | 499.15  | K                    | Joback Method  |
| tc            | 676.75  | K                    | Joback Method  |
| tf            | 273.87  | K                    | Joback Method  |
| vc            | 0.718   | m <sup>3</sup> /kmol | Joback Method  |

## Temperature Dependent Properties

| Property code | Value  | Unit    | Temperature [K] | Source        |
|---------------|--------|---------|-----------------|---------------|
| cpg           | 442.67 | J/mol×K | 499.15          | Joback Method |
| cpg           | 461.68 | J/mol×K | 528.75          | Joback Method |
| cpg           | 479.69 | J/mol×K | 558.35          | Joback Method |
| cpg           | 496.79 | J/mol×K | 587.95          | Joback Method |
| cpg           | 513.05 | J/mol×K | 617.55          | Joback Method |
| cpg           | 528.56 | J/mol×K | 647.15          | Joback Method |
| cpg           | 543.39 | J/mol×K | 676.75          | Joback Method |

# Sources

|                        |                                                                                                                                           |
|------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| <b>NIST Webbook:</b>   | <a href="http://webbook.nist.gov/cgi/cbook.cgi?ID=R137158&amp;Units=SI">http://webbook.nist.gov/cgi/cbook.cgi?ID=R137158&amp;Units=SI</a> |
| <b>Crippen Method:</b> | <a href="http://pubs.acs.org/doi/abs/10.1021/ci990307I">http://pubs.acs.org/doi/abs/10.1021/ci990307I</a>                                 |
| <b>Crippen Method:</b> | <a href="https://www.chemeo.com/doc/models/crippen_log10ws">https://www.chemeo.com/doc/models/crippen_log10ws</a>                         |
| <b>Joback Method:</b>  | <a href="https://en.wikipedia.org/wiki/Joback_method">https://en.wikipedia.org/wiki/Joback_method</a>                                     |
| <b>McGowan Method:</b> | <a href="http://link.springer.com/article/10.1007/BF02311772">http://link.springer.com/article/10.1007/BF02311772</a>                     |

# Legend

|                 |                                                 |
|-----------------|-------------------------------------------------|
| <b>cpg:</b>     | Ideal gas heat capacity                         |
| <b>gf:</b>      | Standard Gibbs free energy of formation         |
| <b>hf:</b>      | Enthalpy of formation at standard conditions    |
| <b>hfus:</b>    | Enthalpy of fusion at standard conditions       |
| <b>hvap:</b>    | Enthalpy of vaporization at standard conditions |
| <b>log10ws:</b> | Log10 of Water solubility in mol/l              |
| <b>logp:</b>    | Octanol/Water partition coefficient             |
| <b>mccvol:</b>  | McGowan's characteristic volume                 |
| <b>pc:</b>      | Critical Pressure                               |
| <b>rinpola:</b> | Non-polar retention indices                     |
| <b>tb:</b>      | Normal Boiling Point Temperature                |
| <b>tc:</b>      | Critical Temperature                            |
| <b>tf:</b>      | Normal melting (fusion) point                   |
| <b>vc:</b>      | Critical Volume                                 |

Latest version available from:

<https://www.chemeo.com/cid/23-079-9/1-Hexyl-2-methyl-cis-2-propyl-cyclopropane.pdf>

Generated by Cheméo on 2024-04-24 09:15:00.879645985 +0000 UTC m=+16239349.800223300.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.