

4-Isopropyl-6-methyltetral-1-one

Other names:

4-Isopropyl-6-methyl-1,2,3,4-tetrahydronaphthalen-1-one
10-nor-Calamenen-10-one
4-Isopropyl-6-methyl-1-tetralone
4-Isopropyl-6-methyltetralone
4-Isopropyl-6-methyl-1,2,3,4-tetrahydronaphthalenone

Inchi:

InChI=1S/C14H18O/c1-9(2)11-6-7-14(15)12-5-4-10(3)8-13(11)12/h4-5,8-9,11H,6-7H2,1-

InchiKey:

KIZXBPVAPQXAMH-UHFFFAOYSA-N

Formula:

C₁₄H₁₈O

SMILES:

Cc1ccc2c(c1)C(C(C)C)CCC2=O

Mol. weight [g/mol]:

202.29

CAS:

57494-10-7

Physical Properties

| Property code | Value | Unit | Source |
|---------------|---------|--------|----------------|
| gf | 83.77 | kJ/mol | Joback Method |
| hf | -195.04 | kJ/mol | Joback Method |
| hfus | 17.30 | kJ/mol | Joback Method |
| hvap | 54.30 | kJ/mol | Joback Method |
| log10ws | -4.28 | | Crippen Method |
| logp | 3.711 | | Crippen Method |
| mcvol | 175.070 | ml/mol | McGowan Method |
| pc | 2349.64 | kPa | Joback Method |
| rinpol | 1707.00 | | NIST Webbook |
| rinpol | 1700.00 | | NIST Webbook |
| rinpol | 1700.00 | | NIST Webbook |
| rinpol | 1705.00 | | NIST Webbook |
| rinpol | 1678.00 | | NIST Webbook |
| rinpol | 1684.00 | | NIST Webbook |
| rinpol | 1671.00 | | NIST Webbook |
| ripol | 2419.00 | | NIST Webbook |
| ripol | 2419.00 | | NIST Webbook |
| ripol | 2419.00 | | NIST Webbook |
| ripol | 2419.00 | | NIST Webbook |
| ripol | 2419.00 | | NIST Webbook |
| ripol | 2407.00 | | NIST Webbook |
| ripol | 2410.00 | | NIST Webbook |
| ripol | 2419.00 | | NIST Webbook |
| ripol | 2419.00 | | NIST Webbook |

| | | | |
|----|--------|----------------------|---------------|
| tb | 634.75 | K | Joback Method |
| tc | 870.27 | K | Joback Method |
| tf | 366.64 | K | Joback Method |
| vc | 0.661 | m ³ /kmol | Joback Method |

Temperature Dependent Properties

| Property code | Value | Unit | Temperature [K] | Source |
|---------------|--------|---------|-----------------|---------------|
| cpg | 465.33 | J/mol×K | 634.75 | Joback Method |
| cpg | 484.30 | J/mol×K | 674.00 | Joback Method |
| cpg | 502.07 | J/mol×K | 713.26 | Joback Method |
| cpg | 518.66 | J/mol×K | 752.51 | Joback Method |
| cpg | 534.11 | J/mol×K | 791.77 | Joback Method |
| cpg | 548.44 | J/mol×K | 831.02 | Joback Method |
| cpg | 561.69 | J/mol×K | 870.27 | Joback Method |

Sources

| | |
|------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|
| Crippen Method: | http://pubs.acs.org/doi/abs/10.1021/ci9903071 |
| Crippen Method: | https://www.chemeo.com/doc/models/crippen_log10ws |
| Joback Method: | https://en.wikipedia.org/wiki/Joback_method |
| McGowan Method: | http://link.springer.com/article/10.1007/BF02311772 |
| NIST Webbook: | http://webbook.nist.gov/cgi/cbook.cgi?ID=C57494107&Units=SI |

Legend

| | |
|-----------------|-------------------------------------------------|
| cpg: | Ideal gas heat capacity |
| gf: | Standard Gibbs free energy of formation |
| hf: | Enthalpy of formation at standard conditions |
| hfus: | Enthalpy of fusion at standard conditions |
| hvap: | Enthalpy of vaporization at standard conditions |
| log10ws: | Log10 of Water solubility in mol/l |
| logp: | Octanol/Water partition coefficient |
| mcvol: | McGowan's characteristic volume |
| pc: | Critical Pressure |

| | |
|----------------|----------------------------------|
| rinpol: | Non-polar retention indices |
| ripol: | Polar retention indices |
| tb: | Normal Boiling Point Temperature |
| tc: | Critical Temperature |
| tf: | Normal melting (fusion) point |
| vc: | Critical Volume |

Latest version available from:

<https://www.cheméo.com/cid/23-599-2/4-Isopropyl-6-methyltetral-1-one.pdf>

Generated by Cheméo on 2024-04-23 08:13:27.529853715 +0000 UTC m=+16149256.450431026.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.