

3-Methyl-4-nitroaniline

Other names:	3-Methyl-4-nitroaniline 4-nitro-m-toluidine
Inchi:	InChI=1S/C7H8N2O2/c1-5-4-6(8)2-3-7(5)9(10)11/h2-4H,8H2,1H3
InchiKey:	XPAYEWBTLKOEDA-UHFFFAOYSA-N
Formula:	C7H8N2O2
SMILES:	Cc1cc(N)ccc1[N+](=O)[O-]
Mol. weight [g/mol]:	152.15

Physical Properties

Property code	Value	Unit	Source
hf	41.29	kJ/mol	Cheméo Relay (1.0)
hfus	23.71	kJ/mol	Joback Method
hvap	73.82	kJ/mol	Cheméo Relay (1.0)
ie	8.30	eV	Cheméo Relay (1.0)
log10ws	-2.32		Cheméo Relay (1.0)
logp	1.485		Crippen Method
mcvol	113.130	ml/mol	McGowan Method
tb	568.46	K	Cheméo Relay (1.0)
tf	346.10	K	Cheméo Relay (1.0)

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	269.53	J/mol×K	620.57	Joback Method
cpg	280.15	J/mol×K	663.64	Joback Method
cpg	289.96	J/mol×K	706.72	Joback Method
cpg	299.00	J/mol×K	749.79	Joback Method
cpg	307.29	J/mol×K	792.87	Joback Method
cpg	314.89	J/mol×K	835.94	Joback Method
cpg	321.82	J/mol×K	879.01	Joback Method

Sources

NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=C611052&Units=SI
Joback Method:	https://en.wikipedia.org/wiki/Joback_method
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci990307l
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws
Cheméo Relay (1.0):	
Cheméo Relay (1.0, beta):	

Legend

cpg:	Ideal gas heat capacity
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
ie:	Ionization energy
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
tb:	Normal Boiling Point Temperature
tf:	Normal melting (fusion) point

Latest version available from:

<https://www.chemeo.com/cid/23-674-8/3-Methyl-4-nitroaniline.pdf>

Generated by Cheméo on 2026-07-21 15:07:20.99393011 +0000 UTC m=+157536.835815486.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.