

cis-3-Hexenoic acid

Other names:	(Z)-3-hexenoic acid (Z)-hex-2-enoic acid
Inchi:	InChI=1S/C6H10O2/c1-2-3-4-5-6(7)8/h3-4H,2,5H2,1H3,(H,7,8)/b4-3-
InchiKey:	XXHDAWYDNSXJQM-ARJAWSKDSA-N
Formula:	C6H10O2
SMILES:	CCC=CCC(=O)O
Mol. weight [g/mol]:	114.14
CAS:	1775-43-5

Physical Properties

Property code	Value	Unit	Source
gf	-185.88	kJ/mol	Joback Method
hf	-314.76	kJ/mol	Joback Method
hfus	17.19	kJ/mol	Joback Method
hvap	52.33	kJ/mol	Joback Method
log10ws	-1.29		Crippen Method
logp	1.427		Crippen Method
mcvol	98.540	ml/mol	McGowan Method
pc	3970.51	kPa	Joback Method
rinpola	1101.00		NIST Webbook
ripola	1945.00		NIST Webbook
ripola	1922.00		NIST Webbook
tb	486.89	K	Joback Method
tc	665.94	K	Joback Method
tf	263.05	K	Joback Method
vc	0.377	m ³ /kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	206.08	J/molxK	486.89	Joback Method
cpg	244.26	J/molxK	636.10	Joback Method
cpg	237.37	J/molxK	606.26	Joback Method
cpg	230.13	J/molxK	576.41	Joback Method

cpg	222.51	J/mol×K	546.57	Joback Method
cpg	214.50	J/mol×K	516.73	Joback Method
cpg	250.80	J/mol×K	665.94	Joback Method
dvisc	0.0001689	Paxs	486.89	Joback Method
dvisc	0.0002731	Paxs	449.58	Joback Method
dvisc	0.0004814	Paxs	412.28	Joback Method
dvisc	0.0009502	Paxs	374.97	Joback Method
dvisc	0.0021795	Paxs	337.66	Joback Method
dvisc	0.0061439	Paxs	300.36	Joback Method
dvisc	0.0232383	Paxs	263.05	Joback Method

Sources

Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci990307I
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws
Joback Method:	https://en.wikipedia.org/wiki/Joback_method
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=C1775435&Units=SI

Legend

cpg:	Ideal gas heat capacity
dvisc:	Dynamic viscosity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mccvol:	McGowan's characteristic volume
pc:	Critical Pressure
rinpol:	Non-polar retention indices
ripol:	Polar retention indices
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/24-799-9/cis-3-Hexenoic-acid.pdf>

Generated by Cheméo on 2024-10-14 18:46:23.270747499 +0000 UTC m=+3512445.907716757.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.