

2-Chloropentadecanoic acid, methyl ester

| | |
|-----------------------------|--|
| Inchi: | InChI=1S/C16H31ClO2/c1-3-4-5-6-7-8-9-10-11-12-13-14-15(17)16(18)19-2/h15H,3-14H2 |
| InchiKey: | RDVRBJNCCJWLGE-UHFFFAOYSA-N |
| Formula: | C16H31ClO2 |
| SMILES: | CCCCCCCCCCCC(Cl)C(=O)OC |
| Mol. weight [g/mol]: | 290.87 |

Physical Properties

| Property code | Value | Unit | Source |
|---------------|---------|---------|----------------|
| gf | -164.45 | kJ/mol | Joback Method |
| hf | -639.39 | kJ/mol | Joback Method |
| hfus | 40.66 | kJ/mol | Joback Method |
| hvap | 64.36 | kJ/mol | Joback Method |
| log10ws | -5.65 | | Crippen Method |
| logp | 5.468 | | Crippen Method |
| mcvol | 255.980 | ml/mol | McGowan Method |
| pc | 1334.91 | kPa | Joback Method |
| ripol | 1957.00 | | NIST Webbook |
| ripol | 2349.00 | | NIST Webbook |
| ripol | 2349.00 | | NIST Webbook |
| tb | 678.76 | K | Joback Method |
| tc | 853.20 | K | Joback Method |
| tf | 357.16 | K | Joback Method |
| vc | 0.999 | m3/kmol | Joback Method |

Temperature Dependent Properties

| Property code | Value | Unit | Temperature [K] | Source |
|---------------|--------|---------|-----------------|---------------|
| cpg | 711.02 | J/molxK | 678.76 | Joback Method |
| cpg | 789.95 | J/molxK | 824.12 | Joback Method |
| cpg | 775.70 | J/molxK | 795.05 | Joback Method |
| cpg | 760.71 | J/molxK | 765.98 | Joback Method |
| cpg | 744.94 | J/molxK | 736.91 | Joback Method |
| cpg | 728.39 | J/molxK | 707.83 | Joback Method |
| cpg | 803.46 | J/molxK | 853.20 | Joback Method |

| | | | | |
|-------|-----------|------|--------|---------------|
| dvisc | 0.0001020 | Paxs | 678.76 | Joback Method |
| dvisc | 0.0001380 | Paxs | 625.16 | Joback Method |
| dvisc | 0.0001977 | Paxs | 571.56 | Joback Method |
| dvisc | 0.0003050 | Paxs | 517.96 | Joback Method |
| dvisc | 0.0005200 | Paxs | 464.36 | Joback Method |
| dvisc | 0.0010191 | Paxs | 410.76 | Joback Method |
| dvisc | 0.0024442 | Paxs | 357.16 | Joback Method |

Sources

| | |
|------------------------|---|
| Crippen Method: | http://pubs.acs.org/doi/abs/10.1021/ci9903071 |
| Crippen Method: | https://www.chemeo.com/doc/models/crippen_log10ws |
| Joback Method: | https://en.wikipedia.org/wiki/Joback_method |
| McGowan Method: | http://link.springer.com/article/10.1007/BF02311772 |
| NIST Webbook: | http://webbook.nist.gov/cgi/cbook.cgi?ID=R309165&Units=SI |

Legend

| | |
|-----------------|---|
| cpg: | Ideal gas heat capacity |
| dvisc: | Dynamic viscosity |
| gf: | Standard Gibbs free energy of formation |
| hf: | Enthalpy of formation at standard conditions |
| hfus: | Enthalpy of fusion at standard conditions |
| hvap: | Enthalpy of vaporization at standard conditions |
| log10ws: | Log10 of Water solubility in mol/l |
| logp: | Octanol/Water partition coefficient |
| mvol: | McGowan's characteristic volume |
| pc: | Critical Pressure |
| rinpol: | Non-polar retention indices |
| ripol: | Polar retention indices |
| tb: | Normal Boiling Point Temperature |
| tc: | Critical Temperature |
| tf: | Normal melting (fusion) point |
| vc: | Critical Volume |

Latest version available from:

<https://www.chemeo.com/cid/25-080-5/2-Chloropentadecanoic-acid-methyl-ester.pdf>

Generated by Cheméo on 2024-04-17 19:45:38.128495378 +0000 UTC m=+15672387.049072694.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.