

2,2,3,3,4,4,5,5,5-Nonafluoro-pentanoic acid propyl ester

| | |
|----------------------|---|
| Other names: | Propyl perfluoropentanoate |
| Inchi: | InChI=1S/C8H7F9O2/c1-2-3-19-4(18)5(9,10)6(11,12)7(13,14)8(15,16)17/h2-3H2,1H3 |
| InchiKey: | CQTLZOHQVZFPOE-UHFFFAOYSA-N |
| Formula: | C8H7F9O2 |
| SMILES: | CCCOC(=O)C(F)(F)C(F)(F)C(F)(F)C(F)(F)F |
| Mol. weight [g/mol]: | 306.13 |

Physical Properties

| Property code | Value | Unit | Source |
|---------------|----------|---------|----------------|
| gf | -1959.37 | kJ/mol | Joback Method |
| hf | -2253.24 | kJ/mol | Joback Method |
| hfus | 17.33 | kJ/mol | Joback Method |
| hvap | 30.02 | kJ/mol | Joback Method |
| log10ws | -3.64 | | Crippen Method |
| logp | 3.408 | | Crippen Method |
| mcvol | 146.950 | ml/mol | McGowan Method |
| pc | 1942.37 | kPa | Joback Method |
| rinpol | 696.00 | | NIST Webbook |
| rinpol | 695.60 | | NIST Webbook |
| rinpol | 696.00 | | NIST Webbook |
| tb | 439.24 | K | Joback Method |
| tc | 581.96 | K | Joback Method |
| tf | 267.07 | K | Joback Method |
| vc | 0.625 | m3/kmol | Joback Method |

Temperature Dependent Properties

| Property code | Value | Unit | Temperature [K] | Source |
|---------------|--------|---------|-----------------|---------------|
| cpg | 363.46 | J/molxK | 439.24 | Joback Method |
| cpg | 375.20 | J/molxK | 463.03 | Joback Method |
| cpg | 386.23 | J/molxK | 486.81 | Joback Method |
| cpg | 396.59 | J/molxK | 510.60 | Joback Method |
| cpg | 406.32 | J/molxK | 534.39 | Joback Method |
| cpg | 415.42 | J/molxK | 558.18 | Joback Method |

Sources

| | |
|------------------------|---|
| Joback Method: | https://en.wikipedia.org/wiki/Joback_method |
| McGowan Method: | http://link.springer.com/article/10.1007/BF02311772 |
| NIST Webbook: | http://webbook.nist.gov/cgi/cbook.cgi?ID=R70272&Units=SI |
| Crippen Method: | http://pubs.acs.org/doi/abs/10.1021/ci9903071 |
| Crippen Method: | https://www.chemeo.com/doc/models/crippen_log10ws |

Legend

| | |
|-----------------|---|
| cpg: | Ideal gas heat capacity |
| gf: | Standard Gibbs free energy of formation |
| hf: | Enthalpy of formation at standard conditions |
| hfus: | Enthalpy of fusion at standard conditions |
| hvap: | Enthalpy of vaporization at standard conditions |
| log10ws: | Log10 of Water solubility in mol/l |
| logp: | Octanol/Water partition coefficient |
| mcvol: | McGowan's characteristic volume |
| pc: | Critical Pressure |
| rinpol: | Non-polar retention indices |
| tb: | Normal Boiling Point Temperature |
| tc: | Critical Temperature |
| tf: | Normal melting (fusion) point |
| vc: | Critical Volume |

Latest version available from:

<https://www.chemeo.com/cid/25-372-1/2-2-3-3-4-4-5-5-5-Nonfluoro-pentanoic-acid-propyl-ester.pdf>

Generated by Cheméo on 2024-04-24 15:08:57.25877575 +0000 UTC m=+16260586.179353061.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.