

(2S)-2-methyl-ethyl ester-butanoic acid

Other names:	(S)-Ethyl 2-methylbutanoate
Inchi:	InChI=1S/C7H14O2/c1-4-6(3)7(8)9-5-2/h6H,4-5H2,1-3H3/t6-/m1/s1
InchiKey:	HCRBXQFHJMCTLF-ZCFIWIBFSA-N
Formula:	C7H14O2
SMILES:	CCOC(=O)C(C)CC
Mol. weight [g/mol]:	130.18
CAS:	10307-61-6

Physical Properties

Property code	Value	Unit	Source
gf	-228.30	kJ/mol	Joback Method
hf	-437.89	kJ/mol	Joback Method
hfus	13.15	kJ/mol	Joback Method
hvap	39.94	kJ/mol	Joback Method
log10ws	-1.37		Crippen Method
logp	1.596		Crippen Method
mcvol	116.930	ml/mol	McGowan Method
pc	2966.57	kPa	Joback Method
rinpol	855.00		NIST Webbook
rinpol	848.00		NIST Webbook
rinpol	845.00		NIST Webbook
rinpol	845.00		NIST Webbook
rinpol	845.00		NIST Webbook
rinpol	848.00		NIST Webbook
ripol	1041.00		NIST Webbook
ripol	1042.00		NIST Webbook
ripol	1045.00		NIST Webbook
tb	435.41	K	Joback Method
tc	615.76	K	Joback Method
tf	225.81	K	Joback Method
vc	0.446	m ³ /kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	238.73	J/mol×K	435.41	Joback Method
cpg	250.17	J/mol×K	465.47	Joback Method
cpg	261.22	J/mol×K	495.53	Joback Method
cpg	271.87	J/mol×K	525.58	Joback Method
cpg	282.12	J/mol×K	555.64	Joback Method
cpg	291.98	J/mol×K	585.70	Joback Method
cpg	301.45	J/mol×K	615.76	Joback Method
dvisc	0.0047724	Paxs	225.81	Joback Method
dvisc	0.0021099	Paxs	260.74	Joback Method
dvisc	0.0011312	Paxs	295.68	Joback Method
dvisc	0.0006919	Paxs	330.61	Joback Method
dvisc	0.0004649	Paxs	365.54	Joback Method
dvisc	0.0003348	Paxs	400.48	Joback Method
dvisc	0.0002542	Paxs	435.41	Joback Method

Sources

Crippen Method:

https://www.chemeo.com/doc/models/crippen_log10ws

Joback Method:

https://en.wikipedia.org/wiki/Joback_method

McGowan Method:

<http://link.springer.com/article/10.1007/BF02311772>

NIST Webbook:

<http://webbook.nist.gov/cgi/cbook.cgi?ID=C10307616&Units=SI>

Crippen Method:

<http://pubs.acs.org/doi/abs/10.1021/ci990307l>

Legend

cpg:	Ideal gas heat capacity
dvisc:	Dynamic viscosity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mccvol:	McGowan's characteristic volume
pc:	Critical Pressure
rinpol:	Non-polar retention indices
ripol:	Polar retention indices

tb: Normal Boiling Point Temperature
tc: Critical Temperature
tf: Normal melting (fusion) point
vc: Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/26-310-8/2S-2-methyl-ethyl-ester-butanoic-acid.pdf>

Generated by Cheméo on 2024-04-27 23:29:58.709878174 +0000 UTC m=+16549847.630455485.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.