

Benzoic acid, 3-fluoro-

Other names:	3-Fluorobenzoic acid Benzoic acid, m-fluoro- m-Fluorobenzoic acid meta-Fluorobenzoic acid
Inchi:	InChI=1S/C7H5FO2/c8-6-3-1-2-5(4-6)7(9)10/h1-4H,(H,9,10)
InchiKey:	MXNBDFWNYRNIBH-UHFFFAOYSA-N
Formula:	C7H5FO2
SMILES:	O=C(O)c1cccc(F)c1
Mol. weight [g/mol]:	140.11
CAS:	455-38-9

Physical Properties

Property code	Value	Unit	Source
chs	-3066.10 ± 0.84	kJ/mol	NIST Webbook
chs	-3085.90	kJ/mol	NIST Webbook
gf	-349.71	kJ/mol	Joback Method
hf	-423.67	kJ/mol	Joback Method
hfs	-582.20 ± 1.30	kJ/mol	NIST Webbook
hfus	16.31	kJ/mol	Joback Method
hsub	93.60 ± 0.60	kJ/mol	NIST Webbook
hvap	56.72	kJ/mol	Joback Method
ie	9.90 ± 0.20	eV	NIST Webbook
log10ws	-1.86		Crippen Method
logp	1.524		Crippen Method
mvol	94.940	ml/mol	McGowan Method
pc	4665.71	kPa	Joback Method
tb	536.54	K	Joback Method
tc	736.94	K	Joback Method
tf	395.90	K	Thermochemistry of halogenobenzoic acids as an access to PC-SAFT solubility modeling
vc	0.362	m ³ /kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	236.00	J/mol×K	703.54	Joback Method
cpg	201.46	J/mol×K	536.54	Joback Method
cpg	209.29	J/mol×K	569.94	Joback Method
cpg	216.64	J/mol×K	603.34	Joback Method
cpg	223.53	J/mol×K	636.74	Joback Method
cpg	229.98	J/mol×K	670.14	Joback Method
cpg	241.62	J/mol×K	736.94	Joback Method
hsubt	93.30 ± 0.50	kJ/mol	310.00	NIST Webbook

Correlations

Information	Value
Property code	pvap
Equation	$\ln(P_{vp}) = A + B/(T + C)$
Coeff. A	2.66225e+01
Coeff. B	-1.09856e+04
Temperature range (K), min.	417.15
Temperature range (K), max.	515.49

Sources

McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=C455389&Units=SI
The Yaws Handbook of Vapor Pressure:	https://www.sciencedirect.com/book/9780128029992/the-yaws-handbook-of-vapor-pressure
Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci990307i
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws
Thermochemistry of halogenobenzoic acids as an access to PC-SAFT equation of state:	https://www.doi.org/10.1016/j.fluid.2015.10.001
Joback Method:	https://en.wikipedia.org/wiki/Joback_method

Legend

chs:	Standard solid enthalpy of combustion
cpg:	Ideal gas heat capacity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfs:	Solid phase enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hsub:	Enthalpy of sublimation at standard conditions
hsubt:	Enthalpy of sublimation at a given temperature
hvap:	Enthalpy of vaporization at standard conditions
ie:	Ionization energy
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
pvap:	Vapor pressure
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/26-430-5/Benzoic-acid-3-fluoro.pdf>

Generated by Cheméo on 2024-04-29 01:44:46.516644636 +0000 UTC m=+16644335.437221947.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.