

2-Butenoic acid, 2-methylpropyl ester

| | |
|-----------------------------|--|
| Other names: | Isobutyl 2-butenate 2-methylpropyl crotonate |
| Inchi: | InChI=1S/C8H14O2/c1-4-5-8(9)10-6-7(2)3/h4-5,7H,6H2,1-3H3/b5-4+ |
| InchiKey: | XDOWKOALJBOBBL-SNAWJCMRSA-N |
| Formula: | C8H14O2 |
| SMILES: | CC=CC(=O)OCC(C)C |
| Mol. weight [g/mol]: | 142.20 |
| CAS: | 589-66-2 |

Physical Properties

| Property code | Value | Unit | Source |
|---------------|---------|---------|----------------|
| gf | -139.66 | kJ/mol | Joback Method |
| hf | -341.31 | kJ/mol | Joback Method |
| hfus | 15.94 | kJ/mol | Joback Method |
| hvap | 42.13 | kJ/mol | Joback Method |
| log10ws | -1.65 | | Crippen Method |
| logp | 1.762 | | Crippen Method |
| mcvol | 126.720 | ml/mol | McGowan Method |
| pc | 2829.33 | kPa | Joback Method |
| rinpol | 975.00 | | NIST Webbook |
| rinpol | 983.00 | | NIST Webbook |
| rinpol | 983.00 | | NIST Webbook |
| rinpol | 1010.00 | | NIST Webbook |
| tb | 462.45 | K | Joback Method |
| tc | 649.84 | K | Joback Method |
| tf | 232.00 | K | Joback Method |
| vc | 0.481 | m3/kmol | Joback Method |

Temperature Dependent Properties

| Property code | Value | Unit | Temperature [K] | Source |
|---------------|--------|---------|-----------------|---------------|
| cpg | 263.44 | J/molxK | 462.45 | Joback Method |
| cpg | 319.53 | J/molxK | 618.61 | Joback Method |
| cpg | 309.31 | J/molxK | 587.38 | Joback Method |

| | | | | |
|-------|-----------|---------|--------|---------------|
| cpg | 298.61 | J/molxK | 556.15 | Joback Method |
| cpg | 287.40 | J/molxK | 524.91 | Joback Method |
| cpg | 275.69 | J/molxK | 493.68 | Joback Method |
| cpg | 329.27 | J/molxK | 649.84 | Joback Method |
| dvisc | 0.0002021 | Paxs | 462.45 | Joback Method |
| dvisc | 0.0002682 | Paxs | 424.04 | Joback Method |
| dvisc | 0.0003767 | Paxs | 385.63 | Joback Method |
| dvisc | 0.0005704 | Paxs | 347.23 | Joback Method |
| dvisc | 0.0009575 | Paxs | 308.82 | Joback Method |
| dvisc | 0.0018620 | Paxs | 270.41 | Joback Method |
| dvisc | 0.0045131 | Paxs | 232.00 | Joback Method |

Sources

| | |
|------------------------|---|
| NIST Webbook: | http://webbook.nist.gov/cgi/cbook.cgi?ID=C589662&Units=SI |
| Crippen Method: | http://pubs.acs.org/doi/abs/10.1021/ci9903071 |
| Crippen Method: | https://www.chemeo.com/doc/models/crippen_log10ws |
| Joback Method: | https://en.wikipedia.org/wiki/Joback_method |
| McGowan Method: | http://link.springer.com/article/10.1007/BF02311772 |

Legend

| | |
|-----------------|---|
| cpg: | Ideal gas heat capacity |
| dvisc: | Dynamic viscosity |
| gf: | Standard Gibbs free energy of formation |
| hf: | Enthalpy of formation at standard conditions |
| hfus: | Enthalpy of fusion at standard conditions |
| hvap: | Enthalpy of vaporization at standard conditions |
| log10ws: | Log10 of Water solubility in mol/l |
| logp: | Octanol/Water partition coefficient |
| mcvol: | McGowan's characteristic volume |
| pc: | Critical Pressure |
| rinpol: | Non-polar retention indices |
| tb: | Normal Boiling Point Temperature |
| tc: | Critical Temperature |
| tf: | Normal melting (fusion) point |
| vc: | Critical Volume |

Latest version available from:

<https://www.cheméo.com/cid/28-023-5/2-Butenoic-acid-2-methylpropyl-ester.pdf>

Generated by Cheméo on 2024-04-19 22:37:02.837806998 +0000 UTC m=+15855471.758384313.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.