

Propanoic acid, 2-methyl-, 1-methylpropyl ester

Other names:	1-methylpropyl isobutyrate
Inchi:	InChI=1S/C8H16O2/c1-5-7(4)10-8(9)6(2)3/h6-7H,5H2,1-4H3
InchiKey:	HLIYSUDZNWPHKZ-UHFFFAOYSA-N
Formula:	C8H16O2
SMILES:	CCC(C)OC(=O)C(C)C
Mol. weight [g/mol]:	144.21
CAS:	23412-21-7

Physical Properties

Property code	Value	Unit	Source
gf	-222.32	kJ/mol	Joback Method
hf	-463.81	kJ/mol	Joback Method
hfus	12.22	kJ/mol	Joback Method
hvap	41.78	kJ/mol	Joback Method
log10ws	-1.90		Crippen Method
logp	1.984		Crippen Method
mcvol	131.020	ml/mol	McGowan Method
pc	2701.41	kPa	Joback Method
rinpol	827.00		NIST Webbook
rinpol	829.00		NIST Webbook
rinpol	879.00		NIST Webbook
ripol	1057.00		NIST Webbook
tb	457.85	K	Joback Method
tc	640.65	K	Joback Method
tf	222.08	K	Joback Method
vc	0.495	m ³ /kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	279.95	J/molxK	457.85	Joback Method
cpg	292.89	J/molxK	488.32	Joback Method
cpg	305.35	J/molxK	518.78	Joback Method
cpg	317.32	J/molxK	549.25	Joback Method

cpg	328.83	J/molxK	579.72	Joback Method
cpg	339.86	J/molxK	610.19	Joback Method
cpg	350.42	J/molxK	640.65	Joback Method
dvisc	0.0076048	Paxs	222.08	Joback Method
dvisc	0.0027406	Paxs	261.38	Joback Method
dvisc	0.0012896	Paxs	300.67	Joback Method
dvisc	0.0007223	Paxs	339.97	Joback Method
dvisc	0.0004562	Paxs	379.26	Joback Method
dvisc	0.0003141	Paxs	418.56	Joback Method
dvisc	0.0002306	Paxs	457.85	Joback Method

Sources

Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci990307I
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws
Joback Method:	https://en.wikipedia.org/wiki/Joback_method
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=C23412217&Units=SI

Legend

cpg:	Ideal gas heat capacity
dvisc:	Dynamic viscosity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mccvol:	McGowan's characteristic volume
pc:	Critical Pressure
rinpol:	Non-polar retention indices
ripol:	Polar retention indices
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/28-033-4/Propanoic-acid-2-methyl-1-methylpropyl-ester.pdf>

Generated by Cheméo on 2024-04-19 19:29:42.316672551 +0000 UTC m=+15844231.237249866.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.