

1-Propanol, 3-(dimethylamino)-

Other names: 1-(Dimethylamino)propan-3-ol

1-Dimethylamino-3-propanol

3-(Dimethylamino)propanol

3-(Dimethylamino)-1-propanol

3-(Dimethylamino)propanol

3-(N,N-Dimethylamino)-1-propanol

3-(N,N-Dimethylamino)propanol

3-(dimethylamino)propan-1-ol

3-dimethylamino-1-propanol

3-dimethylaminopropan-1-ol

Dimethylaminopropanol

Dimethylpropanolamine

N,N-Dimethyl-3-hydroxypropylamine

N,N-Dimethyl-«gamma»-aminopropanol

N,N-Dimethyl-Â«gammaÂ»-aminopropanol

N,N-Dimethylaminopropanol

N,N-Dimethylpropanolamine

NSC 62086

«gamma»-(Dimethylamino)propanol

Â«gammaÂ»-(Dimethylamino)propanol

Inchi:

InChI=1S/C5H13NO/c1-6(2)4-3-5-7/h7H,3-5H2,1-2H3

InchiKey:

PYSGFFTXMUWEOT-UHFFFAOYSA-N

Formula:

C5H13NO

SMILES:

CN(C)CCCO

Mol. weight [g/mol]:

103.16

CAS:

3179-63-3

Physical Properties

Property code	Value	Unit	Source
gf	-34.82	kJ/mol	Joback Method
hf	-231.23	kJ/mol	Joback Method
hfus	15.81	kJ/mol	Joback Method
hvap	45.45	kJ/mol	Joback Method
ie	8.74 ± 0.04	eV	NIST Webbook
log10ws	0.25		Crippen Method
logp	-0.070		Crippen Method
mcvol	97.160	ml/mol	McGowan Method

pc	3867.48	kPa	Joback Method
tb	436.50 ± 0.50	K	NIST Webbook
tb	436.70	K	NIST Webbook
tc	578.89	K	Joback Method
tf	239.40	K	Joback Method
vc	0.352	m3/kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	197.87	J/mol×K	418.42	Joback Method
cpg	248.97	J/mol×K	578.89	Joback Method
cpg	241.33	J/mol×K	552.14	Joback Method
cpg	233.35	J/mol×K	525.40	Joback Method
cpg	225.02	J/mol×K	498.65	Joback Method
cpg	216.34	J/mol×K	471.91	Joback Method
cpg	207.30	J/mol×K	445.16	Joback Method
pvap	0.03	kPa	303.09	Investigation of the isothermal (vapour + liquid) equilibria of aqueous 2-amino-2-methyl-1-propanol (AMP), N-benzylethanamine, or 3-dimethylamino-1-propanol solutions at several temperatures
pvap	0.07	kPa	313.08	Investigation of the isothermal (vapour + liquid) equilibria of aqueous 2-amino-2-methyl-1-propanol (AMP), N-benzylethanamine, or 3-dimethylamino-1-propanol solutions at several temperatures

pvap	0.14	kPa	323.28	Investigation of the isothermal (vapour + liquid) equilibria of aqueous 2-amino-2-methyl-1-propanol (AMP), N-benzylethanolamine, or 3-dimethylamino-1-propanol solutions at several temperatures
pvap	0.26	kPa	333.12	Investigation of the isothermal (vapour + liquid) equilibria of aqueous 2-amino-2-methyl-1-propanol (AMP), N-benzylethanolamine, or 3-dimethylamino-1-propanol solutions at several temperatures
pvap	0.47	kPa	343.12	Investigation of the isothermal (vapour + liquid) equilibria of aqueous 2-amino-2-methyl-1-propanol (AMP), N-benzylethanolamine, or 3-dimethylamino-1-propanol solutions at several temperatures
pvap	1.42	kPa	363.17	Investigation of the isothermal (vapour + liquid) equilibria of aqueous 2-amino-2-methyl-1-propanol (AMP), N-benzylethanolamine, or 3-dimethylamino-1-propanol solutions at several temperatures
pvap	2.31	kPa	373.10	Investigation of the isothermal (vapour + liquid) equilibria of aqueous 2-amino-2-methyl-1-propanol (AMP), N-benzylethanolamine, or 3-dimethylamino-1-propanol solutions at several temperatures

pvap	7.00e-03	kPa	283.15	Investigation of the isothermal (vapour + liquid) equilibria of aqueous 2-amino-2-methyl-1-propanol (AMP), N-benzylethanamine, or 3-dimethylamino-1-propanol solutions at several temperatures
pvap	0.02	kPa	293.14	Investigation of the isothermal (vapour + liquid) equilibria of aqueous 2-amino-2-methyl-1-propanol (AMP), N-benzylethanamine, or 3-dimethylamino-1-propanol solutions at several temperatures
rhol	855.00	kg/m3	333.15	Densities of unloaded and CO2-loaded 3-dimethylamino-1-propanol at temperatures (293.15 to 343.15) K
rhol	846.70	kg/m3	343.15	Densities of unloaded and CO2-loaded 3-dimethylamino-1-propanol at temperatures (293.15 to 343.15) K
rhol	885.00	kg/m3	293.15	Volumetric, acoustic and transport properties of mixtures containing dimethyl sulfoxide and some amines or alkanolamines: Measurement and correlation
rhol	877.00	kg/m3	303.15	Volumetric, acoustic and transport properties of mixtures containing dimethyl sulfoxide and some amines or alkanolamines: Measurement and correlation

rhol	869.00	kg/m3	313.15	Volumetric, acoustic and transport properties of mixtures containing dimethyl sulfoxide and some amines or alkanolamines: Measurement and correlation
rhol	860.00	kg/m3	323.15	Volumetric, acoustic and transport properties of mixtures containing dimethyl sulfoxide and some amines or alkanolamines: Measurement and correlation
rhol	881.00	kg/m3	298.15	Volumetric, acoustic and transport properties of mixtures containing dimethyl sulfoxide and some amines or alkanolamines: Measurement and correlation
rhol	886.70	kg/m3	293.15	Densities of unloaded and CO2-loaded 3-dimethylamino-1-propanol at temperatures (293.15 to 343.15) K
rhol	883.00	kg/m3	298.15	Densities of unloaded and CO2-loaded 3-dimethylamino-1-propanol at temperatures (293.15 to 343.15) K
rhol	879.10	kg/m3	303.15	Densities of unloaded and CO2-loaded 3-dimethylamino-1-propanol at temperatures (293.15 to 343.15) K
rhol	875.10	kg/m3	308.15	Densities of unloaded and CO2-loaded 3-dimethylamino-1-propanol at temperatures (293.15 to 343.15) K

rhol	871.20	kg/m3	313.15	Densities of unloaded and CO2-loaded 3-dimethylamino-1-propanol at temperatures (293.15 to 343.15) K
rhol	867.20	kg/m3	318.15	Densities of unloaded and CO2-loaded 3-dimethylamino-1-propanol at temperatures (293.15 to 343.15) K
rhol	863.10	kg/m3	323.15	Densities of unloaded and CO2-loaded 3-dimethylamino-1-propanol at temperatures (293.15 to 343.15) K
rhol	859.10	kg/m3	328.15	Densities of unloaded and CO2-loaded 3-dimethylamino-1-propanol at temperatures (293.15 to 343.15) K
rhol	880.82	kg/m3	298.15	Density, Speed of Sound, Viscosity and Surface Tension of 3-Dimethylamino-1-propylamine + Water, 3-Amino-1-propanol + 3-Dimethylamino-1-propanol, and (3-Amino-1-propanol + 3-Dimethylamino-1-propanol) + Water from T = (293.15 to 323.15) K
rhol	850.80	kg/m3	338.15	Densities of unloaded and CO2-loaded 3-dimethylamino-1-propanol at temperatures (293.15 to 343.15) K

srf	0.03	N/m	333.15	Volumetric Properties, Viscosities, Refractive Indices and Surface Tensions for Aqueous N, ndimethylpropanolamine (DMPA) Solutions From 298.15 K to 343.15 K
srf	0.03	N/m	323.15	Volumetric Properties, Viscosities, Refractive Indices and Surface Tensions for Aqueous N, ndimethylpropanolamine (DMPA) Solutions From 298.15 K to 343.15 K
srf	0.03	N/m	318.15	Volumetric Properties, Viscosities, Refractive Indices and Surface Tensions for Aqueous N, ndimethylpropanolamine (DMPA) Solutions From 298.15 K to 343.15 K
srf	0.03	N/m	313.15	Volumetric Properties, Viscosities, Refractive Indices and Surface Tensions for Aqueous N, ndimethylpropanolamine (DMPA) Solutions From 298.15 K to 343.15 K
srf	0.03	N/m	308.15	Volumetric Properties, Viscosities, Refractive Indices and Surface Tensions for Aqueous N, ndimethylpropanolamine (DMPA) Solutions From 298.15 K to 343.15 K

srf	0.03	N/m	303.15	Volumetric Properties, Viscosities, Refractive Indices and Surface Tensions for Aqueous N, Ndimethylpropanolamine (DMPA) Solutions From 298.15 K to 343.15 K
srf	0.03	N/m	298.15	Volumetric Properties, Viscosities, Refractive Indices and Surface Tensions for Aqueous N, Ndimethylpropanolamine (DMPA) Solutions From 298.15 K to 343.15 K

Pressure Dependent Properties

Property code	Value	Unit	Pressure [kPa]	Source
tbp	352.30	K	4.80	Vapour-liquid equilibrium study of tertiary amines, single and in blend with 3-(methylamino)propylamine, for post-combustion CO ₂ capture
tbp	352.90	K	4.80	Vapour-liquid equilibrium study of tertiary amines, single and in blend with 3-(methylamino)propylamine, for post-combustion CO ₂ capture
tbp	368.30	K	9.80	Vapour-liquid equilibrium study of tertiary amines, single and in blend with 3-(methylamino)propylamine, for post-combustion CO ₂ capture

tbp	378.50	K	14.80	Vapour-liquid equilibrium study of tertiary amines, single and in blend with 3-(methylamino)propylamine, for post-combustion CO ₂ capture
tbp	378.50	K	14.80	Vapour-liquid equilibrium study of tertiary amines, single and in blend with 3-(methylamino)propylamine, for post-combustion CO ₂ capture
tbp	385.80	K	19.80	Vapour-liquid equilibrium study of tertiary amines, single and in blend with 3-(methylamino)propylamine, for post-combustion CO ₂ capture
tbp	396.80	K	29.80	Vapour-liquid equilibrium study of tertiary amines, single and in blend with 3-(methylamino)propylamine, for post-combustion CO ₂ capture
tbp	405.00	K	39.80	Vapour-liquid equilibrium study of tertiary amines, single and in blend with 3-(methylamino)propylamine, for post-combustion CO ₂ capture
tbp	411.60	K	49.80	Vapour-liquid equilibrium study of tertiary amines, single and in blend with 3-(methylamino)propylamine, for post-combustion CO ₂ capture
tbp	417.20	K	59.80	Vapour-liquid equilibrium study of tertiary amines, single and in blend with 3-(methylamino)propylamine, for post-combustion CO ₂ capture

tbp	421.70	K	69.80	Vapour-liquid equilibrium study of tertiary amines, single and in blend with 3-(methylamino)propylamine, for post-combustion CO ₂ capture
tbp	426.30	K	79.80	Vapour-liquid equilibrium study of tertiary amines, single and in blend with 3-(methylamino)propylamine, for post-combustion CO ₂ capture
tbp	429.90	K	89.80	Vapour-liquid equilibrium study of tertiary amines, single and in blend with 3-(methylamino)propylamine, for post-combustion CO ₂ capture
tbp	433.70	K	99.80	Vapour-liquid equilibrium study of tertiary amines, single and in blend with 3-(methylamino)propylamine, for post-combustion CO ₂ capture
tbrp	347.50 ± 1.50	K	4.40	NIST Webbook

Correlations

Information	Value
Property code	pvap
Equation	$\ln(P_{\text{vap}}) = A + B/(T + C)$
Coeff. A	1.35176e+01
Coeff. B	-3.59566e+03
Coeff. C	-6.25390e+01
Temperature range (K), min.	302.99
Temperature range (K), max.	500.71

Sources

The Yaws Handbook of Vapor Pressure:	https://www.sciencedirect.com/book/9780128029992/the-yaws-handbook-of-vapor-pressure
Experiment and model for the viscosity of carbonated	https://www.doi.org/10.1016/j.jct.2019.02.023
Absorption capacity and CO ₂ removal efficiency in binary blends of aqueous ethanol or isopropanol vapour	https://www.doi.org/10.1016/j.jct.2019.07.004
Investigation of the isothermal vapour-liquid equilibrium of aqueous dimethyl-2-methyl-propylamine (DAMP) and diisopropylethanolamine, or 2-propanol vapour pressure for binary mixtures of alkanolamines with water: Viscosities, refractive indices and surface tension of alkanolamides and transport properties of alkanolamine in Water	https://www.doi.org/10.1016/j.jct.2010.04.015
Properties of aqueous aqueous dimethyl-2-methyl-propylamine (DAMP) and diisopropylethanolamine (DIPA) solutions at 298.15 K and 1 bar: viscosities or alkanolamines: Measurement and Densities of unloaded and CO ₂ -loaded	https://www.doi.org/10.1021/acs.jced.7b00042
Densities of unloaded and CO ₂ -loaded 3-dimethylamino-1-propanol at temperatures (293.15 to 343.15) K:	https://www.doi.org/10.1016/j.jct.2016.02.007
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws
Joback Method:	http://pubs.acs.org/doi/abs/10.1021/ci990307l
Vapour-liquid equilibrium study of tertiary amines, single and in blend with 3-(dimethylamino)propylamine in aqueous solutions: Equilibrium solubility and thermodynamic modeling:	https://en.wikipedia.org/wiki/Joback_method
McGowan Method:	https://www.doi.org/10.1016/j.jct.2019.06.017
	https://www.doi.org/10.1016/j.jct.2018.03.020
	http://link.springer.com/article/10.1007/BF02311772

Legend

cpg:	Ideal gas heat capacity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
ie:	Ionization energy
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
pvap:	Vapor pressure
rhol:	Liquid Density
srf:	Surface Tension
tb:	Normal Boiling Point Temperature
tbp:	Boiling point at given pressure
tbrp:	Boiling point at reduced pressure
tc:	Critical Temperature
tf:	Normal melting (fusion) point

vc:

Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/28-208-0/1-Propanol-3-dimethylamino.pdf>

Generated by Cheméo on 2024-04-10 19:52:27.132633879 +0000 UTC m=+15067996.053211195.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.