Pentacyclo[18.2.2.2(9,12).0(4,15).0(6,17)]hexacosa

Inchi: InChI=1S/C26H26/c1-2-21-10-14-25-17-24-13-9-20-6-4-19(5-7-20)8-12-23(25)18-26(24)
InchiKey: REXZNBNRGIQZSK-UHFFFAOYSA-N
Formula: C26H26
SMILES: c1cc2cc(c1)CCc1cc3c(cc1CCc1ccc(cc1)CC3)CC2
Mol. weight [g/mol]: 338.48
CAS: 35117-21-6

Physical Properties

Property code	Value	Unit	Source
chs	-14230.90 ± 3.60	kJ/mol	NIST Webbook
gf	569.84	kJ/mol	Joback Method
hf	409.70 ± 5.60	kJ/mol	NIST Webbook
hfs	283.80 ± 5.00	kJ/mol	NIST Webbook
hfus	33.20	kJ/mol	Joback Method
hsub	125.90 ± 2.50	kJ/mol	NIST Webbook
hsub	125.90	kJ/mol	NIST Webbook
hvap	84.40	kJ/mol	Joback Method
log10ws	-7.63		Crippen Method
logp	5.454		Crippen Method
mcvol	284.200	ml/mol	McGowan Method
pc	1707.53	kPa	Joback Method
tb	930.58	K	Joback Method
tc	1201.79	K	Joback Method
tf	561.96	K	Joback Method
vc	1.067	m3/kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	996.79	J/mol×K	1156.59	Joback Method
cpg	981.06	J/mol×K	1111.39	Joback Method
cpg	964.82	J/mol×K	1066.18	Joback Method
cpg	947.84	J/mol×K	1020.98	Joback Method
cpg	929.86	J/mol×K	975.78	Joback Method

cpg	910.64	J/mol×K	930.58	Joback Method
cpg	1012.28	J/mol×K	1201.79	Joback Method
dvisc	0.0008681	Pa×s	561.96	Joback Method
dvisc	0.0001498	Pa×s	930.58	Joback Method
dvisc	0.0001810	Pa×s	869.14	Joback Method
dvisc	0.0002251	Pa×s	807.71	Joback Method
dvisc	0.0002902	Pa×s	746.27	Joback Method
dvisc	0.0003916	Pa×s	684.83	Joback Method
dvisc	0.0005606	Pa×s	623.40	Joback Method
hsubt	125.90 ± 2.50	kJ/mol	405.70	NIST Webbook
hsubt	119.10 ± 1.50	kJ/mol	355.50	NIST Webbook

Sources

Joback Method:	https://en.wikipedia.org/wiki/Joback_method
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=C35117216&Units=SI
Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci990307l
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws

Legend

chs:	Standard solid enthalpy of combustion
cpg:	Ideal gas heat capacity
dvisc:	Dynamic viscosity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfs:	Solid phase enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hsub:	Enthalpy of sublimation at standard conditions
hsubt:	Enthalpy of sublimation at a given temperature
hvap:	Enthalpy of vaporization at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature

tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

https://www.chemeo.com/cid/28-513-1/Pentacyclo-18-2-2-2-9-12-0-4-15-0-6-17-hexacosa-4-6-17-9-11-15-20-22-23-2

Generated by Cheméo on 2024-10-12 06:23:01.801793402 +0000 UTC m=+3295044.438762650.

Cheméo (https://www.chemeo.com) is the biggest free database of chemical and physical data for the process industry.