

Pentadecanoic acid, 2-hydroxy, methyl ester, TMS

Inchi: InChI=1S/C19H40O3Si/c1-6-7-8-9-10-11-12-13-14-15-16-17-18(19(20)21-2)22-23(3,4)5/
InchiKey: ZWRBFQRADDUULJ-UHFFFAOYSA-N
Formula: C19H40O3Si
SMILES: CCCCCCCCCCCCC(O[Si](C)(C)C)C(=O)OC
Mol. weight [g/mol]: 344.60

Physical Properties

Property code	Value	Unit	Source
log10ws	-3.89		Crippen Method
logp	6.081		Crippen Method
rinpol	2000.00		NIST Webbook
rinpol	2000.00		NIST Webbook

Sources

Crippen Method: <http://pubs.acs.org/doi/abs/10.1021/ci9903071>
Crippen Method: https://www.chemeo.com/doc/models/crippen_log10ws
NIST Webbook: <http://webbook.nist.gov/cgi/cbook.cgi?ID=R383787&Units=SI>

Legend

log10ws: Log10 of Water solubility in mol/l
logp: Octanol/Water partition coefficient
rinpol: Non-polar retention indices

Latest version available from:

<https://www.chemeo.com/cid/29-830-8/Pentadecanoic-acid-2-hydroxy-methyl-ester-TMS.pdf>

Generated by Cheméo on 2024-04-19 19:28:23.15171707 +0000 UTC m=+15844152.072294397.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.