

2-Propen-1-ol

Other names:	1-Hydroxy-2-propene 1-Propen-3-ol 1-Propenol-3 1-Propenol-3-ol 2-Propene-1-ol 2-Propenol 2-Propenyl alcohol 2-propen-1-ol (allyl alcohol) 3-HYDROXYPROPENE 3-Hydroxy-1-propene AA Alcool allilco Alcool allylique Allilowy alkohol Allyl al Allyl alcohol Allylalkohol Allylic alcohol CH ₂ =CHCH ₂ OH NSC 6526 PROPENYLALCOHOL Propen-1-ol-3 Propenol-3 Propenyl alcohol Rcra waste number P005 Shell Unkrauttod A Shell unkrauttod A UN 1098 VINYL CARBINOL Weed drench prop-2-en-1-ol
Inchi:	InChI=1S/C3H6O/c1-2-3-4/h2,4H,1,3H2
InchiKey:	XXROGKLTUQVRX-UHFFFAOYSA-N
Formula:	C ₃ H ₆ O
SMILES:	C=CCO
Mol. weight [g/mol]:	58.08
CAS:	107-18-6

Physical Properties

Property code	Value	Unit	Source
af	0.5540		KDB
aigt	715.93	K	KDB
fll	2.50	% in Air	KDB
flu	18.00	% in Air	KDB
fpc	305.37	K	KDB
fpo	295.37	K	KDB
gf	-71.30	kJ/mol	KDB
hf	-132.10	kJ/mol	KDB
hf	-123.60 ± 1.50	kJ/mol	NIST Webbook
hfus	6.33	kJ/mol	Joback Method
hvap	44.80	kJ/mol	NIST Webbook
hvap	46.10	kJ/mol	NIST Webbook
hvap	47.30	kJ/mol	NIST Webbook
hvap	47.00 ± 1.00	kJ/mol	NIST Webbook
ie	10.22	eV	NIST Webbook
ie	9.63	eV	NIST Webbook
ie	9.67 ± 0.05	eV	NIST Webbook
ie	9.67 ± 0.03	eV	NIST Webbook
ie	9.70	eV	NIST Webbook
log10ws	-0.20		Crippen Method
logp	0.165		Crippen Method
mcvol	54.700	ml/mol	McGowan Method
nfpaf	%!d(float64=3)		KDB
nfpah	%!d(float64=3)		KDB
nfpas	%!d(float64=1)		KDB
pc	5640.00	kPa	Critical Point and Vapor Pressure Measurements for Seven Compounds by a Low Residence Time Flow Method
pc	5310.00	kPa	KDB
rinpol	512.00		NIST Webbook
rinpol	576.00		NIST Webbook
rinpol	546.00		NIST Webbook
rinpol	558.00		NIST Webbook
rinpol	576.00		NIST Webbook
rinpol	549.00		NIST Webbook
rinpol	558.00		NIST Webbook
rinpol	546.00		NIST Webbook
rinpol	498.00		NIST Webbook

rinpol	501.00	NIST Webbook
rinpol	526.00	NIST Webbook
rinpol	546.00	NIST Webbook
rinpol	519.00	NIST Webbook
rinpol	550.00	NIST Webbook
rinpol	543.00	NIST Webbook
rinpol	545.00	NIST Webbook
rinpol	540.00	NIST Webbook
rinpol	534.00	NIST Webbook
rinpol	537.00	NIST Webbook
rinpol	555.00	NIST Webbook
rinpol	555.00	NIST Webbook
rinpol	555.00	NIST Webbook
rinpol	540.00	NIST Webbook
rinpol	555.00	NIST Webbook
rinpol	546.00	NIST Webbook
rinpol	498.00	NIST Webbook
rinpol	539.00	NIST Webbook
rinpol	532.00	NIST Webbook
rinpol	556.00	NIST Webbook
ripol	1128.00	NIST Webbook
ripol	1138.00	NIST Webbook
ripol	1100.00	NIST Webbook
ripol	1122.00	NIST Webbook
ripol	1110.00	NIST Webbook
ripol	1108.00	NIST Webbook
ripol	1138.00	NIST Webbook
ripol	1167.00	NIST Webbook
ripol	1116.00	NIST Webbook
ripol	1111.00	NIST Webbook
ripol	1130.00	NIST Webbook
ripol	1104.00	NIST Webbook
ripol	1128.00	NIST Webbook
ripol	1124.00	NIST Webbook
ripol	1124.00	NIST Webbook
ripol	1130.00	NIST Webbook
ripol	1119.00	NIST Webbook
ripol	1097.00	NIST Webbook
ripol	1100.00	NIST Webbook
ripol	1125.00	NIST Webbook
ripol	1125.00	NIST Webbook
ripol	1125.00	NIST Webbook
ripol	1107.00	NIST Webbook
ripol	1109.00	NIST Webbook

ripol	1109.00		NIST Webbook
ripol	1116.00		NIST Webbook
ripol	1167.00		NIST Webbook
ripol	1136.00		NIST Webbook
ripol	1109.00		NIST Webbook
ripol	1098.00		NIST Webbook
ripol	1145.00		NIST Webbook
ripol	1144.00		NIST Webbook
tb	370.23	K	KDB
tb	369.94	K	Isobaric Vapor-Liquid Phase Equilibrium Measurements for Allyl Alcohol with Chloroform, Ethyl Acetate, and Methyl Propionate at 101.3 kPa
tb	369.90	K	Measurement and Correlation of Isobaric Vapor-Liquid Equilibrium for Binary Systems of Allyl Alcohol with Isobutyl Acetate, Butyl Acetate, and Butyl Propionate at 101.3 kPa
tb	370.25 ± 0.30	K	NIST Webbook
tb	370.00	K	NIST Webbook
tb	369.60 ± 2.00	K	NIST Webbook
tb	370.10 ± 0.50	K	NIST Webbook
tb	369.75	K	Vapor-Liquid Equilibrium for Binary Systems of Allyl Alcohol + Water and Allyl Alcohol + Benzene at 101.3 kPa
tb	369.95	K	Separation of azeotrope (allyl alcohol + water): Isobaric vapour-liquid phase equilibrium measurements and extractive distillation
tb	370.00 ± 0.50	K	NIST Webbook
tb	370.07 ± 0.20	K	NIST Webbook
tb	370.23 ± 0.30	K	NIST Webbook
tb	369.62 ± 0.50	K	NIST Webbook
tb	370.00 ± 0.40	K	NIST Webbook
tb	370.10 ± 0.30	K	NIST Webbook
tb	370.30	K	NIST Webbook
tc	545.10	K	NIST Webbook
tc	545.10	K	NIST Webbook
tc	545.00	K	KDB
tf	144.00	K	KDB
vc	0.203	m ³ /kmol	KDB
zc	0.2384660		KDB

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	88.33	J/mol×K	356.90	Joback Method
cpg	102.72	J/mol×K	439.59	Joback Method
cpg	107.13	J/mol×K	467.15	Joback Method
cpg	111.36	J/mol×K	494.71	Joback Method
cpg	115.41	J/mol×K	522.27	Joback Method
cpg	93.33	J/mol×K	384.46	Joback Method
cpg	98.12	J/mol×K	412.02	Joback Method
cpl	137.35	J/mol×K	278.52	Heat Capacities of 2-Propenol and Selected Cyclohexylalcohols
cpl	138.90	J/mol×K	298.00	NIST Webbook
cpl	134.94	J/mol×K	273.41	Heat Capacities of 2-Propenol and Selected Cyclohexylalcohols
cpl	160.30	J/mol×K	324.46	Heat Capacities of 2-Propenol and Selected Cyclohexylalcohols
cpl	160.14	J/mol×K	324.46	Heat Capacities of 2-Propenol and Selected Cyclohexylalcohols
cpl	157.06	J/mol×K	319.35	Heat Capacities of 2-Propenol and Selected Cyclohexylalcohols
cpl	157.23	J/mol×K	319.35	Heat Capacities of 2-Propenol and Selected Cyclohexylalcohols
cpl	154.40	J/mol×K	314.25	Heat Capacities of 2-Propenol and Selected Cyclohexylalcohols
cpl	154.82	J/mol×K	314.25	Heat Capacities of 2-Propenol and Selected Cyclohexylalcohols
cpl	151.82	J/mol×K	309.14	Heat Capacities of 2-Propenol and Selected Cyclohexylalcohols

cpl	152.32	J/molxK	309.14	Heat Capacities of 2-Propenol and Selected Cyclohexylalcohols
cpl	149.08	J/molxK	304.04	Heat Capacities of 2-Propenol and Selected Cyclohexylalcohols
cpl	134.61	J/molxK	273.41	Heat Capacities of 2-Propenol and Selected Cyclohexylalcohols
cpl	146.50	J/molxK	298.93	Heat Capacities of 2-Propenol and Selected Cyclohexylalcohols
cpl	146.67	J/molxK	298.93	Heat Capacities of 2-Propenol and Selected Cyclohexylalcohols
cpl	144.17	J/molxK	293.83	Heat Capacities of 2-Propenol and Selected Cyclohexylalcohols
cpl	144.34	J/molxK	293.83	Heat Capacities of 2-Propenol and Selected Cyclohexylalcohols
cpl	141.68	J/molxK	288.72	Heat Capacities of 2-Propenol and Selected Cyclohexylalcohols
cpl	141.93	J/molxK	288.72	Heat Capacities of 2-Propenol and Selected Cyclohexylalcohols
cpl	139.18	J/molxK	283.62	Heat Capacities of 2-Propenol and Selected Cyclohexylalcohols
cpl	139.43	J/molxK	283.62	Heat Capacities of 2-Propenol and Selected Cyclohexylalcohols
cpl	137.19	J/molxK	278.52	Heat Capacities of 2-Propenol and Selected Cyclohexylalcohols
cpl	149.16	J/molxK	304.04	Heat Capacities of 2-Propenol and Selected Cyclohexylalcohols
dvisc	0.0006605	Paxs	327.86	Joback Method
dvisc	0.0003781	Paxs	356.90	Joback Method
dvisc	0.1538622	Paxs	182.63	Joback Method
dvisc	0.0012861	Paxs	298.81	Joback Method
dvisc	0.0028903	Paxs	269.76	Joback Method

dvisc	0.0078973	Paxs	240.72	Joback Method
dvisc	0.0284333	Paxs	211.67	Joback Method
hvapt	44.60	kJ/mol	325.00	NIST Webbook
hvapt	39.96	kJ/mol	369.70	KDB
hvapt	46.70	kJ/mol	311.50	NIST Webbook
pvap	22.60	kPa	334.20	Vapor-Liquid Equilibrium for Benzene + 2-Methylpentane and Allyl Alcohol + 1-Propanol
pvap	101.30	kPa	369.75	Vapor-Liquid Equilibrium for Binary Systems of Allyl Alcohol + Water and Allyl Alcohol + Benzene at 101.3 kPa
pvap	101.30	kPa	369.94	Isobaric Vapor-Liquid Phase Equilibrium Measurements for Allyl Alcohol with Chloroform, Ethyl Acetate, and Methyl Propionate at 101.3 kPa
pvap	6.95	kPa	311.42	Vapor-Liquid Equilibrium for Benzene + 2-Methylpentane and Allyl Alcohol + 1-Propanol
pvap	7.67	kPa	313.15	Vapor-Liquid Equilibrium for Benzene + 2-Methylpentane and Allyl Alcohol + 1-Propanol
pvap	8.87	kPa	315.81	Vapor-Liquid Equilibrium for Benzene + 2-Methylpentane and Allyl Alcohol + 1-Propanol
pvap	11.08	kPa	319.97	Vapor-Liquid Equilibrium for Benzene + 2-Methylpentane and Allyl Alcohol + 1-Propanol
pvap	15.67	kPa	326.70	Vapor-Liquid Equilibrium for Benzene + 2-Methylpentane and Allyl Alcohol + 1-Propanol

pvap	20.19	kPa	331.84	Vapor-Liquid Equilibrium for Benzene + 2-Methylpentane and Allyl Alcohol + 1-Propanol
pvap	21.51	kPa	333.15	Vapor-Liquid Equilibrium for Benzene + 2-Methylpentane and Allyl Alcohol + 1-Propanol
pvap	518.11	kPa	423.15	Vapor Liquid Equilibrium for Several Compounds Relevant to the Biofuels Industry Modeled with the Wilson Equation
pvap	109.95	kPa	373.15	Vapor Liquid Equilibrium for Several Compounds Relevant to the Biofuels Industry Modeled with the Wilson Equation
pvap	518.64	kPa	423.15	Vapor Liquid Equilibrium for Several Compounds Relevant to the Biofuels Industry Modeled with the Wilson Equation
pvap	109.94	kPa	373.15	Vapor Liquid Equilibrium for Several Compounds Relevant to the Biofuels Industry Modeled with the Wilson Equation
pvap	520.67	kPa	423.15	Vapor Liquid Equilibrium for Several Compounds Relevant to the Biofuels Industry Modeled with the Wilson Equation
pvap	113.10	kPa	373.15	Vapor Liquid Equilibrium for Several Compounds Relevant to the Biofuels Industry Modeled with the Wilson Equation

pvap	53.30	kPa	353.59	Vapor-Liquid Equilibrium for Benzene + 2-Methylpentane and Allyl Alcohol + 1-Propanol
pvap	52.34	kPa	353.15	Vapor-Liquid Equilibrium for Benzene + 2-Methylpentane and Allyl Alcohol + 1-Propanol
pvap	52.33	kPa	353.15	Vapor-Liquid Equilibrium for Benzene + 2-Methylpentane and Allyl Alcohol + 1-Propanol
pvap	48.61	kPa	351.37	Vapor-Liquid Equilibrium for Benzene + 2-Methylpentane and Allyl Alcohol + 1-Propanol
pvap	40.30	kPa	346.97	Vapor-Liquid Equilibrium for Benzene + 2-Methylpentane and Allyl Alcohol + 1-Propanol
pvap	35.82	kPa	344.27	Vapor-Liquid Equilibrium for Benzene + 2-Methylpentane and Allyl Alcohol + 1-Propanol
pvap	31.72	kPa	341.54	Vapor-Liquid Equilibrium for Benzene + 2-Methylpentane and Allyl Alcohol + 1-Propanol
pvap	26.94	kPa	337.96	Vapor-Liquid Equilibrium for Benzene + 2-Methylpentane and Allyl Alcohol + 1-Propanol
pvap	58.11	kPa	355.70	Vapor-Liquid Equilibrium for Benzene + 2-Methylpentane and Allyl Alcohol + 1-Propanol
rfi	1.41280		293.15	Solubility of hydrogen in bio-oil compounds
rhol	855.00	kg/m3	288.00	KDB

rho	850.40	kg/m ³	298.15	Volumetric properties for binary and ternary mixtures of allyl alcohol, 1,3-dichloro-2-propanol and 1-ethyl-3-methylimidazolium ethyl sulfate [Emim][EtSO ₄] from T = 298.15 to 318.15 K at ambient pressure
rho	855.00	kg/m ³	293.15	Salts effect on isobaric vapor-liquid equilibrium for separation of the azeotropic mixture allyl alcohol + water
rho	846.02	kg/m ³	303.15	Volumetric properties for binary and ternary mixtures of allyl alcohol, 1,3-dichloro-2-propanol and 1-ethyl-3-methylimidazolium ethyl sulfate [Emim][EtSO ₄] from T = 298.15 to 318.15 K at ambient pressure
rho	854.00	kg/m ³	293.15	Isobaric Vapor Liquid Equilibrium for Binary Systems of Allyl Alcohol with Water, Methanol, and Ethanol at 101.3 kPa
rho	832.63	kg/m ³	318.15	Volumetric properties for binary and ternary mixtures of allyl alcohol, 1,3-dichloro-2-propanol and 1-ethyl-3-methylimidazolium ethyl sulfate [Emim][EtSO ₄] from T = 298.15 to 318.15 K at ambient pressure

rho1	837.13	kg/m3	313.15	Volumetric properties for binary and ternary mixtures of allyl alcohol, 1,3-dichloro-2-propanol and 1-ethyl-3-methyl imidazolium ethyl sulfate [Emim][EtSO4] from T = 298.15 to 318.15 K at ambient pressure
rho1	841.59	kg/m3	308.15	Volumetric properties for binary and ternary mixtures of allyl alcohol, 1,3-dichloro-2-propanol and 1-ethyl-3-methyl imidazolium ethyl sulfate [Emim][EtSO4] from T = 298.15 to 318.15 K at ambient pressure
srf	0.03	N/m	293.20	KDB

Correlations

Information	Value
Property code	pvap
Equation	$\ln(P_{vp}) = A + B/(T + C)$
Coeff. A	1.59415e+01
Coeff. B	-3.58605e+03
Coeff. C	-5.33010e+01
Temperature range (K), min.	282.38
Temperature range (K), max.	545.10

Information	Value
Property code	pvap
Equation	$\ln(P_{vp}) = A + B/T + C \cdot \ln(T) + D \cdot T^2$
Coeff. A	5.40943e+01
Coeff. B	-6.87755e+03
Coeff. C	-5.24079e+00
Coeff. D	6.03381e-07
Temperature range (K), min.	144.15

Sources

Solubility of hydrogen in bio-oil compounds: KDB:	https://www.doi.org/10.1016/j.jct.2016.07.010 https://www.thermochimica.org/files/research/kdb/mol/mol895.mol
Vapor Liquid Equilibrium for Several Compounds Relevant to the Biofuels Industry: Vapor-Liquid Equilibrium for Binary Systems of Allyl Alcohol with Water, Methanol, and Ethanol at 101.3 kPa:	https://www.doi.org/10.1021/je400885z https://www.doi.org/10.1021/acs.jced.5b01048 https://www.sciencedirect.com/book/9780128029992/the-yaws-handbook-of-vapor-pressure https://www.doi.org/10.1016/j.tca.2015.04.027
Volumetric properties for binary and ternary mixtures of allyl alcohol, separation of 2-propenol (allyl alcohol + water), isobaric vapor-liquid phase equilibrium for binary systems of allyl alcohol + water: Crippen Method:	https://www.doi.org/10.1016/j.jct.2017.11.009 https://www.doi.org/10.1016/j.fluid.2017.10.025 http://link.springer.com/article/10.1007/BF02311772 https://www.chemeo.com/doc/models/crippen_log10ws
Measurement and Correlation of Isobaric Vapor-Liquid Equilibrium for Binary Systems of Allyl Alcohol with Isobutyl Acetate, Butyl Acetate, and Butyl Propionate at 101.3 kPa:	https://www.doi.org/10.1021/acs.jced.7b01024 http://webbook.nist.gov/cgi/cbook.cgi?ID=C107186&Units=SI https://www.thermochimica.org/research/kdb/hcprop/showprop.php?cmpid=895
Henry's Law Constants and Infinite Dilution Activity Coefficients of Propane, Propene, Butane, 2-Methylpropane, 1-Butene, Isobaric Vapor-Liquid Phase Equilibrium Measurements for Allyl Alcohol + Propene, trans-2-Butene, Ethyl Acetate, Ethyl Propyl Ether, Ethyl Methoxyacetate, and Ethyl Propyl Ether by a Low-Residence Time Flow Method:	https://www.doi.org/10.1021/je0502647 http://pubs.acs.org/doi/abs/10.1021/ci9903071 https://www.doi.org/10.1021/acs.jced.8b00908 https://www.doi.org/10.1021/je060088h https://en.wikipedia.org/wiki/Joback_method
KDB Pure (Korean Thermophysical Properties Databank): Heat Capacities of 2-Propenol and Selected Cyclohexylalcohols: Vapor-Liquid Equilibrium for Benzene + 2-Methylpentane and Allyl Alcohol + 2-Propenol:	https://www.doi.org/10.1016/j.tca.2014.03.043 https://www.doi.org/10.1021/je0499519 https://www.doi.org/10.1021/acs.jced.6b00893
Vapor-Liquid Equilibrium for Binary Systems of Allyl Alcohol + Water and Allyl Alcohol + Benzene at 101.3 kPa:	

Legend

af:	Acentric Factor
aiqt:	Autoignition Temperature
cp _g :	Ideal gas heat capacity
cp _l :	Liquid phase heat capacity
d _{visc} :	Dynamic viscosity
fl:	Lower Flammability Limit
flu:	Upper Flammability Limit
fpc:	Flash Point (Closed Cup Method)
fpo:	Flash Point (Open Cup Method)

gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
hvapt:	Enthalpy of vaporization at a given temperature
ie:	Ionization energy
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
nfpaf:	NFPA Fire Rating
nfpah:	NFPA Health Rating
nfpas:	NFPA Safety Rating
pc:	Critical Pressure
pvap:	Vapor pressure
rfi:	Refractive Index
rho:	Liquid Density
rinpol:	Non-polar retention indices
ripol:	Polar retention indices
srf:	Surface Tension
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume
zc:	Critical Compressibility

Latest version available from:

<https://www.cheméo.com/cid/32-070-8/2-Propen-1-ol.pdf>

Generated by Cheméo on 2024-04-17 02:37:56.012483194 +0000 UTC m=+15610724.933060516.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.