

«alpha»-Bromoisobutyric acid

| | |
|-----------------------------|--|
| Other names: | 2-Bromoisobutyric acid 2-Bromo-2-methylpropionic acid Propanoic acid, 2-bromo-2-methyl- Isobromobutyric acid Propionic acid, 2-bromo-2-methyl- 2-Bromo-2-methylpropanoic acid |
| Inchi: | InChI=1S/C4H7BrO2/c1-4(2,5)3(6)7/h1-2H3,(H,6,7) |
| InchiKey: | XXSPGBOGLXKMDU-UHFFFAOYSA-N |
| Formula: | C4H7BrO2 |
| SMILES: | CC(C)(Br)C(=O)O |
| Mol. weight [g/mol]: | 167.00 |
| CAS: | 2052-01-9 |

Physical Properties

| Property code | Value | Unit | Source |
|---------------|---------|----------------------|----------------|
| gf | -265.78 | kJ/mol | Joback Method |
| hf | -373.12 | kJ/mol | Joback Method |
| hfus | 9.67 | kJ/mol | Joback Method |
| hvap | 53.06 | kJ/mol | Joback Method |
| log10ws | -1.14 | | Crippen Method |
| logp | 1.244 | | Crippen Method |
| mcvol | 92.160 | ml/mol | McGowan Method |
| pc | 5414.53 | kPa | Joback Method |
| tb | 472.20 | K | NIST Webbook |
| tc | 701.13 | K | Joback Method |
| tf | 307.81 | K | Joback Method |
| vc | 0.336 | m ³ /kmol | Joback Method |

Temperature Dependent Properties

| Property code | Value | Unit | Temperature [K] | Source |
|---------------|--------|---------|-----------------|---------------|
| cpg | 178.24 | J/mol×K | 499.90 | Joback Method |
| cpg | 185.11 | J/mol×K | 533.44 | Joback Method |
| cpg | 191.49 | J/mol×K | 566.98 | Joback Method |

| | | | | |
|-------|-----------|---------|--------|---------------|
| cpg | 197.40 | J/molxK | 600.51 | Joback Method |
| cpg | 202.89 | J/molxK | 634.05 | Joback Method |
| cpg | 207.98 | J/molxK | 667.59 | Joback Method |
| cpg | 212.70 | J/molxK | 701.13 | Joback Method |
| dvisc | 0.0131037 | Paxs | 307.81 | Joback Method |
| dvisc | 0.0049538 | Paxs | 339.82 | Joback Method |
| dvisc | 0.0022143 | Paxs | 371.84 | Joback Method |
| dvisc | 0.0011245 | Paxs | 403.86 | Joback Method |
| dvisc | 0.0006309 | Paxs | 435.87 | Joback Method |
| dvisc | 0.0003831 | Paxs | 467.88 | Joback Method |
| dvisc | 0.0002479 | Paxs | 499.90 | Joback Method |

Sources

| | |
|------------------------|---|
| Crippen Method: | http://pubs.acs.org/doi/abs/10.1021/ci9903071 |
| Crippen Method: | https://www.chemeo.com/doc/models/crippen_log10ws |
| Joback Method: | https://en.wikipedia.org/wiki/Joback_method |
| McGowan Method: | http://link.springer.com/article/10.1007/BF02311772 |
| NIST Webbook: | http://webbook.nist.gov/cgi/cbook.cgi?ID=C2052019&Units=SI |

Legend

| | |
|-----------------|---|
| cpg: | Ideal gas heat capacity |
| dvisc: | Dynamic viscosity |
| gf: | Standard Gibbs free energy of formation |
| hf: | Enthalpy of formation at standard conditions |
| hfus: | Enthalpy of fusion at standard conditions |
| hvap: | Enthalpy of vaporization at standard conditions |
| log10ws: | Log10 of Water solubility in mol/l |
| logp: | Octanol/Water partition coefficient |
| mcvol: | McGowan's characteristic volume |
| pc: | Critical Pressure |
| tb: | Normal Boiling Point Temperature |
| tc: | Critical Temperature |
| tf: | Normal melting (fusion) point |
| vc: | Critical Volume |

Latest version available from:

<https://www.cheméo.com/cid/33-389-4/alpha-Bromoisobutyric-acid.pdf>

Generated by Cheméo on 2024-04-24 10:28:23.015194401 +0000 UTC m=+16243751.935771712.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.