

2,3-Epoxypropyl-p-methoxyphenylether

Other names:	2,3-Epoxypropyl para-methoxyphenyl ether Oxirane, [(4-methoxyphenoxy)methyl]- Benzene, 1-(2,3-epoxypropoxy)-4-methoxy- Anisole, p-(2,3-epoxypropoxy)- 2,3-Epoxypropyl-4-methoxyphenyl ether Glycidyl p-methoxyphenyl ether Glycidyl 4-methoxyphenyl ether 2-(p-Methoxyphenoxymethyl)oxirane Methoxyphenyl glycidyl ether p-Methoxyphenyl glycidyl ether 3-(4-Methoxyphenoxy)-1,2-epoxypropane 1-(p-Methoxyphenoxy)-2,3-epoxypropane 1,2-Epoxy-3-(p-methoxyphenoxy)propane 1-(4-Methoxyphenoxy)-2,3-epoxypropane ((4-Methoxyphenoxy)methyl)oxirane NSC 126709 NSC 26796 2,3-epoxypropyl 4'-methoxyphenyl ether
Inchi:	InChI=1S/C10H12O3/c1-11-8-2-4-9(5-3-8)12-6-10-7-13-10/h2-5,10H,6-7H2,1H3
InchiKey:	AVWGFHZLPLKBL-UHFFFAOYSA-N
Formula:	C10H12O3
SMILES:	COc1ccc(OCC2CO2)cc1
Mol. weight [g/mol]:	180.20

Physical Properties

Property code	Value	Unit	Source
hf	-276.21	kJ/mol	Cheméo Relay (1.0)
hfus	23.80	kJ/mol	Joback Method
hvap	77.74	kJ/mol	Cheméo Relay (1.0)
ie	8.29	eV	Cheméo Relay (1.0)
logp	1.473		Crippen Method
mcvol	134.750	ml/mol	McGowan Method
pc	3173.97	kPa	Joback Method
tb	569.04	K	Cheméo Relay (1.0)
tc	754.67	K	Cheméo Relay (1.0)
tf	305.66	K	Cheméo Relay (1.0)

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	320.96	J/mol×K	538.39	Joback Method
cpg	335.37	J/mol×K	574.54	Joback Method
cpg	348.95	J/mol×K	610.70	Joback Method
cpg	361.74	J/mol×K	646.85	Joback Method
cpg	373.75	J/mol×K	683.01	Joback Method
cpg	385.02	J/mol×K	719.16	Joback Method
cpg	395.56	J/mol×K	755.32	Joback Method
dvisc	0.0013855	Pa×s	330.37	Joback Method
dvisc	0.0009843	Pa×s	365.04	Joback Method
dvisc	0.0007419	Pa×s	399.71	Joback Method
dvisc	0.0005851	Pa×s	434.38	Joback Method
dvisc	0.0004779	Pa×s	469.05	Joback Method
dvisc	0.0004014	Pa×s	503.72	Joback Method
dvisc	0.0003447	Pa×s	538.39	Joback Method

Sources

Cheméo Relay (1.0):

Cheméo Relay (1.0, beta):

NIST Webbook:

<http://webbook.nist.gov/cgi/cbook.cgi?ID=C2211941&Units=SI>

Joback Method:

https://en.wikipedia.org/wiki/Joback_method

McGowan Method:

<http://link.springer.com/article/10.1007/BF02311772>

Crippen Method:

<http://pubs.acs.org/doi/abs/10.1021/ci990307l>

Crippen Method:

https://www.chemeo.com/doc/models/crippen_log10ws

Legend

cpg: Ideal gas heat capacity

dvisc: Dynamic viscosity

hf: Enthalpy of formation at standard conditions

hfus: Enthalpy of fusion at standard conditions

h_{vap}:	Enthalpy of vaporization at standard conditions
i_e:	Ionization energy
log_p:	Octanol/Water partition coefficient
mc_{vol}:	McGowan's characteristic volume
p_c:	Critical Pressure
t_b:	Normal Boiling Point Temperature
t_c:	Critical Temperature
t_f:	Normal melting (fusion) point

Latest version available from:

<https://www.cheméo.com/cid/33-527-0/2-3-Epoxypropyl-p-methoxyphenylether.pdf>

Generated by Cheméo on 2026-07-21 18:15:31.984316728 +0000 UTC m=+168827.826202118.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.