

Cyclotetrasiloxane, 2,4,6,8-tetramethyl-

Other names:	1,3,5,7-Tetramethylcyclotetrasiloxane 2,4,6,8-tetramethyl-1,3,5,7,2,4,6,8-tetroxatetrasilocane 2,4,6,8-tetramethylcyclotetrasiloxane Tetramethylcyclotetrasiloxane
Inchi:	InChI=1S/C4H16O4Si4/c1-9-5-10(2)7-12(4)8-11(3)6-9/h9-12H,1-4H3
InchiKey:	BQYPERTZJDZBIR-UHFFFAOYSA-N
Formula:	C4H16O4Si4
SMILES:	C[SiH]1O[SiH](C)O[SiH](C)O[SiH](C)O1
Mol. weight [g/mol]:	240.51
CAS:	2370-88-9

Physical Properties

Property code	Value	Unit	Source
log10ws	8.61		Crippen Method
logp	-0.532		Crippen Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
rho1	996.14	kg/m3	293.15	The mixing properties of 1,3,5-trimethyl-1,3,5-tris(3,3,3-trifluoropropyl) cyclotrisiloxane with various organosilicon compounds at different temperatures
rho1	976.66	kg/m3	308.15	The mixing properties of 1,3,5-trimethyl-1,3,5-tris(3,3,3-trifluoropropyl) cyclotrisiloxane with various organosilicon compounds at different temperatures

rho1	970.26	kg/m3	313.15	The mixing properties of 1,3,5-trimethyl-1,3,5-tris(3,3,3-trifluoropropyl) cyclotrisiloxane with various organosilicon compounds at different temperatures
rho1	963.83	kg/m3	318.15	The mixing properties of 1,3,5-trimethyl-1,3,5-tris(3,3,3-trifluoropropyl) cyclotrisiloxane with various organosilicon compounds at different temperatures
rho1	957.37	kg/m3	323.15	The mixing properties of 1,3,5-trimethyl-1,3,5-tris(3,3,3-trifluoropropyl) cyclotrisiloxane with various organosilicon compounds at different temperatures
rho1	950.86	kg/m3	328.15	The mixing properties of 1,3,5-trimethyl-1,3,5-tris(3,3,3-trifluoropropyl) cyclotrisiloxane with various organosilicon compounds at different temperatures
rho1	992.39	kg/m3	298.15	Excess Molar Volumes of 2,4,6,8-Tetramethylcyclotetrasiloxane with Benzene, Toluene, and Xylene at T = (288.15, 298.15, and 308.15) K

Sources

Excess Molar Volumes of 2,4,6,8-Tetramethylcyclotetrasiloxane with Benzene, Toluene, and Xylene at T = (288.15, 298.15, and 308.15) K: Crippen Method:

<https://www.doi.org/10.1021/je2009736>
<http://webbook.nist.gov/cgi/cbook.cgi?ID=C2370889&Units=SI>
<http://pubs.acs.org/doi/abs/10.1021/ci9903071>
https://www.chemeo.com/doc/models/crippen_log10ws

The mixing properties of 1,3,5-trimethyl-1,3,5-tris(3,3,3-trifluoropropyl) cyclotrisiloxane with various organosilicon compounds at different temperatures:

<https://www.doi.org/10.1016/j.jct.2014.09.010>

Legend

log10ws: Log10 of Water solubility in mol/l
logp: Octanol/Water partition coefficient
rho: Liquid Density

Latest version available from:

<https://www.cheméo.com/cid/34-203-8/Cyclotetrasiloxane-2-4-6-8-tetramethyl.pdf>

Generated by Cheméo on 2024-04-10 06:16:45.477835119 +0000 UTC m=+15019054.398412431.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.