

Benzoic acid, 2-methoxy-, tert.-butyldimethylsilyl ester

Inchi: InChI=1S/C14H22O3Si/c1-14(2,3)18(5,6)17-13(15)11-9-7-8-10-12(11)16-4/h7-10H,1-6H
InchiKey: GXWNNIVCHZNQAT-UHFFFAOYSA-N
Formula: C14H22O3Si
SMILES: COc1ccccc1C(=O)O[Si](C)(C)C(C)(C)C
Mol. weight [g/mol]: 266.41

Physical Properties

Property code	Value	Unit	Source
log10ws	-1.98		Crippen Method
logp	3.857		Crippen Method
rinpol	1706.00		NIST Webbook

Sources

Crippen Method: https://www.chemeo.com/doc/models/crippen_log10ws
NIST Webbook: <http://webbook.nist.gov/cgi/cbook.cgi?ID=U374507&Units=SI>
Crippen Method: <http://pubs.acs.org/doi/abs/10.1021/ci990307l>

Legend

log10ws: Log10 of Water solubility in mol/l
logp: Octanol/Water partition coefficient
rinpol: Non-polar retention indices

Latest version available from:

<https://www.chemeo.com/cid/34-544-0/Benzoic-acid-2-methoxy-tert-butyldimethylsilyl-ester.pdf>

Generated by Cheméo on 2024-04-20 08:43:50.746561167 +0000 UTC m=+15891879.667138478.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.