

5-methylhexanoic acid

Other names:	Hexanoic acid, 5-methyl-
Inchi:	InChI=1S/C7H14O2/c1-6(2)4-3-5-7(8)9/h6H,3-5H2,1-2H3,(H,8,9)
InchiKey:	MHPUGCYGQWGLJL-UHFFFAOYSA-N
Formula:	C7H14O2
SMILES:	CC(C)CCCC(=O)O
Mol. weight [g/mol]:	130.18
CAS:	628-46-6

Physical Properties

Property code	Value	Unit	Source
gf	-260.12	kJ/mol	Joback Method
hf	-457.90	kJ/mol	Joback Method
hfus	16.05	kJ/mol	Joback Method
hvap	54.21	kJ/mol	Joback Method
log10ws	-1.61		Crippen Method
logp	1.897		Crippen Method
mcvol	116.930	ml/mol	McGowan Method
pc	3352.86	kPa	Joback Method
ripol	1914.00		NIST Webbook
tb	486.00 ± 6.00	K	NIST Webbook
tc	678.63	K	Joback Method
tf	264.40	K	Joback Method
vc	0.447	m3/kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	265.80	J/mol×K	505.17	Joback Method
cpg	276.01	J/mol×K	534.08	Joback Method
cpg	285.78	J/mol×K	562.99	Joback Method
cpg	295.14	J/mol×K	591.90	Joback Method
cpg	304.09	J/mol×K	620.81	Joback Method
cpg	312.64	J/mol×K	649.72	Joback Method
cpg	320.81	J/mol×K	678.63	Joback Method

dvisc	0.0353274	Pa×s	264.40	Joback Method
dvisc	0.0080276	Pa×s	304.53	Joback Method
dvisc	0.0025758	Pa×s	344.66	Joback Method
dvisc	0.0010476	Pa×s	384.78	Joback Method
dvisc	0.0005050	Pa×s	424.91	Joback Method
dvisc	0.0002761	Pa×s	465.04	Joback Method
dvisc	0.0001662	Pa×s	505.17	Joback Method

Correlations

Information	Value
Property code	pvap
Equation	$\ln(P_{vp}) = A + B/(T + C)$
Coeff. A	1.60019e+01
Coeff. B	-4.65437e+03
Coeff. C	-7.71340e+01
Temperature range (K), min.	373.32
Temperature range (K), max.	512.51

Sources

Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws
Joback Method:	https://en.wikipedia.org/wiki/Joback_method
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=C628466&Units=SI
The Yaws Handbook of Vapor Pressure:	https://www.sciencedirect.com/book/9780128029992/the-yaws-handbook-of-vapor-pressure
Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci990307I

Legend

cpg:	Ideal gas heat capacity
dvisc:	Dynamic viscosity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions

h_{vap}:	Enthalpy of vaporization at standard conditions
log₁₀w_s:	Log10 of Water solubility in mol/l
log_p:	Octanol/Water partition coefficient
mc_{vol}:	McGowan's characteristic volume
p_c:	Critical Pressure
p_{vap}:	Vapor pressure
ri_{pol}:	Polar retention indices
t_b:	Normal Boiling Point Temperature
t_c:	Critical Temperature
t_f:	Normal melting (fusion) point
v_c:	Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/35-286-6/5-methylhexanoic-acid.pdf>

Generated by Cheméo on 2025-12-23 18:00:06.086646285 +0000 UTC m=+6261003.616686950.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.