

# Phosphorous acid, trimethyl ester

|                      |                                                                                                                                                                                           |
|----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Other names:         | Methyl phosphite ((MeO)3P)<br>NSC 6513<br>P(OCH3)3<br>Trimethoxyfosfin<br>Trimethoxyphosphine<br>Trimethyl ester of phosphorous acid<br>Trimethylfosfit<br>UN 2329<br>trimethyl phosphite |
| Inchi:               | InChI=1S/C3H9O3P/c1-4-7(5-2)6-3/h1-3H3                                                                                                                                                    |
| InchiKey:            | CYTQBVOFDCPGCX-UHFFFAOYSA-N                                                                                                                                                               |
| Formula:             | C3H9O3P                                                                                                                                                                                   |
| SMILES:              | COP(OC)OC                                                                                                                                                                                 |
| Mol. weight [g/mol]: | 124.08                                                                                                                                                                                    |

## Physical Properties

| Property code | Value       | Unit   | Source         |
|---------------|-------------|--------|----------------|
| affp          | 929.70      | kJ/mol | NIST Webbook   |
| basg          | 899.90      | kJ/mol | NIST Webbook   |
| ie            | 8.40        | eV     | NIST Webbook   |
| ie            | 9.00 ± 0.05 | eV     | NIST Webbook   |
| ie            | 8.40        | eV     | NIST Webbook   |
| ie            | 8.40        | eV     | NIST Webbook   |
| ie            | 8.50        | eV     | NIST Webbook   |
| ie            | 9.21        | eV     | NIST Webbook   |
| ie            | 9.00        | eV     | NIST Webbook   |
| ie            | 9.40        | eV     | NIST Webbook   |
| ie            | 8.92        | eV     | NIST Webbook   |
| ie            | 9.25        | eV     | NIST Webbook   |
| ie            | 9.30        | eV     | NIST Webbook   |
| ie            | 9.22        | eV     | NIST Webbook   |
| logp          | 1.153       |        | Crippen Method |
| mcvol         | 91.200      | ml/mol | McGowan Method |
| rinpol        | 689.00      |        | NIST Webbook   |
| rinpol        | 688.00      |        | NIST Webbook   |

# Temperature Dependent Properties

| Property code | Value  | Unit    | Temperature [K] | Source                                                                                                                                |
|---------------|--------|---------|-----------------|---------------------------------------------------------------------------------------------------------------------------------------|
| cpl           | 176.65 | J/mol×K | 299.05          | Heat Capacity and Enthalpy of Formation of Trimethyl Phosphite, 2-Chloromethylbenzonitrile, and 2-Dimethylphosphonomethylbenzonitrile |
| cpl           | 179.14 | J/mol×K | 302.10          | Heat Capacity and Enthalpy of Formation of Trimethyl Phosphite, 2-Chloromethylbenzonitrile, and 2-Dimethylphosphonomethylbenzonitrile |
| cpl           | 180.68 | J/mol×K | 305.10          | Heat Capacity and Enthalpy of Formation of Trimethyl Phosphite, 2-Chloromethylbenzonitrile, and 2-Dimethylphosphonomethylbenzonitrile |
| cpl           | 183.16 | J/mol×K | 308.15          | Heat Capacity and Enthalpy of Formation of Trimethyl Phosphite, 2-Chloromethylbenzonitrile, and 2-Dimethylphosphonomethylbenzonitrile |
| cpl           | 183.86 | J/mol×K | 310.95          | Heat Capacity and Enthalpy of Formation of Trimethyl Phosphite, 2-Chloromethylbenzonitrile, and 2-Dimethylphosphonomethylbenzonitrile |
| cpl           | 187.75 | J/mol×K | 313.75          | Heat Capacity and Enthalpy of Formation of Trimethyl Phosphite, 2-Chloromethylbenzonitrile, and 2-Dimethylphosphonomethylbenzonitrile |

|     |        |         |        |                                                                                                                                       |
|-----|--------|---------|--------|---------------------------------------------------------------------------------------------------------------------------------------|
| cpl | 188.67 | J/mol×K | 316.73 | Heat Capacity and Enthalpy of Formation of Trimethyl Phosphite, 2-Chloromethylbenzonitrile, and 2-Dimethylphosphonomethylbenzonitrile |
| cpl | 192.12 | J/mol×K | 319.69 | Heat Capacity and Enthalpy of Formation of Trimethyl Phosphite, 2-Chloromethylbenzonitrile, and 2-Dimethylphosphonomethylbenzonitrile |
| cpl | 194.20 | J/mol×K | 322.33 | Heat Capacity and Enthalpy of Formation of Trimethyl Phosphite, 2-Chloromethylbenzonitrile, and 2-Dimethylphosphonomethylbenzonitrile |
| cpl | 195.38 | J/mol×K | 325.90 | Heat Capacity and Enthalpy of Formation of Trimethyl Phosphite, 2-Chloromethylbenzonitrile, and 2-Dimethylphosphonomethylbenzonitrile |
| cpl | 196.91 | J/mol×K | 329.00 | Heat Capacity and Enthalpy of Formation of Trimethyl Phosphite, 2-Chloromethylbenzonitrile, and 2-Dimethylphosphonomethylbenzonitrile |
| cpl | 200.37 | J/mol×K | 331.35 | Heat Capacity and Enthalpy of Formation of Trimethyl Phosphite, 2-Chloromethylbenzonitrile, and 2-Dimethylphosphonomethylbenzonitrile |
| cpl | 202.37 | J/mol×K | 335.89 | Heat Capacity and Enthalpy of Formation of Trimethyl Phosphite, 2-Chloromethylbenzonitrile, and 2-Dimethylphosphonomethylbenzonitrile |

|       |        |         |        |                                                                                                                                       |
|-------|--------|---------|--------|---------------------------------------------------------------------------------------------------------------------------------------|
| cpl   | 204.19 | J/mol×K | 337.70 | Heat Capacity and Enthalpy of Formation of Trimethyl Phosphite, 2-Chloromethylbenzonitrile, and 2-Dimethylphosphonomethylbenzonitrile |
| cpl   | 207.44 | J/mol×K | 340.75 | Heat Capacity and Enthalpy of Formation of Trimethyl Phosphite, 2-Chloromethylbenzonitrile, and 2-Dimethylphosphonomethylbenzonitrile |
| cpl   | 212.11 | J/mol×K | 343.73 | Heat Capacity and Enthalpy of Formation of Trimethyl Phosphite, 2-Chloromethylbenzonitrile, and 2-Dimethylphosphonomethylbenzonitrile |
| cpl   | 214.53 | J/mol×K | 348.05 | Heat Capacity and Enthalpy of Formation of Trimethyl Phosphite, 2-Chloromethylbenzonitrile, and 2-Dimethylphosphonomethylbenzonitrile |
| hvapt | 42.50  | kJ/mol  | 322.00 | NIST Webbook                                                                                                                          |
| hvapt | 32.80  | kJ/mol  | 458.00 | NIST Webbook                                                                                                                          |

## Sources

Cheméo Relay (1.0):

Cheméo Relay (1.0, beta):

Heat Capacity and Enthalpy of Formation of Trimethyl Phosphite, 2-Chloromethylbenzonitrile, and 2-Dimethylphosphonomethylbenzonitrile: McGowan Method:

<https://www.doi.org/10.1021/je060445o>

<http://webbook.nist.gov/cgi/cbook.cgi?ID=C121459&Units=SI>

<http://link.springer.com/article/10.1007/BF02311772>

Crippen Method:

<http://pubs.acs.org/doi/abs/10.1021/ci990307l>

Crippen Method:

[https://www.chemeo.com/doc/models/crippen\\_log10ws](https://www.chemeo.com/doc/models/crippen_log10ws)

## Legend

**affp:** Proton affinity

|                |                                                 |
|----------------|-------------------------------------------------|
| <b>basg:</b>   | Gas basicity                                    |
| <b>cpl:</b>    | Liquid phase heat capacity                      |
| <b>hvapt:</b>  | Enthalpy of vaporization at a given temperature |
| <b>ie:</b>     | Ionization energy                               |
| <b>logp:</b>   | Octanol/Water partition coefficient             |
| <b>mcvol:</b>  | McGowan's characteristic volume                 |
| <b>rinpol:</b> | Non-polar retention indices                     |

Latest version available from:

<https://www.cheméo.com/cid/35-565-6/Phosphorous-acid-trimethyl-ester.pdf>

Generated by Cheméo on 2026-07-21 08:09:47.523807629 +0000 UTC m=+132483.365693061.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.