

# Benzoic acid, 3,5-dimethyl-

|                             |   |
|-----------------------------|---|
| <b>Other names:</b>         | 3,5-Dimethylbenzoic acid<br>Mesitylenic acid                      |
| <b>Inchi:</b>               | InChI=1S/C9H10O2/c1-6-3-7(2)5-8(4-6)9(10)11/h3-5H,1-2H3,(H,10,11) |
| <b>InchiKey:</b>            | UMVOQQDNEYOJOK-UHFFFAOYSA-N                                       |
| <b>Formula:</b>             | C9H10O2   |
| <b>SMILES:</b>              | <chem>Cc1cc(C)cc(C(=O)O)c1</chem>                                 |
| <b>Mol. weight [g/mol]:</b> | 150.17  |
| <b>CAS:</b>                 | 499-06-9  |

## Physical Properties

| Property code | Value           | Unit                 | Source         |
|---------------|-----------------|----------------------|----------------|
| chs           | -4504.37 ± 0.71 | kJ/mol               | NIST Webbook   |
| chs           | -4504.00 ± 0.10 | kJ/mol               | NIST Webbook   |
| gf            | -147.69         | kJ/mol               | Joback Method  |
| hf            | -364.50 ± 1.70  | kJ/mol               | NIST Webbook   |
| hf            | -364.10         | kJ/mol               | NIST Webbook   |
| hfs           | -466.43 ± 0.88  | kJ/mol               | NIST Webbook   |
| hfs           | -466.80 ± 1.70  | kJ/mol               | NIST Webbook   |
| hfus          | 18.02           | kJ/mol               | Joback Method  |
| hsub          | 102.30          | kJ/mol               | NIST Webbook   |
| hsub          | 102.30 ± 0.30   | kJ/mol               | NIST Webbook   |
| hsub          | 102.30 ± 0.30   | kJ/mol               | NIST Webbook   |
| hvap          | 62.65           | kJ/mol               | Joback Method  |
| log10ws       | -2.48           |                      | Crippen Method |
| logp          | 2.002           |                      | Crippen Method |
| mcvol         | 121.350         | ml/mol               | McGowan Method |
| pc            | 3782.33         | kPa                  | Joback Method  |
| tb            | 588.01          | K                    | Joback Method  |
| tc            | 793.17          | K                    | Joback Method  |
| tf            | 353.40          | K                    | Joback Method  |
| vc            | 0.457           | m <sup>3</sup> /kmol | Joback Method  |

## Temperature Dependent Properties

| Property code | Value         | Unit    | Temperature [K] | Source        |
|---------------|---------------|---------|-----------------|---------------|
| cpg           | 279.40        | J/mol×K | 588.01          | Joback Method |
| cpg           | 289.42        | J/mol×K | 622.20          | Joback Method |
| cpg           | 298.88        | J/mol×K | 656.40          | Joback Method |
| cpg           | 307.80        | J/mol×K | 690.59          | Joback Method |
| cpg           | 316.19        | J/mol×K | 724.78          | Joback Method |
| cpg           | 324.08        | J/mol×K | 758.97          | Joback Method |
| cpg           | 331.47        | J/mol×K | 793.17          | Joback Method |
| cps           | 192.20        | J/mol×K | 299.15          | NIST Webbook  |
| dvisc         | 0.0013296     | Paxs    | 392.50          | Joback Method |
| dvisc         | 0.0031453     | Paxs    | 353.40          | Joback Method |
| dvisc         | 0.0006569     | Paxs    | 431.60          | Joback Method |
| dvisc         | 0.0003649     | Paxs    | 470.70          | Joback Method |
| dvisc         | 0.0002218     | Paxs    | 509.81          | Joback Method |
| dvisc         | 0.0001448     | Paxs    | 548.91          | Joback Method |
| dvisc         | 0.0001000     | Paxs    | 588.01          | Joback Method |
| hfust         | 22.60         | kJ/mol  | 442.90          | NIST Webbook  |
| hfust         | 22.60         | kJ/mol  | 442.90          | NIST Webbook  |
| hsubt         | 100.80 ± 0.30 | kJ/mol  | 331.50          | NIST Webbook  |

## Correlations

| Information                 | Value                         |
|-----------------------------|-------------------------------|
| Property code               | pvap                          |
| Equation                    | $\ln(P_{vp}) = A + B/(T + C)$ |
| Coeff. A                    | 1.40598e+01                   |
| Coeff. B                    | -4.32008e+03                  |
| Coeff. C                    | -8.71000e+01                  |
| Temperature range (K), min. | 400.78                        |
| Temperature range (K), max. | 580.92                        |

## Sources

**NIST Webbook:**

<http://webbook.nist.gov/cgi/cbook.cgi?ID=C499069&Units=SI>

**The Yaws Handbook of Vapor**

**Pressure:**

**Crippen Method:**

<https://www.sciencedirect.com/book/9780128029992/the-yaws-handbook-of-vapor-pressure>

<http://pubs.acs.org/doi/abs/10.1021/ci9903071>

**Crippen Method:**

[https://www.chemeo.com/doc/models/crippen\\_log10ws](https://www.chemeo.com/doc/models/crippen_log10ws)

**Joback Method:**

[https://en.wikipedia.org/wiki/Joback\\_method](https://en.wikipedia.org/wiki/Joback_method)

## Legend

|                 |  |
|-----------------|--|
| <b>chs:</b>     | Standard solid enthalpy of combustion                    |
| <b>cpg:</b>     | Ideal gas heat capacity                                  |
| <b>cps:</b>     | Solid phase heat capacity                                |
| <b>dvisc:</b>   | Dynamic viscosity  |
| <b>gf:</b>      | Standard Gibbs free energy of formation                  |
| <b>hf:</b>      | Enthalpy of formation at standard conditions             |
| <b>hfs:</b>     | Solid phase enthalpy of formation at standard conditions |
| <b>hfus:</b>    | Enthalpy of fusion at standard conditions                |
| <b>hfust:</b>   | Enthalpy of fusion at a given temperature                |
| <b>hsub:</b>    | Enthalpy of sublimation at standard conditions           |
| <b>hsubt:</b>   | Enthalpy of sublimation at a given temperature           |
| <b>hvap:</b>    | Enthalpy of vaporization at standard conditions          |
| <b>log10ws:</b> | Log10 of Water solubility in mol/l                       |
| <b>logp:</b>    | Octanol/Water partition coefficient                      |
| <b>mcvol:</b>   | McGowan's characteristic volume                          |
| <b>pc:</b>      | Critical Pressure  |
| <b>pvap:</b>    | Vapor pressure   |
| <b>tb:</b>      | Normal Boiling Point Temperature                         |
| <b>tc:</b>      | Critical Temperature                                     |
| <b>tf:</b>      | Normal melting (fusion) point                            |
| <b>vc:</b>      | Critical Volume  |

Latest version available from:

<https://www.cheméo.com/cid/38-684-1/Benzoic-acid-3-5-dimethyl.pdf>

Generated by Cheméo on 2024-04-23 14:27:21.985092767 +0000 UTC m=+16171690.905670079.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.