

3-MERCAPTOPROPIONIC ACID

Other names:	2-Mercaptoethanecarboxylic acid
	3-Mercaptopropanoic acid
	3-Thiolpropanoic acid
	3-Thiopropanoic acid
	3-Thiopropionic acid
	3MPA
	Hydracrylic acid, 3-thio-
	Mercaptopropionic acid
	NSC 437
	Propanoic acid, 3-mercapto-
	Propionic acid, 3-mercapto-
	«beta»-Mercaptopropanoic acid
	«beta»-Mercaptopropionic acid
Inchi:	InChI=1S/C3H6O2S/c4-3(5)1-2-6/h6H,1-2H2,(H,4,5)
InchiKey:	DKIDEFUBRARXTE-UHFFFAOYSA-N
Formula:	C3H6O2S
SMILES:	O=C(O)CCS
Mol. weight [g/mol]:	106.15

Physical Properties

Property code	Value	Unit	Source
af	0.6479		Cheméo Relay (1.0)
gf	-261.97	kJ/mol	Joback Method
hf	-405.79	kJ/mol	Cheméo Relay (1.0)
hfus	13.25	kJ/mol	Joback Method
hvap	72.99	kJ/mol	Cheméo Relay (1.0)
ie	9.87	eV	Cheméo Relay (1.0)
log10ws	0.25		Cheméo Relay (1.0)
logp	0.391		Crippen Method
mcvol	76.920	ml/mol	McGowan Method
pc	6037.30	kPa	Joback Method
rinpol	1057.00		NIST Webbook
rinpol	1057.00		NIST Webbook
ripol	2193.00		NIST Webbook
ripol	2193.00		NIST Webbook
ripol	2193.00		NIST Webbook

sl	228.90	J/mol×K	NIST Webbook
tb	502.07	K	Cheméo Relay (1.0)
tc	737.10	K	Cheméo Relay (1.0)
tf	298.62	K	Cheméo Relay (1.0)
vc	0.260	m ³ /kmol	Cheméo Relay (1.0)

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	145.21	J/mol×K	476.95	Joback Method
cpg	150.89	J/mol×K	509.70	Joback Method
cpg	156.30	J/mol×K	542.44	Joback Method
cpg	161.44	J/mol×K	575.19	Joback Method
cpg	166.33	J/mol×K	607.94	Joback Method
cpg	170.96	J/mol×K	640.69	Joback Method
cpg	175.36	J/mol×K	673.43	Joback Method
cpl	202.50	J/mol×K	299.80	NIST Webbook
hfust	16.97	kJ/mol	291.90	NIST Webbook
hfust	16.97	kJ/mol	291.90	NIST Webbook
sfust	58.20	J/mol×K	291.90	NIST Webbook

Pressure Dependent Properties

Property code	Value	Unit	Pressure [kPa]	Source
tbrp	384.20	K	2.00	NIST Webbook
tbrp	358.70	K	0.40	NIST Webbook

Sources

McGowan Method: <http://link.springer.com/article/10.1007/BF02311772>

Crippen Method: <http://pubs.acs.org/doi/abs/10.1021/ci990307l>

Crippen Method: https://www.chemeo.com/doc/models/crippen_log10ws

Cheméo Relay (1.0):

Cheméo Relay (1.0, beta):

Liquid-Liquid Equilibrium for the Ternary System of 3-Mercaptopropionic Acid + Water + Trichloromethane: <https://www.doi.org/10.1021/acs.jced.8b01187>

NIST Webbook:

<http://webbook.nist.gov/cgi/cbook.cgi?ID=C107960&Units=SI>

Joback Method:

https://en.wikipedia.org/wiki/Joback_method

Legend

af:	Acentric Factor
cpg:	Ideal gas heat capacity
cpl:	Liquid phase heat capacity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hfust:	Enthalpy of fusion at a given temperature
hvap:	Enthalpy of vaporization at standard conditions
ie:	Ionization energy
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
rinpol:	Non-polar retention indices
ripol:	Polar retention indices
sfust:	Entropy of fusion at a given temperature
sl:	Liquid phase molar entropy at standard conditions
tb:	Normal Boiling Point Temperature
tbrp:	Boiling point at reduced pressure
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/39-261-9/3-MERCAPTOPROPIONIC-ACID.pdf>

Generated by Cheméo on 2026-07-21 16:51:47.262721004 +0000 UTC m=+163803.104606389.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.