

# 1-Hexanol, 6-amino, N-isopropylidene

**Inchi:** InChI=1S/C9H19NO/c1-9(2)10-7-5-3-4-6-8-11/h11H,3-8H2,1-2H3  
**InchiKey:** FDCDFMLVEZUAIP-UHFFFAOYSA-N  
**Formula:** C9H19NO  
**SMILES:** CC(C)=NCCCCCO  
**Mol. weight [g/mol]:** 157.25

## Physical Properties

Property code	Value	Unit	Source
hf	-308.89	kJ/mol	Joback Method
hvap	55.70	kJ/mol	Joback Method
log10ws	-2.02		Crippen Method
logp	2.020		Crippen Method
mcvol	149.220	ml/mol	McGowan Method
pc	2289.32	kPa	Joback Method
rinpol	1307.00		NIST Webbook
rinpol	1307.00		NIST Webbook
tb	574.06	K	Joback Method
tc	751.30	K	Joback Method

## Sources

**Crippen Method:** <http://pubs.acs.org/doi/abs/10.1021/ci9903071>  
**Crippen Method:** [https://www.chemeo.com/doc/models/crippen\\_log10ws](https://www.chemeo.com/doc/models/crippen_log10ws)  
**Joback Method:** [https://en.wikipedia.org/wiki/Joback\\_method](https://en.wikipedia.org/wiki/Joback_method)  
**McGowan Method:** <http://link.springer.com/article/10.1007/BF02311772>  
**NIST Webbook:** <http://webbook.nist.gov/cgi/cbook.cgi?ID=R65007&Units=SI>

## Legend

**hf:** Enthalpy of formation at standard conditions  
**hvap:** Enthalpy of vaporization at standard conditions

<b>log10ws:</b>	Log10 of Water solubility in mol/l
<b>logp:</b>	Octanol/Water partition coefficient
<b>mcvol:</b>	McGowan's characteristic volume
<b>pc:</b>	Critical Pressure
<b>rinpol:</b>	Non-polar retention indices
<b>tb:</b>	Normal Boiling Point Temperature
<b>tc:</b>	Critical Temperature

Latest version available from:

<https://www.cheméo.com/cid/39-317-7/1-Hexanol-6-amino-N-isopropylidene.pdf>

Generated by Cheméo on 2024-04-29 04:09:52.234278059 +0000 UTC m=+16653041.154855374.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.