

Nobiletin

Other names:

2-(3,4-dimethoxyphenyl)-5,6,7,8-tetramethoxy-4H-1-benzopyran-4-one
2-(3,4-dimethoxyphenyl)-5,6,7,8-tetramethoxy-4H-chromen-4-one
3',4',5,6,7,8-hexamethoxyflavone
4H-1-Benzopyran-4-one, 2-(3,4-dimethoxyphenyl)-5,6,7,8-tetramethoxy-
Flavone, 5,6,7,8,3',4'-hexamethoxy

Inchi: InChI=1S/C21H22O8/c1-23-13-8-7-11(9-15(13)24-2)14-10-12(22)16-17(25-3)19(26-4)21**InchiKey:** MRIAQLRQZPPODS-UHFFFAOYSA-N**Formula:** C₂₁H₂₂O₈**SMILES:** COc1ccc(-c2cc(=O)c3c(OC)c(OC)c(OC)c(OC)c3o2)cc1OC**Mol. weight [g/mol]:** 402.40

Physical Properties

Property code	Value	Unit	Source
logp	3.512		Crippen Method
mcvol	286.730	ml/mol	McGowan Method
rinpol	3380.90		NIST Webbook
rinpol	3392.00		NIST Webbook

Sources

McGowan Method: <http://link.springer.com/article/10.1007/BF02311772>**Crippen Method:** <http://pubs.acs.org/doi/abs/10.1021/ci990307l>**Crippen Method:** https://www.cheméo.com/doc/models/crippen_log10ws**Cheméo Relay (1.0):****Cheméo Relay (1.0, beta):****Measuring and validation for** <https://www.doi.org/10.1016/j.jct.2015.08.018>**isothermal solubility data of solid****2-(3,4-dimethoxyphenyl)-5,6,7,8-tetramethoxychromen-4-one** <http://webbook.nist.gov/cgi/cbook.cgi?ID=C478013&Units=SI>**(nobiletin) in supercritical carbon dioxide:**

Legend

logp: Octanol/Water partition coefficient

mcvol: McGowan's characteristic volume

rinpol: Non-polar retention indices

Latest version available from:

<https://www.chemeo.com/cid/39-568-9/Nobiletin.pdf>

Generated by Cheméo on 2026-07-21 18:25:05.154135959 +0000 UTC m=+169400.996021359.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.