

1,2-Benzenedicarboxylic acid, 3-nitro-

Other names:	3-Nitrophthalic acid 3-nitro-1,2-benzenedicarboxylic acid Phthalic acid, 3-nitro- m-Nitrophthalic acid
Inchi:	InChI=1S/C8H5NO6/c10-7(11)4-2-1-3-5(9(14)15)6(4)8(12)13/h1-3H,(H,10,11)(H,12,13)
InchiKey:	KFIRODWJCYBBHY-UHFFFAOYSA-N
Formula:	C8H5NO6
SMILES:	O=C(O)c1cccc([N+](=O)[O-])c1C(=O)O
Mol. weight [g/mol]:	211.13
CAS:	603-11-2

Physical Properties

Property code	Value	Unit	Source
gf	-386.30	kJ/mol	Joback Method
hf	-535.24	kJ/mol	Joback Method
hfus	55.30	kJ/mol	Experimental and computational thermochemistry of 3- and 4-nitrophthalic acids
hvap	100.44	kJ/mol	Joback Method
log10ws	-1.01		Aqueous Solubility Prediction Method
logp	0.991		Crippen Method
mcvol	132.120	ml/mol	McGowan Method
pc	5382.80	kPa	Joback Method
tb	863.02	K	Joback Method
tc	1085.33	K	Joback Method
tf	596.49	K	Joback Method
vc	0.507	m ³ /kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	352.06	J/mol×K	863.02	Joback Method
cpg	357.35	J/mol×K	900.07	Joback Method

cpg	362.11	J/molxK	937.12	Joback Method
cpg	366.37	J/molxK	974.18	Joback Method
cpg	370.16	J/molxK	1011.23	Joback Method
cpg	373.49	J/molxK	1048.28	Joback Method
cpg	376.40	J/molxK	1085.33	Joback Method

Sources

McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
Solubility of 3-Nitrophthalic Acid in Different Solvents between 278 K and 320 K and Aqueous Solubility Prediction Method:	https://www.doi.org/10.1021/je0604737 http://onschallenge.wikispaces.com/file/view/AqueousDataset002.xlsx/351826032/AqueousDataset002.xlsx
Joback Method:	https://en.wikipedia.org/wiki/Joback_method
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=C603112&Units=SI
Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci9903071
Solid-liquid equilibrium (SLE) of ternary system 3-nitrophthalic acid + 4-nitrophthalic acid + octanol	https://www.doi.org/10.1016/j.fluid.2013.03.021
Experimental and computational thermodynamic properties at the mesoscale of 3- and 4-nitrophthalic acids	https://www.doi.org/10.1016/j.jct.2018.07.026
Solid-liquid equilibrium and phase diagram for ternary system 3-nitrophthalic acid + 4-nitrophthalic acid + octanol	https://www.doi.org/10.1016/j.fluid.2007.12.002
Equilibrium Solubility of 3- and 4-Nitrophthalic Acids in Water	https://www.doi.org/10.1021/je7002594

Legend

cpg:	Ideal gas heat capacity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/39-590-4/1-2-Benzenedicarboxylic-acid-3-nitro.pdf>

Generated by Cheméo on 2024-04-24 18:15:49.740536639 +0000 UTC m=+16271798.661113952.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.