

Hippuric acid, 4-hydroxy, TMS, # 1

Inchi: InChI=1S/C18H33NO4Si3/c1-24(2,3)21-16-12-10-15(11-13-16)18(23-26(7,8)9)19-14-17(20)
InchiKey: REQOVFIHNAZURJ-HNENSFHCSA-N
Formula: C18H33NO4Si3
SMILES: C[Si](C)(C)OC(=O)CN=C(O[Si](C)(C)C)c1ccc(O[Si](C)(C)C)cc1
Mol. weight [g/mol]: 411.72

Physical Properties

Property code	Value	Unit	Source
log10ws	1.97		Crippen Method
logp	4.877		Crippen Method
rinpol	2122.00		NIST Webbook

Sources

NIST Webbook: <http://webbook.nist.gov/cgi/cbook.cgi?ID=R94713&Units=SI>
Crippen Method: <http://pubs.acs.org/doi/abs/10.1021/ci9903071>
Crippen Method: https://www.chemeo.com/doc/models/crippen_log10ws

Legend

log10ws: Log10 of Water solubility in mol/l
logp: Octanol/Water partition coefficient
rinpol: Non-polar retention indices

Latest version available from:

<https://www.chemeo.com/cid/41-250-8/Hippuric-acid-4-hydroxy-TMS-1.pdf>

Generated by Cheméo on 2024-04-24 03:55:46.912747112 +0000 UTC m=+16220195.833324428.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.