

# Prostaglandine F2A, butaneboronate

**Inchi:** InChI=1S/C24H41BO5/c1-3-5-9-12-19(26)15-16-21-20(13-10-7-8-11-14-24(27)28)22-18-  
**InchiKey:** VHDDNRWWKQVAQV-UWYFCHQDSA-N  
**Formula:** C24H41BO5  
**SMILES:** CCCCCC(O)C=CC1C2CC(OB(CCCC)O2)C1CC=CCCCC(=O)O  
**Mol. weight [g/mol]:** 420.39

## Physical Properties

Property code	Value	Unit	Source
log10ws	-4.42		Crippen Method
logp	5.393		Crippen Method
rinpol	2850.00		NIST Webbook

## Sources

**Crippen Method:** <http://pubs.acs.org/doi/abs/10.1021/ci9903071>  
**Crippen Method:** [https://www.chemeo.com/doc/models/crippen\\_log10ws](https://www.chemeo.com/doc/models/crippen_log10ws)  
**NIST Webbook:** <http://webbook.nist.gov/cgi/cbook.cgi?ID=R102093&Units=SI>

## Legend

**log10ws:** Log10 of Water solubility in mol/l  
**logp:** Octanol/Water partition coefficient  
**rinpol:** Non-polar retention indices

Latest version available from:

<https://www.chemeo.com/cid/42-484-8/Prostaglandine-F2A-butaneboronate.pdf>

Generated by Cheméo on 2024-04-19 21:26:09.800855933 +0000 UTC m=+15851218.721433248.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.