

Benzoic acid, 3,5-dihydroxy-

Other names:	3,5-dihydroxybenzoic acid 5-Carboxyresorcinol «alpha»-Resorcylic acid
Inchi:	InChI=1S/C7H6O4/c8-5-1-4(7(10)11)2-6(9)3-5/h1-3,8-9H,(H,10,11)
InchiKey:	UYEMGAFJOZZIFP-UHFFFAOYSA-N
Formula:	C7H6O4
SMILES:	O=C(O)c1cc(O)cc(O)c1
Mol. weight [g/mol]:	154.12
CAS:	99-10-5

Physical Properties

Property code	Value	Unit	Source
gf	-454.51	kJ/mol	Joback Method
hf	-570.71	kJ/mol	Joback Method
hfus	38.30	kJ/mol	Vapor Pressures and Enthalpies of Combustion of the Dihydroxybenzoic Acid Isomers
hsub	143.20 ± 1.80	kJ/mol	NIST Webbook
hvap	82.90	kJ/mol	Joback Method
log10ws	-0.63		Crippen Method
logp	0.796		Crippen Method
mvol	104.910	ml/mol	McGowan Method
pc	8175.04	kPa	Joback Method
rinpol	1617.00		NIST Webbook
tb	693.53	K	Joback Method
tc	922.45	K	Joback Method
tf	529.26	K	Joback Method
vc	0.277	m ³ /kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	296.25	J/mol×K	884.30	Joback Method
cpg	301.93	J/mol×K	922.45	Joback Method

cpg	267.80	J/mol×K	693.53	Joback Method
cpg	273.90	J/mol×K	731.68	Joback Method
cpg	279.67	J/mol×K	769.84	Joback Method
cpg	285.24	J/mol×K	807.99	Joback Method
cpg	290.73	J/mol×K	846.15	Joback Method
dvisc	0.0000008	Paxs	693.53	Joback Method
dvisc	0.0000013	Paxs	666.15	Joback Method
dvisc	0.0000285	Paxs	529.26	Joback Method
dvisc	0.0000136	Paxs	556.64	Joback Method
dvisc	0.0000069	Paxs	584.02	Joback Method
dvisc	0.0000038	Paxs	611.39	Joback Method
dvisc	0.0000021	Paxs	638.77	Joback Method
hfust	38.30	kJ/mol	508.30	NIST Webbook
hsubt	139.80 ± 1.80	kJ/mol	354.00	NIST Webbook

Sources

McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=C99105&Units=SI
Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci990307l
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws
Vapor Pressures and Enthalpies of Combustion of the Dihydroxybenzoic Acids	https://www.doi.org/10.1021/je900777q
Joback Method:	https://en.wikipedia.org/wiki/Joback_method

Legend

cpg:	Ideal gas heat capacity
dvisc:	Dynamic viscosity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hfust:	Enthalpy of fusion at a given temperature
hsub:	Enthalpy of sublimation at standard conditions
hsubt:	Enthalpy of sublimation at a given temperature
hvap:	Enthalpy of vaporization at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume

pc:	Critical Pressure
rinpol:	Non-polar retention indices
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/43-065-2/Benzoic-acid-3-5-dihydroxy.pdf>

Generated by Cheméo on 2024-04-24 04:46:33.930403507 +0000 UTC m=+16223242.850980823.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.