

2-Butenoic acid, 3,7-dimethyl-6-octenyl ester

Other names:	6-Octen-1-ol, 3,7-dimethyl-, crotonate Citronellyl 2-butenate Citronellyl «alpha»-crotonate Butenoic acid, 3,7-dimethyl-6-octenyl ester 3,7-Dimethyl-6-octenyl 2-butenate Citronellyl crotonate Citronellyl but-2-enoate
Inchi:	InChI=1S/C14H24O2/c1-5-7-14(15)16-11-10-13(4)9-6-8-12(2)3/h5,7-8,13H,6,9-11H2,1-4
InchiKey:	MYGZJMACIRJNPL-FNORWQNLSA-N
Formula:	C14H24O2
SMILES:	CC=CC(=O)OCCC(C)CCC=C(C)C
Mol. weight [g/mol]:	224.34
CAS:	68039-38-3

Physical Properties

Property code	Value	Unit	Source
gf	-17.47	kJ/mol	Joback Method
hf	-357.72	kJ/mol	Joback Method
hfus	30.37	kJ/mol	Joback Method
hvap	55.52	kJ/mol	Joback Method
log10ws	-4.01		Crippen Method
logp	3.878		Crippen Method
mvol	206.960	ml/mol	McGowan Method
pc	1737.56	kPa	Joback Method
rinpol	1558.00		NIST Webbook
rinpol	1558.00		NIST Webbook
ripol	1929.00		NIST Webbook
tb	603.77	K	Joback Method
tc	789.85	K	Joback Method
tf	280.58	K	Joback Method
vc	0.798	m3/kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	527.76	J/mol×K	603.77	Joback Method
cpg	544.41	J/mol×K	634.78	Joback Method
cpg	560.24	J/mol×K	665.80	Joback Method
cpg	575.29	J/mol×K	696.81	Joback Method
cpg	589.60	J/mol×K	727.82	Joback Method
cpg	603.19	J/mol×K	758.84	Joback Method
cpg	616.10	J/mol×K	789.85	Joback Method

Sources

Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci9903071
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws
Joback Method:	https://en.wikipedia.org/wiki/Joback_method
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=C68039383&Units=SI

Legend

cpg:	Ideal gas heat capacity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mccvol:	McGowan's characteristic volume
pc:	Critical Pressure
rinpol:	Non-polar retention indices
ripol:	Polar retention indices
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/43-642-1/2-Butenoic-acid-3-7-dimethyl-6-octenyl-ester.pdf>

Generated by Cheméo on 2024-04-26 08:44:32.945076373 +0000 UTC m=+16410321.865653684.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.