

# Pentanoic acid, 2-hydroxy-3-methyl-, methyl ester

Other names:	Methyl 2-hydroxy-3-methylpentanoate
Inchi:	InChI=1S/C7H14O3/c1-4-5(2)6(8)7(9)10-3/h5-6,8H,4H2,1-3H3
InchiKey:	OQXGUAUSWWFHOM-UHFFFAOYSA-N
Formula:	C7H14O3
SMILES:	CCC(C)C(O)C(=O)OC
Mol. weight [g/mol]:	146.18
CAS:	41654-19-7

## Physical Properties

Property code	Value	Unit	Source
gf	-367.56	kJ/mol	Joback Method
hf	-595.40	kJ/mol	Joback Method
hfus	13.71	kJ/mol	Joback Method
hvap	56.23	kJ/mol	Joback Method
log10ws	-0.75		Crippen Method
logp	0.566		Crippen Method
mcvol	122.800	ml/mol	McGowan Method
pc	3318.18	kPa	Joback Method
rinpol	978.00		NIST Webbook
rinpol	972.00		NIST Webbook
rinpol	972.00		NIST Webbook
ripol	1486.00		NIST Webbook
ripol	1489.00		NIST Webbook
ripol	1489.00		NIST Webbook
ripol	1478.00		NIST Webbook
ripol	1484.00		NIST Webbook
ripol	1489.00		NIST Webbook
tb	527.15	K	Joback Method
tc	703.42	K	Joback Method
tf	271.63	K	Joback Method
vc	0.459	m <sup>3</sup> /kmol	Joback Method

## Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	289.08	J/molxK	527.15	Joback Method
cpg	336.78	J/molxK	674.04	Joback Method
cpg	328.05	J/molxK	644.66	Joback Method
cpg	318.91	J/molxK	615.28	Joback Method
cpg	309.37	J/molxK	585.91	Joback Method
cpg	299.43	J/molxK	556.53	Joback Method
cpg	345.13	J/molxK	703.42	Joback Method
dvisc	0.0001175	Paxs	527.15	Joback Method
dvisc	0.0001982	Paxs	484.56	Joback Method
dvisc	0.0003695	Paxs	441.98	Joback Method
dvisc	0.0007868	Paxs	399.39	Joback Method
dvisc	0.0020069	Paxs	356.80	Joback Method
dvisc	0.0065975	Paxs	314.22	Joback Method
dvisc	0.0314993	Paxs	271.63	Joback Method

## Sources

**Crippen Method:**

<http://pubs.acs.org/doi/abs/10.1021/ci9903071>

**Crippen Method:**

[https://www.chemeo.com/doc/models/crippen\\_log10ws](https://www.chemeo.com/doc/models/crippen_log10ws)

**Joback Method:**

[https://en.wikipedia.org/wiki/Joback\\_method](https://en.wikipedia.org/wiki/Joback_method)

**McGowan Method:**

<http://link.springer.com/article/10.1007/BF02311772>

**NIST Webbook:**

<http://webbook.nist.gov/cgi/cbook.cgi?ID=C41654197&Units=SI>

## Legend

<b>cpg:</b>	Ideal gas heat capacity
<b>dvisc:</b>	Dynamic viscosity
<b>gf:</b>	Standard Gibbs free energy of formation
<b>hf:</b>	Enthalpy of formation at standard conditions
<b>hfus:</b>	Enthalpy of fusion at standard conditions
<b>hvap:</b>	Enthalpy of vaporization at standard conditions
<b>log10ws:</b>	Log10 of Water solubility in mol/l
<b>logp:</b>	Octanol/Water partition coefficient
<b>mccvol:</b>	McGowan's characteristic volume
<b>pc:</b>	Critical Pressure
<b>ripol:</b>	Non-polar retention indices
<b>ripol:</b>	Polar retention indices

**tb:** Normal Boiling Point Temperature  
**tc:** Critical Temperature  
**tf:** Normal melting (fusion) point  
**vc:** Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/44-087-7/Pentanoic-acid-2-hydroxy-3-methyl-methyl-ester.pdf>

Generated by Cheméo on 2024-04-19 19:42:38.852828574 +0000 UTC m=+15845007.773405889.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.