

Bicyclo[2.2.1]heptan-2-one, 4,7,7-trimethyl-, (1R)-

Other names:	3-Bornanone, (1R,4R)- 3-Bornanone, (+)- 3-Bornanone, (1R,4R)-(+)- 4,7,7-Trimethylbicyclo[2.2.1]heptan-2-one-, (1R,4R)- D-3-Bornanone
Inchi:	InChI=1S/C10H16O/c1-9(2)7-4-5-10(9,3)6-8(7)11/h7H,4-6H2,1-3H3/t7-,10?/m0/s1
InchiKey:	HFQTYOGWDNGZMS-BYDSUWOYSA-N
Formula:	C10H16O
SMILES:	CC12CCC(C(=O)C1)C2(C)C
Mol. weight [g/mol]:	152.23
CAS:	13854-85-8

Physical Properties

Property code	Value	Unit	Source
gf	1.44	kJ/mol	Joback Method
hf	-237.85	kJ/mol	Joback Method
hfus	3.81	kJ/mol	Joback Method
hvap	39.49	kJ/mol	Joback Method
log10ws	-2.35		Crippen Method
logp	2.402		Crippen Method
mcvol	131.610	ml/mol	McGowan Method
pc	3082.99	kPa	Joback Method
rinpol	1149.00		NIST Webbook
rinpol	1149.00		NIST Webbook
tb	509.58	K	Joback Method
tc	742.46	K	Joback Method
tf	346.60	K	Joback Method
vc	0.503	m ³ /kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	404.06	J/mol×K	703.65	Joback Method
cpg	324.29	J/mol×K	509.58	Joback Method

cpg	342.61	J/mol×K	548.39	Joback Method
cpg	359.48	J/mol×K	587.21	Joback Method
cpg	375.18	J/mol×K	626.02	Joback Method
cpg	389.96	J/mol×K	664.83	Joback Method
cpg	417.76	J/mol×K	742.46	Joback Method
hsubt	54.20	kJ/mol	340.50	NIST Webbook
hsubt	55.00	kJ/mol	331.00	NIST Webbook
hsubt	49.80	kJ/mol	429.50	NIST Webbook
hvapt	44.60	kJ/mol	470.00	NIST Webbook

Sources

McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=C13854858&Units=SI
Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci9903071
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws
Joback Method:	https://en.wikipedia.org/wiki/Joback_method

Legend

cpg:	Ideal gas heat capacity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hsubt:	Enthalpy of sublimation at a given temperature
hvap:	Enthalpy of vaporization at standard conditions
hvapt:	Enthalpy of vaporization at a given temperature
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mccvol:	McGowan's characteristic volume
pc:	Critical Pressure
rinpol:	Non-polar retention indices
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/44-217-2/Bicyclo-2-2-1-heptan-2-one-4-7-7-trimethyl-1R.pdf>

Generated by Cheméo on 2025-12-23 09:43:55.514138716 +0000 UTC m=+6231233.044179380.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.