

**2-Glucosyl-cellobiose:
αD-Glcp(1->2)-βDGlc(1->4)-DGlc, oxime-TMS,
Isomer # 2**

InChI: InChI=1S/C54H129NO16Si12/c1-72(2,3)56-38-42-47(66-78(19,20)21)49(68-80(25,26)27
InChIKey: ASGVAXYHJJYCMZ-KVVCTBSOSA-N

Formula: C54H129NO16Si12

SMILES: C[Si](C)(C)OCC(O[Si](C)(C)C)C(OC1OC(CO[Si](C)(C)C)C(O[Si](C)(C)C)C(O[Si](C)(C)C)

Mol. weight [g/mol]: 1385.63

Physical Properties

Property code	Value	Unit	Source
log10ws	13.07		Crippen Method
logp	14.359		Crippen Method
rinpol	3449.00		NIST Webbook

Sources

Crippen Method: https://www.chemeo.com/doc/models/crippen_log10ws

NIST Webbook: <http://webbook.nist.gov/cgi/cbook.cgi?ID=R588680&Units=SI>

Crippen Method: <http://pubs.acs.org/doi/abs/10.1021/ci9903071>

Legend

log10ws: Log10 of Water solubility in mol/l

logp: Octanol/Water partition coefficient

rinpol: Non-polar retention indices

Latest version available from:

<https://www.chemeo.com/cid/44-369-4/2-Glucosyl-cellobiose-αD-Glcp-1-2-βDGlc-1-4-DGlc-oxime-TMS-isomer-2.pdf>

Generated by Cheméo on 2024-05-03 01:48:46.795993083 +0000 UTC m=+16990175.716570395.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.