

# Tricyclo[3.3.1.1<sup>3,7</sup>]decane, 1,3-dimethyl-

|                      |                                                                                                                                                                          |
|----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Other names:         | 1,3-dimethyladamantane<br>1,3-dimethyltricyclo[3.3.1.1(3,7)]decane<br>1,3-dimethyltricyclo[3.3.1.1 <sup>3,7</sup> ]decane<br>tricyclo[3.3.1.1(3,7)]decane, 1,3-dimethyl- |
| Inchi:               | InChI=1S/C12H20/c1-11-4-9-3-10(5-11)7-12(2,6-9)8-11/h9-10H,3-8H2,1-2H3                                                                                                   |
| InchiKey:            | CWNOIUTVJRWADX-UHFFFAOYSA-N                                                                                                                                              |
| Formula:             | C12H20                                                                                                                                                                   |
| SMILES:              | CC12CC3CC(C1)CC(C)(C3)C2                                                                                                                                                 |
| Mol. weight [g/mol]: | 164.29                                                                                                                                                                   |

## Physical Properties

| Property code | Value            | Unit   | Source                                                                                                                              |
|---------------|------------------|--------|-------------------------------------------------------------------------------------------------------------------------------------|
| chs           | -7294.00 ± 3.00  | kJ/mol | NIST Webbook                                                                                                                        |
| hf            | -219.00 ± 3.00   | kJ/mol | NIST Webbook                                                                                                                        |
| hfs           | -287.00 ± 3.00   | kJ/mol | NIST Webbook                                                                                                                        |
| hfus          | 9.31             | kJ/mol | The low-temperature heat capacities, phase transitions and thermodynamic properties of 1,3-dimethyladamantane and 1-ethyladamantane |
| hsub          | 67.80 ± 1.30     | kJ/mol |                                                                                                                                     |
| hsub          | 68.00            | kJ/mol |                                                                                                                                     |
| hsub          | 68.00 ± 1.00     | kJ/mol |                                                                                                                                     |
| hvap          | 49.70 ± 0.20     | kJ/mol | NIST Webbook                                                                                                                        |
| hvap          | 49.40 ± 0.30     | kJ/mol | NIST Webbook                                                                                                                        |
| ie            | 9.15             | eV     | NIST Webbook                                                                                                                        |
| logp          | 3.613            |        | Crippen Method                                                                                                                      |
| mcvol         | 147.360          | ml/mol | McGowan Method                                                                                                                      |
| pc            | 3000.00 ± 250.00 | kPa    | NIST Webbook                                                                                                                        |
| rhoc          | 287.50 ± 11.99   | kg/m3  | NIST Webbook                                                                                                                        |
| rinpol        | 1194.00          |        | NIST Webbook                                                                                                                        |
| rinpol        | 1171.00          |        | NIST Webbook                                                                                                                        |
| rinpol        | 1154.00          |        | NIST Webbook                                                                                                                        |
| rinpol        | 1130.00          |        | NIST Webbook                                                                                                                        |
| rinpol        | 1184.00          |        | NIST Webbook                                                                                                                        |
| rinpol        | 1136.00          |        | NIST Webbook                                                                                                                        |
| rinpol        | 1144.00          |        | NIST Webbook                                                                                                                        |

|        |               |   |              |
|--------|---------------|---|--------------|
| rinpol | 1154.00       |   | NIST Webbook |
| rinpol | 1151.00       |   | NIST Webbook |
| rinpol | 1163.00       |   | NIST Webbook |
| rinpol | 1174.00       |   | NIST Webbook |
| rinpol | 1184.00       |   | NIST Webbook |
| rinpol | 1171.00       |   | NIST Webbook |
| rinpol | 1144.00       |   | NIST Webbook |
| rinpol | 1151.00       |   | NIST Webbook |
| rinpol | 1151.00       |   | NIST Webbook |
| rinpol | 1136.00       |   | NIST Webbook |
| rinpol | 1130.00       |   | NIST Webbook |
| ripol  | 1296.00       |   | NIST Webbook |
| ripol  | 1296.00       |   | NIST Webbook |
| ripol  | 1310.00       |   | NIST Webbook |
| ripol  | 1331.00       |   | NIST Webbook |
| tb     | 471.00 ± 4.00 | K | NIST Webbook |
| tc     | 708.00 ± 2.00 | K | NIST Webbook |
| tf     | 245.00 ± 0.50 | K | NIST Webbook |

## Temperature Dependent Properties

| Property code | Value        | Unit    | Temperature [K] | Source        |
|---------------|--------------|---------|-----------------|---------------|
| cpg           | 479.22       | J/mol×K | 720.37          | Joback Method |
| cpg           | 463.70       | J/mol×K | 682.68          | Joback Method |
| cpg           | 368.32       | J/mol×K | 494.26          | Joback Method |
| cpg           | 390.80       | J/mol×K | 531.94          | Joback Method |
| cpg           | 411.27       | J/mol×K | 569.63          | Joback Method |
| cpg           | 430.04       | J/mol×K | 607.31          | Joback Method |
| cpg           | 447.41       | J/mol×K | 645.00          | Joback Method |
| hfust         | 0.92         | kJ/mol  | 245.00          | NIST Webbook  |
| hfust         | 0.92         | kJ/mol  | 245.00          | NIST Webbook  |
| hfust         | 7.36         | kJ/mol  | 221.00          | NIST Webbook  |
| hfust         | 0.94         | kJ/mol  | 244.00          | NIST Webbook  |
| hfust         | 1.54         | kJ/mol  | 190.50          | NIST Webbook  |
| hvapt         | 49.20 ± 0.20 | kJ/mol  | 308.00          | NIST Webbook  |
| hvapt         | 36.40 ± 0.30 | kJ/mol  | 439.00          | NIST Webbook  |
| hvapt         | 39.10 ± 0.30 | kJ/mol  | 439.00          | NIST Webbook  |
| hvapt         | 41.50 ± 0.30 | kJ/mol  | 439.00          | NIST Webbook  |
| hvapt         | 43.70 ± 0.30 | kJ/mol  | 439.00          | NIST Webbook  |
| hvapt         | 45.90 ± 0.30 | kJ/mol  | 439.00          | NIST Webbook  |

|      |        |       |        |                                                                                                                                                   |
|------|--------|-------|--------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| rhoI | 880.17 | kg/m3 | 323.15 | Density, Viscosity, Surface Tension, and Refractive Index for Binary Mixtures of 1,3-Dimethyladamantane with Four C10 Alkanes                     |
| rhoI | 880.19 | kg/m3 | 323.15 | Density, Viscosity, Refractive Index, and Surface Tension for Six Binary Systems of Adamantane Derivatives with 1-Heptanol and Cyclohexylmethanol |
| rhoI | 894.53 | kg/m3 | 303.15 | Density, Viscosity, Surface Tension, and Refractive Index for Binary Mixtures of 1,3-Dimethyladamantane with Four C10 Alkanes                     |
| rhoI | 887.41 | kg/m3 | 313.15 | Density, Viscosity, Surface Tension, and Refractive Index for Binary Mixtures of 1,3-Dimethyladamantane with Four C10 Alkanes                     |
| rhoI | 901.57 | kg/m3 | 293.15 | Density and Viscosity of Ternary Mixture of Cyclopentanol +<br>exo-Tetrahydrodicyclopentadiene +<br>1,3-Dimethyladamantane                        |
| rhoI | 872.99 | kg/m3 | 333.15 | Density, Viscosity, Surface Tension, and Refractive Index for Binary Mixtures of 1,3-Dimethyladamantane with Four C10 Alkanes                     |
| rhoI | 865.77 | kg/m3 | 343.15 | Density, Viscosity, Surface Tension, and Refractive Index for Binary Mixtures of 1,3-Dimethyladamantane with Four C10 Alkanes                     |

|      |        |       |        |                                                                                                                                                                              |
|------|--------|-------|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| rhoI | 858.52 | kg/m3 | 353.15 | Density,<br>Viscosity,<br>Surface Tension,<br>and Refractive<br>Index for Binary<br>Mixtures of<br>1,3-Dimethyladamantane<br>with Four C10<br>Alkanes                        |
| rhoI | 851.23 | kg/m3 | 363.15 | Density,<br>Viscosity,<br>Surface Tension,<br>and Refractive<br>Index for Binary<br>Mixtures of<br>1,3-Dimethyladamantane<br>with Four C10<br>Alkanes                        |
| rhoI | 901.58 | kg/m3 | 293.15 | Density,<br>Viscosity,<br>Refractive Index,<br>and Surface<br>Tension for Six<br>Binary Systems<br>of Adamantane<br>Derivatives with<br>1-Heptanol and<br>Cyclohexylmethanol |
| rhoI | 898.04 | kg/m3 | 298.15 | Density,<br>Viscosity,<br>Refractive Index,<br>and Surface<br>Tension for Six<br>Binary Systems<br>of Adamantane<br>Derivatives with<br>1-Heptanol and<br>Cyclohexylmethanol |
| rhoI | 894.48 | kg/m3 | 303.15 | Density,<br>Viscosity,<br>Refractive Index,<br>and Surface<br>Tension for Six<br>Binary Systems<br>of Adamantane<br>Derivatives with<br>1-Heptanol and<br>Cyclohexylmethanol |
| rhoI | 890.92 | kg/m3 | 308.15 | Density,<br>Viscosity,<br>Refractive Index,<br>and Surface<br>Tension for Six<br>Binary Systems<br>of Adamantane<br>Derivatives with<br>1-Heptanol and<br>Cyclohexylmethanol |

|      |        |       |        |                                                                                                                                                                              |
|------|--------|-------|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| rhoI | 887.35 | kg/m3 | 313.15 | Density,<br>Viscosity,<br>Refractive Index,<br>and Surface<br>Tension for Six<br>Binary Systems<br>of Adamantane<br>Derivatives with<br>1-Heptanol and<br>Cyclohexylmethanol |
| rhoI | 883.77 | kg/m3 | 318.15 | Density,<br>Viscosity,<br>Refractive Index,<br>and Surface<br>Tension for Six<br>Binary Systems<br>of Adamantane<br>Derivatives with<br>1-Heptanol and<br>Cyclohexylmethanol |
| rhoI | 898.09 | kg/m3 | 298.15 | Density,<br>Viscosity,<br>Surface Tension,<br>and Refractive<br>Index for Binary<br>Mixtures of<br>1,3-Dimethyladamantane<br>with Four C10<br>Alkanes                        |
| rhoI | 876.60 | kg/m3 | 328.15 | Density,<br>Viscosity,<br>Refractive Index,<br>and Surface<br>Tension for Six<br>Binary Systems<br>of Adamantane<br>Derivatives with<br>1-Heptanol and<br>Cyclohexylmethanol |
| rhoI | 873.01 | kg/m3 | 333.15 | Density,<br>Viscosity,<br>Refractive Index,<br>and Surface<br>Tension for Six<br>Binary Systems<br>of Adamantane<br>Derivatives with<br>1-Heptanol and<br>Cyclohexylmethanol |
| rhoI | 901.65 | kg/m3 | 293.15 | Density,<br>Viscosity,<br>Surface Tension,<br>and Refractive<br>Index for Binary<br>Mixtures of<br>1,3-Dimethyladamantane<br>with Four C10<br>Alkanes                        |

|      |        |       |        |                                                                                                                            |
|------|--------|-------|--------|----------------------------------------------------------------------------------------------------------------------------|
| rhoI | 872.96 | kg/m3 | 333.15 | Density and Viscosity of Ternary Mixture of Cyclopentanol +<br>exo-Tetrahydrodicyclopentadiene +<br>1,3-Dimethyladamantane |
| rhoI | 876.55 | kg/m3 | 328.15 | Density and Viscosity of Ternary Mixture of Cyclopentanol +<br>exo-Tetrahydrodicyclopentadiene +<br>1,3-Dimethyladamantane |
| rhoI | 880.13 | kg/m3 | 323.15 | Density and Viscosity of Ternary Mixture of Cyclopentanol +<br>exo-Tetrahydrodicyclopentadiene +<br>1,3-Dimethyladamantane |
| rhoI | 883.71 | kg/m3 | 318.15 | Density and Viscosity of Ternary Mixture of Cyclopentanol +<br>exo-Tetrahydrodicyclopentadiene +<br>1,3-Dimethyladamantane |
| rhoI | 887.29 | kg/m3 | 313.15 | Density and Viscosity of Ternary Mixture of Cyclopentanol +<br>exo-Tetrahydrodicyclopentadiene +<br>1,3-Dimethyladamantane |
| rhoI | 890.86 | kg/m3 | 308.15 | Density and Viscosity of Ternary Mixture of Cyclopentanol +<br>exo-Tetrahydrodicyclopentadiene +<br>1,3-Dimethyladamantane |
| rhoI | 894.43 | kg/m3 | 303.15 | Density and Viscosity of Ternary Mixture of Cyclopentanol +<br>exo-Tetrahydrodicyclopentadiene +<br>1,3-Dimethyladamantane |

|       |        |         |        |                                                                                                                      |
|-------|--------|---------|--------|----------------------------------------------------------------------------------------------------------------------|
| rhof  | 898.00 | kg/m3   | 298.15 | Density and Viscosity of Ternary Mixture of Cyclopentanol + exo-Tetrahydrodicyclopentadiene + 1,3-Dimethyladamantane |
| sfust | 33.30  | J/mol×K | 221.00 | NIST Webbook                                                                                                         |
| sfust | 3.76   | J/mol×K | 245.00 | NIST Webbook                                                                                                         |

## Sources

The low-temperature heat capacities, phase transitions and thermodynamic properties of 1,3-Dimethyladamantane and Tetrahydrodicyclopentadiene: Binary Mixtures with 1,3-Dimethyladamantane with Four C10 Alkanes: Chemo Relay (1.0, beta):

<https://www.doi.org/10.1016/j.jct.2004.06.009>

<https://www.doi.org/10.1021/je4008926>

Density, Viscosity, Refractive Index, and Surface Tension for Six Binary Systems of Adamantane Derivatives with 1-Heptanol and Cyclohexylmethanol: Joback Method:

<https://www.doi.org/10.1021/je500381c>

<http://webbook.nist.gov/cgi/cbook.cgi?ID=C702794&Units=SI>

[https://en.wikipedia.org/wiki/Joback\\_method](https://en.wikipedia.org/wiki/Joback_method)

McGowan Method:

<http://link.springer.com/article/10.1007/BF02311772>

Crippen Method:

<http://pubs.acs.org/doi/abs/10.1021/ci990307l>

Density and Viscosity of Ternary Mixture of Cyclopentanol + Exo-Tetrahydrodicyclopentadiene + 1,3-Dimethyladamantane: Crippen Method:

<https://www.doi.org/10.1021/acs.jced.9b00074>

[https://www.chemeo.com/doc/models/crippen\\_log10ws](https://www.chemeo.com/doc/models/crippen_log10ws)

## Legend

|        |                                                          |
|--------|----------------------------------------------------------|
| chs:   | Standard solid enthalpy of combustion                    |
| cpg:   | Ideal gas heat capacity                                  |
| hf:    | Enthalpy of formation at standard conditions             |
| hfs:   | Solid phase enthalpy of formation at standard conditions |
| hfus:  | Enthalpy of fusion at standard conditions                |
| hfust: | Enthalpy of fusion at a given temperature                |
| hsub:  | Enthalpy of sublimation at standard conditions           |
| hvap:  | Enthalpy of vaporization at standard conditions          |
| hvapt: | Enthalpy of vaporization at a given temperature          |
| ie:    | Ionization energy                                        |
| logp:  | Octanol/Water partition coefficient                      |
| mcvol: | McGowan's characteristic volume                          |
| pc:    | Critical Pressure                                        |
| rhoc:  | Critical density                                         |

|                |                                          |
|----------------|------------------------------------------|
| <b>rhoL:</b>   | Liquid Density                           |
| <b>rinpol:</b> | Non-polar retention indices              |
| <b>ripol:</b>  | Polar retention indices                  |
| <b>sfust:</b>  | Entropy of fusion at a given temperature |
| <b>tb:</b>     | Normal Boiling Point Temperature         |
| <b>tc:</b>     | Critical Temperature                     |
| <b>tf:</b>     | Normal melting (fusion) point            |

Latest version available from:

<https://www.cheméo.com/cid/44-926-5/Tricyclo-3-3-1-13-7-decane-1-3-dimethyl.pdf>

Generated by Cheméo on 2026-07-22 02:15:27.841019227 +0000 UTC m=+197623.682904646.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.