

# Propanoic acid, 2-methyl-, methyl ester

|                      |                                                                                                                                                                                                                                                                                                                                                    |
|----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Other names:         | (CH <sub>3</sub> ) <sub>2</sub> CHC(O)OCH <sub>3</sub><br>2-methylpropanoic acid, methyl ester<br>METHYL ESTER ISOBUTYRIC ACID<br>Methyl 2-methylpropionate<br>Methyl isobutanoate<br>Methyl methylpropanoate<br>Methylester kyseliny isomaseľne<br>NSC 126780<br>isobutyric acid, methyl ester<br>methyl 2-methylpropanoate<br>methyl isobutyrate |
| Inchi:               | InChI=1S/C5H10O2/c1-4(2)5(6)7-3/h4H,1-3H3                                                                                                                                                                                                                                                                                                          |
| InchiKey:            | BHIWKHZACMWKOJ-UHFFFAOYSA-N                                                                                                                                                                                                                                                                                                                        |
| Formula:             | C <sub>5</sub> H <sub>10</sub> O <sub>2</sub>                                                                                                                                                                                                                                                                                                      |
| SMILES:              | COC(=O)C(C)C                                                                                                                                                                                                                                                                                                                                       |
| Mol. weight [g/mol]: | 102.13                                                                                                                                                                                                                                                                                                                                             |
| CAS:                 | 547-63-7                                                                                                                                                                                                                                                                                                                                           |

## Physical Properties

| Property code | Value           | Unit              | Source             |
|---------------|-----------------|-------------------|--------------------|
| af            | 0.3620          |                   | KDB                |
| affp          | 836.60          | kJ/mol            | NIST Webbook       |
| basg          | 805.70          | kJ/mol            | NIST Webbook       |
| dm            | 2.00            | debye             | KDB                |
| hf            | -448.45         | kJ/mol            | Cheméo Relay (1.0) |
| hfus          | 7.97            | kJ/mol            | Joback Method      |
| hvap          | 33.40 ± 0.02    | kJ/mol            | NIST Webbook       |
| hvap          | 37.42           | kJ/mol            | NIST Webbook       |
| ie            | 9.98 ± 0.02     | eV                | NIST Webbook       |
| ie            | 9.86            | eV                | NIST Webbook       |
| log10ws       | -0.63           |                   | Cheméo Relay (1.0) |
| logp          | 0.815           |                   | Crippen Method     |
| mcvol         | 88.750          | ml/mol            | McGowan Method     |
| pc            | 3430.00         | kPa               | KDB                |
| pc            | 3432.00 ± 81.06 | kPa               | NIST Webbook       |
| pc            | 3430.40 ± 40.00 | kPa               | NIST Webbook       |
| rhoc          | 301.19 ± 10.01  | kg/m <sup>3</sup> | NIST Webbook       |

|        |               |       |              |
|--------|---------------|-------|--------------|
| rhoc   | 301.70 ± 4.09 | kg/m3 | NIST Webbook |
| rinpol | 690.00        |       | NIST Webbook |
| rinpol | 665.00        |       | NIST Webbook |
| rinpol | 691.60        |       | NIST Webbook |
| rinpol | 694.00        |       | NIST Webbook |
| rinpol | 681.00        |       | NIST Webbook |
| rinpol | 673.00        |       | NIST Webbook |
| rinpol | 670.00        |       | NIST Webbook |
| rinpol | 681.00        |       | NIST Webbook |
| rinpol | 690.00        |       | NIST Webbook |
| rinpol | 665.00        |       | NIST Webbook |
| rinpol | 684.00        |       | NIST Webbook |
| rinpol | 673.00        |       | NIST Webbook |
| rinpol | 685.00        |       | NIST Webbook |
| rinpol | 684.00        |       | NIST Webbook |
| rinpol | 671.00        |       | NIST Webbook |
| rinpol | 681.00        |       | NIST Webbook |
| rinpol | 685.00        |       | NIST Webbook |
| rinpol | 673.00        |       | NIST Webbook |
| rinpol | 684.00        |       | NIST Webbook |
| rinpol | 679.00        |       | NIST Webbook |
| rinpol | 667.00        |       | NIST Webbook |
| rinpol | 676.00        |       | NIST Webbook |
| rinpol | 684.00        |       | NIST Webbook |
| rinpol | 697.00        |       | NIST Webbook |
| rinpol | 691.00        |       | NIST Webbook |
| rinpol | 685.00        |       | NIST Webbook |
| rinpol | 684.00        |       | NIST Webbook |
| rinpol | 665.00        |       | NIST Webbook |
| rinpol | 669.00        |       | NIST Webbook |
| rinpol | 623.00        |       | NIST Webbook |
| rinpol | 669.00        |       | NIST Webbook |
| rinpol | 665.00        |       | NIST Webbook |
| rinpol | 628.00        |       | NIST Webbook |
| rinpol | 628.00        |       | NIST Webbook |
| rinpol | 671.00        |       | NIST Webbook |
| ripol  | 922.00        |       | NIST Webbook |
| ripol  | 940.00        |       | NIST Webbook |
| ripol  | 930.00        |       | NIST Webbook |
| ripol  | 915.00        |       | NIST Webbook |
| ripol  | 903.00        |       | NIST Webbook |
| ripol  | 913.00        |       | NIST Webbook |
| ripol  | 920.00        |       | NIST Webbook |
| ripol  | 915.00        |       | NIST Webbook |

|       |               |         |              |
|-------|---------------|---------|--------------|
| ripol | 900.00        |         | NIST Webbook |
| ripol | 924.00        |         | NIST Webbook |
| ripol | 910.00        |         | NIST Webbook |
| ripol | 916.00        |         | NIST Webbook |
| ripol | 924.00        |         | NIST Webbook |
| ripol | 924.00        |         | NIST Webbook |
| ripol | 903.00        |         | NIST Webbook |
| ripol | 930.00        |         | NIST Webbook |
| ripol | 919.00        |         | NIST Webbook |
| ripol | 927.00        |         | NIST Webbook |
| ripol | 921.00        |         | NIST Webbook |
| ripol | 922.00        |         | NIST Webbook |
| ripol | 919.00        |         | NIST Webbook |
| ripol | 924.00        |         | NIST Webbook |
| ripol | 924.00        |         | NIST Webbook |
| ripol | 913.00        |         | NIST Webbook |
| tb    | 365.45 ± 1.00 | K       | NIST Webbook |
| tb    | 363.20        | K       | NIST Webbook |
| tb    | 365.45 ± 1.00 | K       | NIST Webbook |
| tb    | 365.60        | K       | KDB          |
| tb    | 355.70 ± 0.50 | K       | NIST Webbook |
| tb    | 365.00 ± 1.00 | K       | NIST Webbook |
| tb    | 365.55 ± 1.00 | K       | NIST Webbook |
| tb    | 384.55 ± 1.00 | K       | NIST Webbook |
| tb    | 364.95 ± 2.00 | K       | NIST Webbook |
| tb    | 365.70 ± 0.30 | K       | NIST Webbook |
| tb    | 365.45 ± 1.00 | K       | NIST Webbook |
| tb    | 365.50        | K       | NIST Webbook |
| tb    | 365.45 ± 1.00 | K       | NIST Webbook |
| tb    | 365.60        | K       | NIST Webbook |
| tb    | 365.50 ± 0.50 | K       | NIST Webbook |
| tb    | 367.00 ± 2.00 | K       | NIST Webbook |
| tb    | 365.15 ± 2.00 | K       | NIST Webbook |
| tb    | 372.15 ± 1.00 | K       | NIST Webbook |
| tc    | 540.70 ± 1.00 | K       | NIST Webbook |
| tc    | 540.70 ± 1.00 | K       | NIST Webbook |
| tc    | 546.80 ± 6.00 | K       | NIST Webbook |
| tc    | 540.80        | K       | KDB          |
| tf    | 188.50 ± 0.25 | K       | NIST Webbook |
| tf    | 188.40        | K       | KDB          |
| tf    | 187.15 ± 1.50 | K       | NIST Webbook |
| vc    | 0.339         | m3/kmol | KDB          |
| zc    | 0.2585950     |         | KDB          |

# Temperature Dependent Properties

| Property code | Value     | Unit    | Temperature [K] | Source        |
|---------------|-----------|---------|-----------------|---------------|
| cpg           | 196.85    | J/mol×K | 511.53          | Joback Method |
| cpg           | 211.93    | J/mol×K | 572.47          | Joback Method |
| cpg           | 204.52    | J/mol×K | 542.00          | Joback Method |
| cpg           | 188.90    | J/mol×K | 481.06          | Joback Method |
| cpg           | 163.44    | J/mol×K | 389.65          | Joback Method |
| cpg           | 172.19    | J/mol×K | 420.12          | Joback Method |
| cpg           | 180.68    | J/mol×K | 450.59          | Joback Method |
| dvisc         | 0.0043372 | Pa×s    | 203.27          | Joback Method |
| dvisc         | 0.0019995 | Pa×s    | 234.33          | Joback Method |
| dvisc         | 0.0011050 | Pa×s    | 265.40          | Joback Method |
| dvisc         | 0.0006915 | Pa×s    | 296.46          | Joback Method |
| dvisc         | 0.0004730 | Pa×s    | 327.52          | Joback Method |
| dvisc         | 0.0003455 | Pa×s    | 358.59          | Joback Method |
| dvisc         | 0.0002653 | Pa×s    | 389.65          | Joback Method |
| hvapt         | 40.10     | kJ/mol  | 302.50          | NIST Webbook  |
| hvapt         | 32.61     | kJ/mol  | 365.60          | NIST Webbook  |
| hvapt         | 33.70     | kJ/mol  | 449.50          | NIST Webbook  |
| rhoI          | 891.00    | kg/m3   | 293.00          | KDB           |

## Correlations

| Information                 | Value                         |
|-----------------------------|-------------------------------|
| Property code               | pvap                          |
| Equation                    | $\ln(P_{vp}) = A + B/(T + C)$ |
| Coeff. A                    | 1.48798e+01                   |
| Coeff. B                    | -3.30681e+03                  |
| Coeff. C                    | -4.27450e+01                  |
| Temperature range (K), min. | 269.36                        |
| Temperature range (K), max. | 388.34                        |

| Information   | Value                                      |
|---------------|--------------------------------------------|
| Property code | pvap                                       |
| Equation      | $\ln(P_{vp}) = A + B/T + C*\ln(T) + D*T^2$ |
| Coeff. A      | 8.51167e+01                                |

|                             |              |
|-----------------------------|--------------|
| Coeff. B                    | -7.28577e+03 |
| Coeff. C                    | -1.04269e+01 |
| Coeff. D                    | 7.17430e-06  |
| Temperature range (K), min. | 239.15       |
| Temperature range (K), max. | 535.58       |

## Sources

Cheméo Relay (1.0, beta):

The Yaws Handbook of Vapor Pressure:  
Cheméo Relay (1.0):

<https://www.sciencedirect.com/book/9780128029992/the-yaws-handbook-of-vapor-pressure>

KDB:

<https://www.thermo.com/research/kdb/hcprop/showprop.php?cmpid=1064>

McGowan Method:

<http://link.springer.com/article/10.1007/BF02311772>

Crippen Method:

<http://pubs.acs.org/doi/abs/10.1021/ci990307l>

Modified solution calorimetry approach  
for determination of vaporization and  
sublimation pressures of  
branched-chain aliphatic and alkyl  
aromatic compounds at T = 298.15 K:  
NIST Webbook

<https://www.doi.org/10.1016/j.jct.2015.07.037>

Sublimation Pressures:

<https://www.thermo.com/research/kdb/hcprop/showprop.php?cmpid=1064>

Joback Method:

<http://webbook.nist.gov/cgi/cbook.cgi?ID=C547637&Units=SI>

Joback Method:

[https://en.wikipedia.org/wiki/Joback\\_method](https://en.wikipedia.org/wiki/Joback_method)

Crippen Method:

[https://www.chemeo.com/doc/models/crippen\\_log10ws](https://www.chemeo.com/doc/models/crippen_log10ws)

## Legend

|                 |                                                 |
|-----------------|-------------------------------------------------|
| <b>af:</b>      | Acentric Factor                                 |
| <b>affp:</b>    | Proton affinity                                 |
| <b>basg:</b>    | Gas basicity                                    |
| <b>cpg:</b>     | Ideal gas heat capacity                         |
| <b>dm:</b>      | Dipole Moment                                   |
| <b>dvisc:</b>   | Dynamic viscosity                               |
| <b>hf:</b>      | Enthalpy of formation at standard conditions    |
| <b>hfus:</b>    | Enthalpy of fusion at standard conditions       |
| <b>hvap:</b>    | Enthalpy of vaporization at standard conditions |
| <b>hvapt:</b>   | Enthalpy of vaporization at a given temperature |
| <b>ie:</b>      | Ionization energy                               |
| <b>log10ws:</b> | Log10 of Water solubility in mol/l              |
| <b>logp:</b>    | Octanol/Water partition coefficient             |
| <b>mcvol:</b>   | McGowan's characteristic volume                 |
| <b>pc:</b>      | Critical Pressure                               |
| <b>pvap:</b>    | Vapor pressure                                  |

|                |                                  |
|----------------|----------------------------------|
| <b>rhoc:</b>   | Critical density                 |
| <b>rhoL:</b>   | Liquid Density                   |
| <b>rinpol:</b> | Non-polar retention indices      |
| <b>ripol:</b>  | Polar retention indices          |
| <b>tb:</b>     | Normal Boiling Point Temperature |
| <b>tc:</b>     | Critical Temperature             |
| <b>tf:</b>     | Normal melting (fusion) point    |
| <b>vc:</b>     | Critical Volume                  |
| <b>zc:</b>     | Critical Compressibility         |

Latest version available from:

<https://www.cheméo.com/cid/45-945-3/Propanoic-acid-2-methyl-methyl-ester.pdf>

Generated by Cheméo on 2026-07-21 22:05:18.499098205 +0000 UTC m=+182614.340983574.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.