

# Triphenylene, 1-methyl-

<b>Inchi:</b>	InChI=1S/C19H14/c1-13-7-6-12-18-16-9-3-2-8-14(16)15-10-4-5-11-17(15)19(13)18/h2-12
<b>InchiKey:</b>	DUFXBFANDZVWSR-UHFFFAOYSA-N
<b>Formula:</b>	C19H14
<b>SMILES:</b>	Cc1cccc2c3ccccc3c3ccccc3c12
<b>Mol. weight [g/mol]:</b>	242.31
<b>CAS:</b>	2871-91-2

## Physical Properties

Property code	Value	Unit	Source
gf	512.57	kJ/mol	Joback Method
hf	339.84	kJ/mol	Joback Method
hfus	28.90	kJ/mol	Joback Method
hvap	67.07	kJ/mol	Joback Method
log10ws	-7.36		Crippen Method
logp	5.455		Crippen Method
mcvol	196.430	ml/mol	McGowan Method
pc	2448.32	kPa	Joback Method
rinpol	416.32		NIST Webbook
rinpol	415.45		NIST Webbook
rinpol	416.32		NIST Webbook
rinpol	416.32		NIST Webbook
tb	732.68	K	Joback Method
tc	990.82	K	Joback Method
tf	465.97	K	Joback Method
vc	0.757	m <sup>3</sup> /kmol	Joback Method

## Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	518.66	J/mol×K	732.68	Joback Method
cpg	533.84	J/mol×K	775.70	Joback Method
cpg	547.92	J/mol×K	818.73	Joback Method
cpg	561.09	J/mol×K	861.75	Joback Method
cpg	573.55	J/mol×K	904.77	Joback Method

cpg	585.49	J/molxK	947.80	Joback Method
cpg	597.11	J/molxK	990.82	Joback Method
dvisc	0.0016009	Paxs	465.97	Joback Method
dvisc	0.0013067	Paxs	510.42	Joback Method
dvisc	0.0011019	Paxs	554.87	Joback Method
dvisc	0.0009529	Paxs	599.33	Joback Method
dvisc	0.0008408	Paxs	643.78	Joback Method
dvisc	0.0007540	Paxs	688.23	Joback Method
dvisc	0.0006851	Paxs	732.68	Joback Method

## Sources

<b>McGowan Method:</b>	<a href="http://link.springer.com/article/10.1007/BF02311772">http://link.springer.com/article/10.1007/BF02311772</a>
<b>NIST Webbook:</b>	<a href="http://webbook.nist.gov/cgi/cbook.cgi?ID=C2871912&amp;Units=SI">http://webbook.nist.gov/cgi/cbook.cgi?ID=C2871912&amp;Units=SI</a>
<b>Crippen Method:</b>	<a href="http://pubs.acs.org/doi/abs/10.1021/ci9903071">http://pubs.acs.org/doi/abs/10.1021/ci9903071</a>
<b>Crippen Method:</b>	<a href="https://www.chemeo.com/doc/models/crippen_log10ws">https://www.chemeo.com/doc/models/crippen_log10ws</a>
<b>Joback Method:</b>	<a href="https://en.wikipedia.org/wiki/Joback_method">https://en.wikipedia.org/wiki/Joback_method</a>

## Legend

<b>cpg:</b>	Ideal gas heat capacity
<b>dvisc:</b>	Dynamic viscosity
<b>gf:</b>	Standard Gibbs free energy of formation
<b>hf:</b>	Enthalpy of formation at standard conditions
<b>hfus:</b>	Enthalpy of fusion at standard conditions
<b>hvac:</b>	Enthalpy of vaporization at standard conditions
<b>log10ws:</b>	Log10 of Water solubility in mol/l
<b>logp:</b>	Octanol/Water partition coefficient
<b>mccvol:</b>	McGowan's characteristic volume
<b>pc:</b>	Critical Pressure
<b>rinpol:</b>	Non-polar retention indices
<b>tb:</b>	Normal Boiling Point Temperature
<b>tc:</b>	Critical Temperature
<b>tf:</b>	Normal melting (fusion) point
<b>vc:</b>	Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/46-224-2/Triphenylene-1-methyl.pdf>

Generated by Cheméo on 2024-04-20 04:30:34.605183524 +0000 UTC m=+15876683.525760835.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.