

1,2,6,7-Tetrachlorodibenzo-p-dioxin

| | |
|-----------------------------|---|
| Other names: | Dibenzo-p-dioxin, 1,2,6,7-tetrachloro 1,2,6,7-tetrachlorodibenzodioxin |
| Inchi: | InChI=1S/C12H4Cl4O2/c13-5-1-3-7-11(9(5)15)18-8-4-2-6(14)10(16)12(8)17-7/h1-4H |
| InchiKey: | SAMLAWFHxzIRMP-UHFFFAOYSA-N |
| Formula: | C12H4Cl4O2 |
| SMILES: | Clc1ccc2c(c1Cl)Oc1ccc(Cl)c(Cl)c1O2 |
| Mol. weight [g/mol]: | 321.97 |

Physical Properties

| Property code | Value | Unit | Source |
|---------------|---------|----------------------|----------------|
| gf | 77.80 | kJ/mol | Joback Method |
| hf | -114.43 | kJ/mol | Joback Method |
| hfus | 44.49 | kJ/mol | Joback Method |
| hvap | 77.44 | kJ/mol | Joback Method |
| log10ws | -5.73 | | Crippen Method |
| logp | 6.198 | | Crippen Method |
| mcvol | 182.260 | ml/mol | McGowan Method |
| pc | 2999.15 | kPa | Joback Method |
| rinpol | 2359.00 | | NIST Webbook |
| rinpol | 2358.00 | | NIST Webbook |
| rinpol | 2408.00 | | NIST Webbook |
| rinpol | 2408.00 | | NIST Webbook |
| rinpol | 2358.00 | | NIST Webbook |
| rinpol | 2408.00 | | NIST Webbook |
| rinpol | 2408.00 | | NIST Webbook |
| rinpol | 2372.00 | | NIST Webbook |
| rinpol | 2372.00 | | NIST Webbook |
| tb | 767.96 | K | Joback Method |
| tc | 1035.13 | K | Joback Method |
| tf | 551.48 | K | Joback Method |
| vc | 0.696 | m ³ /kmol | Joback Method |

Temperature Dependent Properties

| Property code | Value | Unit | Temperature [K] | Source |
|---------------|-----------|---------|-----------------|---------------|
| cpg | 390.63 | J/mol×K | 767.96 | Joback Method |
| cpg | 398.57 | J/mol×K | 812.49 | Joback Method |
| cpg | 405.89 | J/mol×K | 857.02 | Joback Method |
| cpg | 412.71 | J/mol×K | 901.55 | Joback Method |
| cpg | 419.14 | J/mol×K | 946.08 | Joback Method |
| cpg | 425.28 | J/mol×K | 990.60 | Joback Method |
| cpg | 431.25 | J/mol×K | 1035.13 | Joback Method |
| dvisc | 0.0011898 | Paxs | 551.48 | Joback Method |
| dvisc | 0.0009675 | Paxs | 587.56 | Joback Method |
| dvisc | 0.0008058 | Paxs | 623.64 | Joback Method |
| dvisc | 0.0006847 | Paxs | 659.72 | Joback Method |
| dvisc | 0.0005917 | Paxs | 695.80 | Joback Method |
| dvisc | 0.0005188 | Paxs | 731.88 | Joback Method |
| dvisc | 0.0004605 | Paxs | 767.96 | Joback Method |

Sources

McGowan Method:

<http://link.springer.com/article/10.1007/BF02311772>

NIST Webbook:

<http://webbook.nist.gov/cgi/cbook.cgi?ID=R37553&Units=SI>

Crippen Method:

<http://pubs.acs.org/doi/abs/10.1021/ci9903071>

Crippen Method:

https://www.chemeo.com/doc/models/crippen_log10ws

Joback Method:

https://en.wikipedia.org/wiki/Joback_method

Legend

| | |
|-----------------|---|
| cpg: | Ideal gas heat capacity |
| dvisc: | Dynamic viscosity |
| gf: | Standard Gibbs free energy of formation |
| hf: | Enthalpy of formation at standard conditions |
| hfus: | Enthalpy of fusion at standard conditions |
| hvap: | Enthalpy of vaporization at standard conditions |
| log10ws: | Log10 of Water solubility in mol/l |
| logp: | Octanol/Water partition coefficient |
| mcvol: | McGowan's characteristic volume |
| pc: | Critical Pressure |
| rinpola: | Non-polar retention indices |
| tb: | Normal Boiling Point Temperature |

tc: Critical Temperature
tf: Normal melting (fusion) point
vc: Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/46-303-4/1-2-6-7-Tetrachlorodibenzo-p-dioxin.pdf>

Generated by Cheméo on 2024-04-23 10:29:25.790586028 +0000 UTC m=+16157414.711163340.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.