

4-Methyl-2-pentyl acetate

Other names:	1,3-Dimethylbutyl acetate 1,3-Dimethylbutyl ethanoate 1,3-Dimethylbutylester kyseliny octove 2-Pentanol, 4-methyl-, 2-acetate 2-Pentanol, 4-methyl-, acetate 4-Methyl-2-amyl acetate 4-Methyl-2-pentanol acetate 4-Methylpent-2-yl acetate Acetic acid, 1,3-dimethylbutyl ester Acetic acid, 4-methylpent-2-yl ester MAAc Methylisoamyl acetate Methylisobutylcarbinol acetate Methylisobutylcarbiny acetate NSC 567 UN 1233
Inchi:	InChI=1S/C8H16O2/c1-6(2)5-7(3)10-8(4)9/h6-7H,5H2,1-4H3
InchiKey:	CPIVYSAVIPTCCX-UHFFFAOYSA-N
Formula:	C8H16O2
SMILES:	CC(=O)OC(C)CC(C)C
Mol. weight [g/mol]:	144.21
CAS:	108-84-9

Physical Properties

Property code	Value	Unit	Source
gf	-222.32	kJ/mol	Joback Method
hf	-463.81	kJ/mol	Joback Method
hfus	12.22	kJ/mol	Joback Method
hvap	41.78	kJ/mol	Joback Method
log10ws	-1.90		Crippen Method
logp	1.984		Crippen Method
mcvol	131.020	ml/mol	McGowan Method
pc	2701.41	kPa	Joback Method
rinpol	885.00		NIST Webbook
rinpol	910.00		NIST Webbook
rinpol	885.00		NIST Webbook
rinpol	885.10		NIST Webbook

ripol	910.00		NIST Webbook
ripol	842.00		NIST Webbook
ripol	1110.00		NIST Webbook
ripol	1109.00		NIST Webbook
ripol	1110.00		NIST Webbook
tb	420.70	K	NIST Webbook
tc	640.65	K	Joback Method
tf	222.08	K	Joback Method
vc	0.495	m ³ /kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	279.95	J/mol×K	457.85	Joback Method
cpg	339.86	J/mol×K	610.19	Joback Method
cpg	328.83	J/mol×K	579.72	Joback Method
cpg	317.32	J/mol×K	549.25	Joback Method
cpg	305.35	J/mol×K	518.78	Joback Method
cpg	292.89	J/mol×K	488.32	Joback Method
cpg	350.42	J/mol×K	640.65	Joback Method
dvisc	0.0002306	Paxs	457.85	Joback Method
dvisc	0.0003141	Paxs	418.56	Joback Method
dvisc	0.0004562	Paxs	379.26	Joback Method
dvisc	0.0007223	Paxs	339.97	Joback Method
dvisc	0.0012896	Paxs	300.67	Joback Method
dvisc	0.0027406	Paxs	261.38	Joback Method
dvisc	0.0076048	Paxs	222.08	Joback Method

Correlations

Information	Value
Property code	pvap
Equation	$\ln(P_{vp}) = A + B/(T + C)$
Coeff. A	1.52054e+01
Coeff. B	-3.83974e+03
Coeff. C	-5.80180e+01
Temperature range (K), min.	315.41
Temperature range (K), max.	446.11

Sources

The Yaws Handbook of Vapor Pressure:	https://www.sciencedirect.com/book/9780128029992/the-yaws-handbook-of-vapor-pressure
Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci9903071
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws
Joback Method:	https://en.wikipedia.org/wiki/Joback_method
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=C108849&Units=SI

Legend

cp_g:	Ideal gas heat capacity
d_{visc}:	Dynamic viscosity
g_f:	Standard Gibbs free energy of formation
h_f:	Enthalpy of formation at standard conditions
h_{fus}:	Enthalpy of fusion at standard conditions
h_{vap}:	Enthalpy of vaporization at standard conditions
log₁₀ws:	Log ₁₀ of Water solubility in mol/l
log_p:	Octanol/Water partition coefficient
mc_{vol}:	McGowan's characteristic volume
pc:	Critical Pressure
pv_{ap}:	Vapor pressure
ri_{npol}:	Non-polar retention indices
ri_{pol}:	Polar retention indices
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/48-595-9/4-Methyl-2-pentyl-acetate.pdf>

Generated by Cheméo on 2024-04-24 16:25:06.161939511 +0000 UTC m=+16265155.082516823.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.