

1-Octene, 5-methyl

Other names:	5-Methyl-1-octene
Inchi:	InChI=1S/C9H18/c1-4-6-8-9(3)7-5-2/h4,9H,1,5-8H2,2-3H3
InchiKey:	NGXVSPYIGVZKOB-UHFFFAOYSA-N
Formula:	C9H18
SMILES:	C=CCCC(C)CCC
Mol. weight [g/mol]:	126.24
CAS:	---

Physical Properties

Property code	Value	Unit	Source
gf	110.30	kJ/mol	Joback Method
hf	-108.94	kJ/mol	Joback Method
hfus	14.26	kJ/mol	Joback Method
hvap	34.57	kJ/mol	Joback Method
log10ws	-3.20		Crippen Method
logp	3.389		Crippen Method
mcvol	133.370	ml/mol	McGowan Method
pc	2421.88	kPa	Joback Method
rinpol	844.00		NIST Webbook
rinpol	845.00		NIST Webbook
rinpol	845.00		NIST Webbook
rinpol	844.00		NIST Webbook
rinpol	844.00		NIST Webbook
tb	401.56	K	Joback Method
tc	571.62	K	Joback Method
tf	174.43	K	Joback Method
vc	0.514	m ³ /kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	257.23	J/mol×K	401.56	Joback Method
cpg	271.24	J/mol×K	429.90	Joback Method
cpg	284.69	J/mol×K	458.25	Joback Method

cpg	297.60	J/mol×K	486.59	Joback Method
cpg	309.99	J/mol×K	514.93	Joback Method
cpg	321.86	J/mol×K	543.28	Joback Method
cpg	333.24	J/mol×K	571.62	Joback Method
dvisc	0.0090007	Paxs	174.43	Joback Method
dvisc	0.0028336	Paxs	212.28	Joback Method
dvisc	0.0012657	Paxs	250.14	Joback Method
dvisc	0.0006987	Paxs	288.00	Joback Method
dvisc	0.0004428	Paxs	325.85	Joback Method
dvisc	0.0003086	Paxs	363.70	Joback Method
dvisc	0.0002302	Paxs	401.56	Joback Method

Correlations

Information	Value
Property code	pvap
Equation	$\ln(P_{vp}) = A + B/(T + C)$
Coeff. A	1.59744e+01
Coeff. B	-4.07439e+03
Coeff. C	-5.87860e+01
Temperature range (K), min.	318.52
Temperature range (K), max.	440.90

Sources

NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=R1968&Units=SI
The Yaws Handbook of Vapor Pressure:	https://www.sciencedirect.com/book/9780128029992/the-yaws-handbook-of-vapor-pressure
Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci9903071
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws
Joback Method:	https://en.wikipedia.org/wiki/Joback_method
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772

Legend

cpg:	Ideal gas heat capacity
dvisc:	Dynamic viscosity

gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
pvap:	Vapor pressure
rinpolar:	Non-polar retention indices
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/48-715-5/1-Octene-5-methyl.pdf>

Generated by Cheméo on 2024-04-17 15:37:11.275223516 +0000 UTC m=+15657480.195800832.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.